MOT 2015-6201 Page 1 of 161

**ITEM MOT 2015-6201** 

#### VILLAGE OF DOWNERS GROVE Report for the Village Council Meeting 5/12/2015

SUBJECT:	SUBMITTED BY:	
2015 Street Resurfacing Project	Nan Newlon Director of Public Works	

#### SYNOPSIS

A motion is requested to award a contract for the 2015 Resurfacing (A) Project to J. A. Johnson Paving Company of Arlington Heights, Illinois in the amount of \$2,497,116.88.

#### STRATEGIC PLAN ALIGNMENT

The Goals for 2011 to 2018 identified *Top Quality Infrastructure*.

#### FISCAL IMPACT

The FY15 budget includes \$2,500,000 for this project from the Motor Fuel Tax and the Capital Project Funds.

#### RECOMMENDATION

Approval on the May 19, 2015 consent agenda.

#### **BACKGROUND**

This contract is a component of the 2015 Roadway Maintenance Program (CIP Project ST-004). The scope of this contract includes resurfacing the streets included on the attached list with a new layer of asphalt along with the repair of defective sections of pavement and concrete curb and gutter. This contract represents a portion of the budgeted roadway maintenance work. Other projects include Municipal Partnering Initiative for Crack Sealing Services and 2015 Fall Roadway Patching.

A Call for Bids (CFB) was issued and published in accordance with the Village's Purchasing Policy. Three bids were received by the due date of April 21, 2015. A synopsis of the bids is as follows:

<b>Contractor</b>	Base Bid	
J. A. Johnson Paving Company	\$2,497,116.88	Low Bid
K-Five Construction Corp	\$2,525,000.08	
Central Blacktop Company	\$2,697,958.33	

Staff received favorable responses from Contractor's references. J. A. Johnson Paving has satisfactorily completed projects of similar size and scope for the Village of Winfield and the City of Batavia.

MOT 2015-6201 Page 2 of 161

# **A**TTACHMENTS

Contract Documents List of Streets Capital Project Sheet ST-004

#### **RETURN WITH BID**



Date

Submitted/Approved

County Engineer/Superintendent of Highways

Date

# Local Public Agency Formal Contract Proposal

PROPOSAL SUB	MITTED BY	(
J.A. JOHNSON PAVING CO.		
Contractor's Name		
1025 E. ADDISON COURT		
Street		P.O. Box
ARLINGTON HEIGHTS, IL 60	0005	
City	State	Zip Code

STATE	OF ILLINOIS
COUNTY OF _DuPage	
Village of Downers Grove	
	age, Town or Road District)
FÓR THE	IMPROVEMENT OF
STREET NAME OR ROUTE NO. Va	rious Locations
SECTION NO. 15	-00000-01-GM
TYPES OF FUNDS M	FT & Corporate
SPECIFICATIONS (required) PLANS (required)	13-
t as the freedomen	v.
For Municipal Projects	Department of Transportation
Submitted/Approved/Passed	Released for bid based on limited review
Mensistalla	Cfor Faternam / MS
Mayor President of Board of Trustees MurMoipal Official	Regional Engineer /
	4/6/15
Date 03/31/15	Date
	٦
For County and Road District Projects	
Submitted/Approved	acada con addedo.
Highway Commissioner	

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

#### **RETURN WITH BID**

NOTICE TO BIDDERS	Local Public Agency Section Number	DuPage Downers Grove 15-00000-01-GM Various
Sealed proposals for the improvement described below will be received	ed at the office of Publ	ic Works Department,
5101 Walnut Avenue, Downers Grove, Illinois 60515	until 10:00 AM	on April 21, 2015
Address	Time	Date
Sealed proposals will be opened and read publicly at the office of	Public Works Department	
5101 Walnut Avenue, Downers Grove, Illinois 60515	at <u>10:00 AM</u>	on <u>April 21, 2015</u>
Address	Time	Date
DESCRIPTION OF	WORK	
Name 2015 Resurfacing (A)	Length: 32284	.00 feet ( 6.11 miles)
Location Various Streets		
Proposed Improvement Pavement removal and replacement, level bind	ler, hot-mix asphalt surface of	course,
curb and gutter removal and replacement and all related work		11.00 / 10.00 /
Plans and proposal forms will be available in the office of Public	c Works Department, 5101	Walnut Avenue,
Downers Grove, Illinois 60515, Scott Barr (6		\$0
Address		
2. Prequalification		
If checked, the 2 low bidders must file within 24 hours after the le duplicate, showing all uncompleted contracts awarded to them a Municipal and private work. One original shall be filed with the A Office.	nd all low bids pending av	vard for Federal, State, County,
<ol> <li>The Awarding Authority reserves the right to waive technicalities Special Provision for Bidding Requirements and Conditions for C</li> </ol>	and to reject any or all pro contract Proposals.	oposals as provided in BLRS
4. The following BLR Forms shall be returned by the bidder to the	Awarding Authority:	
a. BLR 12200: Local Public Agency Formal Contract Proposal		

- b. BLR 12200a Schedule of Prices
- c. BLR 12230: Proposal Bid Bond (if applicable)
  d. BLR 12325: Apprenticeship or Training Program Certification (do not use for federally funded projects)
- e. BLR 12326: Affidavit of Illinois Business Office

#### **RETURN WITH BID**

- 5. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.
- 6. Submission of a bid shall be conclusive assurance and warranty the bidder has examined the plans and understands all requirements for the performance of work. The bidder will be responsible for all errors in the proposal resulting from failure or neglect to conduct an in depth examination. The Awarding Authority will, in no case be responsible for any costs, expenses, losses or changes in anticipated profits resulting from such failure or neglect of the bidder.
- 7. The bidder shall take no advantage of any error or omission in the proposal and advertised contract.
- 8. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Agency and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.
- 9. Permission will be given to a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

# INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

# Adopted January 1, 2015

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction (Adopted 1-1-12) (Revised 1-1-15)

#### **SUPPLEMENTAL SPECIFICATIONS**

Std. Spe	ec. Sec.	ge No.
101	Definition of Terms	1
102	Advertisement, Bidding, Award, and Contract Execution	2
105	Control of Work	3
106	Control of Materials	5
107	Legal Regulations and Responsibility to Public	
108	Prosecution and Progress	
109	Measurement and Payment	15
202	Earth and Rock Excavation	17
211	Topsoil and Compost	
250	Seeding	
253	Planting Woody Plants	21
280	Temporary Erosion and Sediment Control	23
312	Stabilized Subbase	24
406	Hot-Mix Asphalt Binder and Surface Course	25
407	Hot-Mix Asphalt Pavement (Full-Depth)	
420	Portland Cement Concrete Pavement	32
424	Portland Cement Concrete Sidewalk	34
440	Removal of Existing Pavement and Appurtenances	
502	Excavation for Structures	36
503	Concrete Structures	37
504	Precast Concrete Structures	40
506	Cleaning and Painting New Steel Structures	41
512	Piling	42
516	Drilled Shafts	43
521	Bearings	44
540	Box Culverts	45
588	Bridge Relief Joint System	46
589	Elastic Joint Sealer	48
602	Catch Basin, Manhole, Inlet, Drainage Structure, and Valve Vault	
	Construction, Adjustment, and Reconstruction	49
603	Adjusting Frames and Grates of Drainage and Utility Structures	50
606	Concrete Gutter, Curb, Median, and Paved Ditch	52
610	Shoulder Inlets with Curb	
639	Precast Prestressed Concrete Sight Screen	54
642	Shoulder Rumble Strips	55

043	impact Attenuators	56
644	High Tension Cable Median Barrier	58
669	Removal and Disposal of Regulated Substances	60
670	Engineer's Field Office and Laboratory	64
701	Work Zone Traffic Control and Protection	65
706	Impact Attenuators, Temporary	68
707	Movable Traffic Barrier	71
708	Temporary Water Filled Barrier	73
730	Wood Sign Support	75
780	Pavement Striping	76
816	Unit Duct	81
836	Pole Foundation	82
860	Master Controller	83
1001	Cement	84
1003	Fine Aggregates	85
1004	Coarse Aggregates	87
1006	Metals	91
1011	Mineral Filler	93
1017	Packaged, Dry, Combined Materials for Mortar	94
1018	Packaged Rapid Hardening Mortar or Concrete	95
1019	Controlled Low-Strength Material (CLSM)	96
1020	Portland Cement Concrete	97
1024	Grout and Nonshrink Grout	136
1030	Hot-Mix Asphalt	137
1040	Drain Pipe, Tile, Drainage Mat, and Wall Drain	142
1042	Precast Concrete Products	143
1069	Pole and Tower	144
1070	Foundation and Breakaway Devices	145
1073	Controller	146
1081	Materials for Planting	147
1082	Preformed Bearing Pads	148
1083	Elastomeric Bearings	149
1088	Wireway and Conduit System	150
1095	Pavement Markings	152
1101	General Equipment	
1102	Hot-Mix Asphalt Equipment	157
1103	Portland Cement Concrete Equipment	159
1105	Pavement Marking Equipment	160
1106	Work Zone Traffic Control Devices	161
-		

#### CHECK SHEET FOR RECURRING SPECIAL PROVISIONS

# Adopted January 1, 2015

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

RECURRING SPECIAL PROVISIONS	
CHECK SHEET #	PAGE NO.
Additional State Requirements for Federal-Aid Construction Contracts	163
2 Subletting of Contracts (Federal-Aid Contracts)	166
3	167
4 Specific EEO Responsibilities Non Federal-Aid Contracts	177
5 Required Provisions - State Contracts	182
6 Asbestos Bearing Pad Removal	188
7 Asbestos Waterproofing Membrane and Asbestos Hot-Mix Asphalt Surface Removal	189
8 Temporary Stream Crossings and In-Stream Work Pads	190
9 Construction Layout Stakes Except for Bridges	191
10 Construction Layout Stakes	194
11 Use of Geotextile Fabric for Railroad Crossing	197
12 Subsealing of Concrete Pavements	199
13 Hot-Mix Asphalt Surface Correction	203
14 Pavement and Shoulder Resurfacing	205
15 Reserved	206
16 Patching with Hot-Mix Asphalt Overlay Removal	207
17 Polymer Concrete	208
18 PVC Pipeliner	210
19 Pipe Underdrains	211
20 🔲 Guardrail and Barrier Wall Delineation	212
21 🔲 Bicycle Racks	216
22 Reserved	218
23 Temporary Portable Bridge Traffic Signals	219
24 Work Zone Public Information Signs	221
25 Nighttime Inspection of Roadway Lighting	222
26 English Substitution of Metric Bolts	223
27 English Substitution of Metric Reinforcement Bars	224
28 Calcium Chloride Accelerator for Portland Cement Concrete	225
29 Reserved	226
30 Quality Control of Concrete Mixtures at the Plant	227
31 Quality Control/Quality Assurance of Concrete Mixtures	235
32 Digital Terrain Modeling for Earthwork Calculations	251
33 Pavement Marking Removal	253
34 Preventive Maintenance – Bituminous Surface Treatment	254
35 Preventive Maintenance – Cape Seal	260
36 Preventive Maintenance – Micro-Surfacing	275
37 Preventive Maintenance – Slurry Seal	286
38 Temporary Raised Pavement Markers	296
39 Restoring Bridge Approach Pavements Using High-Density Foam	297

# CHECK SHEET FOR LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

#### Adopted January 1, 2015

The following LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

# LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

CHECK S	HEE		E NO
LRS 1		Reserved	301
LRS 2		Furnished Excavation	302
LRS 3	X	Work Zone Traffic Control Surveillance	303
LRS 4	X	Flaggers in Work Zones	304
LRS 5	$\mathbf{X}$	Contract Claims	305
LRS 6	×	Bidding Requirements and Conditions for Contract Proposals	306
LRS 7		Bidding Requirements and Conditions for Material Proposals	312
LRS 8		Reserved	318
LRS 9		Bituminous Surface Treatments	319
LRS 10		Reserved	320
LRS 11	$\times$	Employment Practices	221
LRS 12	$\mathbf{X}$	Wages of Employees on Public Works	323
LRS 13	$\mathbf{X}$	Selection of Labor	325
LRS 14	X	Paving Brick and Concrete Paver Pavements and Sidewalks	326
LRS 15	X	Partial Payments Protests on Local Lettings	329
LRS 16		Protests on Local Lettings	330
LRS 17	$\mathbf{X}$	Substance Abuse Prevention Program	331
LRS 18		Multigrade Cold Mix Asphalt	332

#### INDEX OF LOCAL AGENCY SPECIAL PROVISIONS

TITLE SP# GENERAL CONSTRUCTION REQUIREMENTS 1 This space intentionally left blank 2 ACCESS AND WATER SHUT OFF NOTIFICATION 3 TREE PROTECTION 4 **CLEANING UP** 5 **EXISTING UTILITIES** 6 CLASS D PATCHES, 4" & 6" 7 PAVEMENT REMOVAL & HMA REPLACEMENT, 8" SPECIAL 8 PAVEMENT REMOVAL & PCC REPLACEMENT, 8" SPECIAL 9 COMBINATION CONCRETE CURB AND GUTTER REMOVAL 10 COMBINATION CONCRETE CURB AND GUTTER OF TYPE SPECIFIED 11 POROUS GRANULAR EMBANKMENT, SPECIAL 12 MANHOLES OR INLETS, TO BE ADJUSTED OR RECONSTRUCTED 13 TREE ROOT PRUING 14 PORTLAND CEMENT CONCRETE SIDEWALK 15 AGGREGATE SHOULDERS, TYPE B 16 PARKWAY RESTORATION 17 HOT-MIX ASPHALT DRIVEWAY 18 PORTLAND CEMENT CONCRETE DRIVEWAY 19 TEMPORARY RAMP, HMA 20 DECORATIVE PAVER DRIVEWAY OR SIDEWALK REMOVAL & REPLACEMENT 21 CONSTRUCTION STAKING 22 MANHOLE AND INLET CONSTRUCTION 23 STORM SEWER (TYPE, MATERIAL, SIZE SPECIFIED) 24 SELECTED GRANULAR BACKFILL 25 HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH 26 DETECTOR LOOP, TYPE 1 27 EROSION, SEDIMENTATION AND DUST CONTROL 28 TRAFFIC CONTROL, MAINTENANCE OF TRAFFIC 29 HOT-MIX ASPHALT BINDER AND SURFACE COURSE 30 IEPA CLEAN CONTRUCTION OR DEMOLITION DEBRIS

31



# **Special Provisions**

The following Special Provisions suppler	ment the "Standard Specification	ons for Road and Bridge Construction", Adopted	
January 1, 2012	, the latest edition of the "I	'Manual on Uniform Traffic Control Devices for St	reets
and Highways", and the "Manual of T	est Procedures of Materials"	in effect on the date of invitation of bids, ar	nd the
Supplemental Specifications and Recurri	ing Special Provisions indicated	d on the Check Sheet included here in which app	lv to
and govern the construction of Section	n 15-00000-01-GM	, and in case of conflict with any part, o	
parts, of said Specifications, the said Spe	ecial Provisions shall take prece	edence and shall govern.	

# Maintenance of Roadways

Effective: September 30, 1985

Revised: November 1, 1996

Beginning on the date that work begins on this project, the Contractor shall assume responsibility for normal maintenance of all existing roadways within the limits of the improvement. This normal maintenance shall include all repair work deemed necessary by the Engineer, but shall not include snow removal operations. Traffic control and protection for maintenance of roadways will be provided by the Contractor as required by the Engineer.

If items of work have not been provided in the contract, or otherwise specified for payment, such items, including the accompanying traffic control and protection required by the Engineer, will be paid for in accordance with Article 109.04 of the Standard Specifications.

#### TRAFFIC CONTROL PLAN

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, and the Special Provisions contained herein.

Special attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

The Contractor shall contact the District One Bureau of Traffic at least 72 hours in advance of beginning work.

#### STANDARDS:

701301-04

701501-06

701801-05

701901-04

DETAILS: TC-10, TC-13

SPECIAL PROVISIONS: See SP #22 in Special Provisions

<u>Basis of Payment:</u> This work shall be included in the Lump Sum cost for TRAFFIC CONTROL, MAINTENANCE OF TRAFFIC.

#### STATUS OF UTILITIES TO BE ADJUSTED

Effective: January 30, 1987 Revised: January 24, 2013

Utilities companies involved in this project have provided the following estimated durations:

Name of Utility	Туре	Location	Estimated Duration of Time for the Completion of Relocation or Adjustments
ComEd 1910 S Briggs Street Joliet, IL 60433 Attn: Tim Coslet (815)724-5010	Electric	Entire Job	None Anticipated
Comcast 688 Industrial Drive Elmhurst, IL 60126 Attn: Bob Schulter (630) 600-6347	Cable	Entire Job	None Anticipated
Downers Sanitary Dist. 2710 Curtiss Street Downers Grove, IL 60515 Attn: Ted Cherwak (630) 969-0664	Sanitary	Entire Job	None Anticipated
AT & T 4513 Western Avenue Lisle, IL 60532 Attn: Terry Wasik (630) 573 6481	Telephone	Entire Job	None Anticipated
Nicor Gas 1784 Ferry Road Naperville, IL 60563 Attn: Constance Lane (630) 388-3830	Gas	Entire Job	None Anticipated

The above represents the best information available to the Department and is included for the convenience of the bidder. The applicable portions of Articles 105.07 and 107.31 of the Standard Specifications shall apply.

In accordance with 605 ILCS 5/9-113 of the Illinois Compiled Statutes, utility companies have 90 days to complete the relocation of their facilities after receipt of written notice from the Department. The 90-day written notice will be sent to the utility companies after the following occurs:

- 1) Proposed right of way is clear for contract award.
- 2) Final plans have been sent to and received by the utility company.
- 3) Utility permit is received by the Department and the Department is ready to issue said permit.
- 4) If a permit has not been submitted, a 15 day letter is sent to the utility company notifying them they have 15 days to provide their permit application. After allowing 15 days for submission of the permit the 90 day notice is sent to the utility company.
- 5) Any time within the 90 day relocation period the utility company may request a waiver for additional time to complete their relocation. The Department has 10 days to review and respond to a waiver request.

# **IV. SPECIAL PROVISIONS**

# The following Special Provisions shall modify, supercede, or supplement the Standard Specifications.

Where any section, subsection, paragraph, or subparagraph of the Standard Specifications is *supplemented* by any of the following paragraphs, the provisions of such section, subsection, paragraph, or subparagraph shall remain in effect. The Special Provisions shall govern in addition to the particular Standard Specification so supplemented, and not in lieu thereof.

Where any section, subsection, paragraph, or subparagraph of the Standard Specifications is *amended*, *voided*, *or superceded* by any of the following paragraphs, any provision of such section, subsection, paragraph, or subparagraph standing unaffected, shall remain in effect. The Special Provisions shall govern in lieu of any particular provision of the Standard Specification so amended, voided, or superceded, and not in addition to the portion changed.

#### <u>1</u> <u>GENERAL CONSTRUCTION REQUIREMENTS</u>

The following general requirements are intended to govern the overall priority for the performance of the work described in this contract. As general requirements, they are not intended to dictate to the Contractor the precise method by which these tasks shall be performed.

- (A) Unless otherwise allowed by the Village, no contract work on Otis Ave, Birch Ave or Bryan Pl (including intersection at Franklin) can begin until a separate watermain project is completed this spring. It is anticipated that the watermain project will be complete by the end of June 2015.
- (B) The contractor shall also make special note that no contract work on Highland Ave or Franklin St can begin until after the school year ends for St Joseph's Catholic School on or about June 2, 2015. Possible additional snow emergency days may also affect this schedule.
- (C) A downtown Rotary Grove Fest scheduled for June 25 through June 28, 2015 may also affect schedule of work in the area of Highland Ave and Bryan Place. During this event, any previous work will require additional clean up, backfill etc., to safely allow for overflow traffic, parking and pedestrian use.

Special consideration to hours and location of work near schools shall be made to allow for full and safe access during normal student arrival and departure schedules.

The Contractor shall maintain traffic flow on All Streets during the day in accordance with the applicable special provision. Adequate signing and flagging is of particular importance for safe travel of all residents.

The Contractor shall conduct his operations to interfere as little as possible with Village employees or the public on or near the Work. All construction work specified under this contract shall be so engaged as to not impede normal traffic and pedestrian ways. Any barricading to detour traffic must receive prior written approval from the Engineer.

Unless otherwise allowed by the Village, non-poured and/or non-finished concrete shall not be allowed to extend over a Saturday and Sunday period. All construction work shall be done such that continuous access to schools or businesses is maintained, although it may be restricted to one lane with proper barricading.

All voids and open excavation remaining adjacent to newly constructed curb and gutter, sidewalks, driveways, etc., must be addressed in a timely manner. For that period prior to full parkway restoration or turf placement, the Contractor shall backfill and grade all disturbed areas in the parkway so as to insure the safety of the general public. Parkways shall be left in a safe, clean and usable condition conducive to foot traffic and to the satisfaction of the Village. The Contractor shall also work to keep disturbed areas in the parkway weed free.

All street openings made prior to November 15<sup>th</sup> shall be fully restored according to the applicable special provisions, and the street reopened to regular traffic upon the availability of hot-mix bituminous concrete. The Contractor shall assume the risk of restoration over those reaches of pipe installed but not yet pressure-tested for pipe integrity.

If the project requires the phasing of construction, the contractor is to follow the phasing shown in the plan set. Any variations in the phasing plan shown on the plan set must be approved in writing by the Engineer before construction begins. The contractor will not be allowed to proceed to another phase without the approval of the Engineer. The contractor will receive no additional compensation for constructing the project in phases.

No more than three hundred linear feet (300 LF) of pavement may be open-cut and closed to use by the motoring public, and access to <u>all</u> individual drives within the current work zone must be restored at the end of each workday, unless a Village-approved phasing plan shows otherwise.

# 2 This space intentionally left blank

# 3 ACCESS AND WATER SHUT OFF NOTIFICATION

If access to a driveway will be blocked, or water will be turned off, the Contractor shall give that resident or business proper written notification at least 24 hours in advance. The Contractor must provide them the opportunity to remove their cars from the drive or make other arrangements, and prepare for any shutdown of the water system. Samples of written notices shall be submitted to the Engineer for approval.

In addition, the Contractor shall be responsible for notifying the resident or business verbally on the morning of any driveway closure, to ensure awareness of the lack of access.


Basis of Payment: This work shall be considered INCIDENTAL to the project.

#### 4 TREE PROTECTION

Municipal Codes regarding trees, including tree protection requirements for public parkway trees, are located in Chapter 24 of the Downers Grove Municipal Code. Specifically, Municipal Codes 24-7 and 24-8 detail the public parkway tree protection sizes and fines for violations. The Village Forester shall approve all tree protection measures and any deviations shall be noted in the contract specifications and on approved project plan sheets and permits using the guidelines listed below. Tree protection shall include avoiding damage to the above ground tree branches and trunk, and the below ground root system and surrounding soil. Tree crowns and trunks shall not suffer any branch or bark loss. Roots shall be protected from compaction, storage of materials, severing, regrading of the parkway or excavation unless specifically noted on the project plan sheets.

The Critical Root Zone, or CRZ, is the area immediately surrounding a tree that must be protected from damage. In a municipal parkway setting with utilities and paved or concrete surfaces, the size of the CRZ has been adjusted to form a rectangle around the parkway tree trunk with minimum dimensions listed in the following table. The depth of the CRZ extends to 4 feet below the natural ground surface level.

Width street to property	Length along street	
(min. curb to sidewalk)	street(minimum)	Depth
10.0 feet	10 feet	4 feet
10.0 feet	20 feet	4 feet
10.0 feet	30 feet	4 feet
	(min. curb to sidewalk) 10.0 feet 10.0 feet	(min. curb to sidewalk)street(minimum)10.0 feet10 feet10.0 feet20 feet



For projects that involve excavations of less than one (1) foot in depth in the parkway or street and are replacing structures in the same location, fencing of the public parkway trees shall not be required. Example projects include, but are not limited to, street pavement resurfacing, curb removal/replacement, driveway removal/replacement, or sidewalk removal/repairs or new sidewalk installations. Contractors shall be mindful of the CRZ dimensions and potential for fines if any parkway trees suffer any unauthorized damage as determined by the Village Forester.

For projects that involve excavations of one (1) or more feet in depth in the parkway or street or both, fencing of the public parkway trees shall be required. Example projects include, but are not limited to, watermain replacements with new roundway keystops and domestic service box installations, sanitary line replacements and new service connections, new or replacement natural gas services, new or replacement phone or fiber optic lines, or new or replacement storm sewers, or projects that widen roads which in turn decreases the parkway soil volume around public parkway trees.

Projects that require fencing (listed above) shall fence the public parkway trees with six (6) foot high chain link construction fence secured to metal posts driven in the ground which are spaced no further than ten (10) feet apart. The dimensions of the fence shall depend on the tree diameter size and shall follow the table listed for the CRZ above, or as large as practical dependent on driveways and other field conditions. The fenced rectangle shall have three (3) sides with the opening facing the adjacent residences for easy access for mowing or tree care. Under no circumstances shall any items be stored within the fence. All fencing shall be maintained daily in an upright good condition. The size and location of all fencing shall be shown on the project plan sheets.

To avoid damage to the CRZ, utilities must be augered underneath the public parkway trees. Excavation pits for augering equipment are to be outside the fenced area and are to be shown on the project plan sheets. Excavation pits for roundway keystops and domestic service boxes are to be as small as practical with excavation occurring in a direction away from the adjacent public parkway tree.

In cases when severing of roots within a portion of the CRZ may be unavoidable (ex. sidewalk installation, curb replacement, water or sanitary service replacement), subject to the approval of the Village Forester, sharp clean cuts shall be made on root ends to promote wound closure and root regeneration. Root pruning and excavation activities shall occur such that the smallest volume of soil and roots is disturbed, and the locations shall be shown on the project plan sheets.

In addition to fines and citations that may be assessed for violations of any Chapter 24 of the Municipal Code (such as not maintaining fencing around the CRZ or unauthorized removal of protected trees), the contractor may be subject to the following provisions:

- issuance of an invoice for the value or partial value of the tree lost due to damage to either the above ground or below ground portions of the parkway tree, or unauthorized tree removal.
- costs of repairs, such as pruning or cabling, or costs for removal of the damaged parkway tree along with the stump if the tree cannot remain in the right-of-way.
- fines of \$500 for the 1<sup>st</sup> offense; \$1,000 for the 2<sup>nd</sup> offense; \$2,500 for the 3<sup>rd</sup> and subsequent offenses.
- each day during which a violation continues shall be construed as a separate and distinct offense.

The value or partial value of the tree lost shall be determined by the Village Forester using the most current edition of the <u>Guide for Plant Appraisal</u> (prepared by the Council of Tree & Landscape Appraisers and the International Society of Arboriculture) and the most current edition of the <u>Species Ratings & Appraisal Factors</u> for Illinois (prepared by the Illinois Arborist Association). The total cost determined for the damage shall be deducted from the payments made to the Contractor for the project. Should the Village hire another Contractor or tree service to complete pruning work, these costs shall also be deducted from the payments made to the Contractor.

Method of Measurement: This work will be measured for payment at the contract unit price per linear foot of fencing as specified. Only those trees meeting the guidelines and are properly fenced per the specifications shall be counted for payment. All other work as specified herein shall be considered incidental and will not be paid for separately.

Basis of Payment: All work as specified herein shall not be paid for separately and shall be considered incidental to the contract.

# **<u>5</u> <u>CLEANING UP</u>**

The Contractor shall, at all times, keep the premises free from an accumulation of waste material or rubbish caused by his employees or work. At the end of the day, he shall remove all his rubbish from and about the streets and sidewalks. All his tools, form boards, and surplus materials shall be removed and relocated to any temporary on-site storage location assigned by the Village or its Engineer, and shall leave his work "broom clean" or its equivalent, unless more precisely defined. Upon completion of the work called for by the contract, and upon final inspection and acceptance, the Contractor shall remove any of his remaining rubbish, tools, form boards, and surplus materials completely from the work site.

In case of dispute, the Village may remove the rubbish or other materials and charge the cost to the Contractor.

# **<u>6</u> EXISTING UTILITIES**

Existing Public Utilities, such as watermains, sewers, gas lines, streetlights, telephone lines, electric power lines, etc., shall be protected against damage during the construction of this project. The Contractor shall contact the Owners of all public utilities and obtain locations of all utilities within the limits of the proposed construction and make arrangements, if necessary, to adjust or move any existing utility at the utility company's expense. Any expense incurred by the contractor in connection with making arrangements shall be borne by the Contractor and considered incidental to the contract. It shall be this Contractor's responsibility to determine the actual location of all such facilities in the field.

The adjustment of all facilities of Nicor, SBC, the Commonwealth Edison Co., etc. shall be done by the respective utility company, and if known, are indicated on the plans as to be done "By Others". All other utility adjustments to sewer, water, and local facilities shall be performed under this contract, under the supervision of the Owner of the utility, and will be paid for under the respective items in the contract unless otherwise indicated on the plans or directed by the Engineer.

Any existing facilities, residential or commercial sprinkler systems, etc. disturbed shall be returned to their original condition and any damage to said facilities shall be repaired immediately. The cost of repairs of any damaged utility shall be by agreement between the Contractor and the facility owner or utility company, and at no cost to the Village.

Whenever the locations of existing utilities are known, the approximate location of said utility is indicated on the plans. This information is given only for the convenience of the Bidder and the Village assumes no responsibility as to accuracy of the information provided. The Contractor shall consider in his bid the location of all permanent and temporary utility appurtenances to their present or relocated positions, whether shown on the plans or not, and no additional compensation will be allowed for delays, inconvenience, or special construction methods required due to the existence of said appurtenances.

Whenever obstructions are encountered during the progress of the work and interfere to such an extent that an alteration in the plan is required, the Engineer shall order a deviation in the plan as required, the Engineer shall order a deviation in the line and/or grade to resolve the conflict, or relocation of the obstruction. The Contractor will be compensated for any additional pipe material, fittings, granular backfill, or structures required at the respective contract prices, and measured as specified in the Contract. No additional compensation will be allowed for delays or inconveniences, additional excavation, or any special construction methods required in prosecuting the work due to the existence of said obstruction.

#### 7 CLASS D PATCHES, 4" & 6"

<u>Description:</u> This work shall consist of pavement patching by methods and with materials in accordance with Sec. 442 of the Standard Specifications, except as amended herein.

The Contractor shall not use equipment of excessive size or weight that causes damage to existing pavement or appurtenances. Any damage done to the existing pavement or appurtenances that are to remain in place shall be repaired or removed and replaced by the contractor at his/her own expense, as directed by the Engineer.

Pavement patching shall include the saw cutting of existing pavement to a depth not less than four inches (4") or six inches (6") where marked in the field by the Engineer. Pavement patches shall vary in area but minimum width shall be measured at six feet (6'). Pavement patching shall be to a depth not less than four inches (4") or six inches (6"), and shall be a minimum of 4" or 6" below milled surface when Hot-Mix Asphalt Surface Removal is called for.

Where applicable the existing subbase shall be leveled and compacted. Where remaining base is existing HMA, PCC or brick, the bottom of each prepared hole shall be free of all loose material and a bituminous prime shall be applied to the bottom prior to replacement of HMA patches.

The use of surface removal equipment that complies with Art. 440.04 of the SSRBC will be permitted. The edges of the patch shall be smooth and free of loose material to a depth of not less than four inches or six inches.

The hot-mix asphalt material shall conform to the requirements for Hot-Mix Asphalt Binder Course, IL-19.0, N70.

Method of Measurement: Pavement removal and replacement will be measured for payment in place, and the area computed in square yards. Patches determined to be 25 square yards or greater in area shall be classified as Type IV, 4" or Type IV, 6". Patches determined to be less than 25 square yards in area shall be classified as 4" Special or 6" Special.

Basis of Payment: This work shall be paid for at the contract unit price per Square Yard for CLASS D PATCHES, TYPE IV, 4" or CLASS D PATCHES, 4" SPECIAL or CLASS D PATCHES, TYPE IV, 6" or CLASS D PATCHES, 6" SPECIAL which price shall be payment in full for the work as specified herein.

# <u>8</u> PAVEMENT REMOVAL & HMA REPLACEMENT, 8" SPECIAL

<u>Description</u>: This work shall consist of pavement patching by methods and with materials in accordance with the applicable parts of Sec. 442 of the Standard Specifications, except as amended herein.

The Contractor shall not use equipment of excessive size or weight that causes damage to existing pavement or appurtenances. Any damage done to the existing pavement or appurtenances that are to remain in place shall be repaired or removed and replaced by the contractor at his/her own expense, as directed by the Engineer.

Pavement patching shall include the full depth saw cutting of the existing pavement as marked by the Engineer. The existing sub-base shall be leveled and compacted. The edges will be smooth and free of loose material to the specified depth of patch.

The hot-mix asphalt material shall conform to the requirements for Hot-Mix Asphalt Binder Course, IL-19.0, N70, and will be placed in compacted lifts not to exceed four inches.

Method of Measurement: Pavement removal and replacement will be measured for payment in place, and the area computed in square yards.

Basis of Payment: This work shall be paid for at the contract unit price per Square Yard for PAVEMENT REMOVAL AND HOT-MIX ASPHALT REPLACEMENT, 8" SPECIAL.

# 9 PAVEMENT REMOVAL & PCC REPLACEMENT, 8" SPECIAL

<u>Description</u>: This work shall consist of pavement patching by methods and with materials in accordance with the applicable parts of Sec. 442 of the Standard Specifications, regarding Class B patching, except as amended herein.

Patches shall be tied to existing adjacent concrete pavement on all sides with 3/4" x 24" epoxy coated deformed tie bars embedded to a depth of 9"+/-1/2" on 24" centers. Unless otherwise directed by the Engineer, patch shall also be tied to adjacent curb and gutter

Patch shall also be reinforced by the placement of reinforcement fabric meeting the requirements of Article 1006.10 of the Standard Specifications, at ½ patch depth. Support chairs to be used as necessary to maintain proper height of reinforcement fabric.

Basis of Payment: This work will be paid for at the contract unit price per Square Yard for PAVEMENT REMOVAL AND PORTLAND CEMENT CONCRETE REPLACEMENT, 8" SPECIAL which price shall be payment in full for the work as specified herein.

# 10 COMBINATION CONCRETE CURB AND GUTTER REMOVAL

<u>Description:</u> This work shall consist of the removal of existing P.C.C. Curb and Gutter of the type and size at the locations noted in Schedule of Quantities. This work shall be performed in accordance with Section 440 of the Standard Specifications, except as amended herein.

This work shall include a full depth, perpendicular, straight joint sawn at the ends and all edges, including along the edge of pavement, of portions to be removed, unless otherwise directed by the engineer.

At those locations where curb removal operations fall within the Critical Root Zone (CRZ) the Contractor will be required to trench with a "chain" driven trencher immediately back of curb prior to curb removal. This procedure will proceed uninterrupted through the CRZ and insure general tree root pruning. The width of the CRZ shall be determined as noted in the general provision for TREE PROTECTION elsewhere in these documents. If it is determined that proposed removal methods do not cause undo harm to adjacent roots, the Village Forester may waive the need to perform trenching.

During removal operations Contractor shall take special care not to damage or extend sawed joint into adjacent appurtenances such as driveways and sidewalks which are to remain in place. During machine sawing operations Contractor shall also take special care to remove, clean, or otherwise account for any residue / slurry produced by the sawing so material will not be tracked by either vehicular or foot traffic onto adjacent appurtenances which are to remain in place.

<u>Basis of Payment</u>: This work will be paid for at the contract unit price per Linear Foot for COMBINATION CONCRETE CURB AND GUTTER REMOVAL which price shall be payment in full for all work specified herein.

# 11 COMBINATION CONCRETE CURB AND GUTTER OF TYPE SPECIFIED

<u>Description</u>: This work shall consist of the replacement of existing PCC Curb and Gutter in accordance with the applicable parts of Sec. 606 of the Standard Specifications, except as amended herein.

Replacement of curb and gutter shall include the placement of three-quarter inch (3/4") premolded expansion joint filler along the back of curb, for the full depth of the curb and gutter, where abutting existing concrete.

Transverse expansion joints with  $\frac{3}{4}$ " joint filler shall be constructed at five feet (5') either side of utility structures, and at no more than ninety foot (90') intervals. All expansion joints shall include the placement of two (2) three-quarter inch (3/4") dowel bars with pinched stop caps as specified on detail sheet. Two (2) three quarter inch (3/4") dowel bars shall also be placed at all construction joints as specified on detail sheet and shall be drilled into existing curb and gutter a minimum of six inches (6").

New curb and gutter shall be backfilled with existing excavated earth.

Transverse contraction joints shall be constructed at no more than fifteen foot (15') intervals.

When new curb and gutter is placed adjacent to concrete pavement or base, it shall be tied along the longitudinal construction joint with No. 6 (3/4") bars at 24" centers in accordance with the applicable portions of Article 420.05 of the Standard Specifications.

Placement of curb and gutter as noted on Schedule of Quantities to be reinforced shall also include the placement of two (2) No. 4 (½") epoxy coated deformed reinforcement bars meeting the applicable portions of Section 508 of the Standard Specifications. Bars shall be placed at one-half depth of the body of the gutter running the entire length of newly placed sections. Curb and gutter placed as described in this paragraph will be paid for as COMBINATION CONCRETE CURB AND GUTTER (TYPE SPECIFIED), REINFORCED. Including placement of reinforcement bars, placement of curb and gutter as noted on Schedule of Quantities to be reinforced, high early shall be placed with concrete materials meeting the applicable portions of Section 442 of the Standard Specifications. A calcium chloride accelerator will not be permitted. Curb and gutter placed as described in this paragraph shall be paid for as COMBINATION CONCRETE CURB AND GUTTER (TYPE SPECIFIED), REINFORCED, HIGH EARLY.

All voids existing between newly placed curb and gutter and the adjacent roadway pavement shall be filled with Class SI concrete, prior to bituminous surface placement, to a point 1-1/2 inches below finish grade. This work shall be considered incidental.

Placement of curb and gutter shall include the application of membrane curing compound, Type III, in accordance with Articles 1020.13 and 1022.01 of the Standard Specifications unless otherwise directed by the Engineer.

If placement of curb and gutter takes place prior to April 15, or after October 15, the curb and gutter shall be properly cured and that followed by the application of protective coat in accordance with Article 420.18 of the Standard Specifications.

<u>Basis of Payment</u>: This work shall be paid for at the contract unit price per Linear Foot for COMBINATION CONCRETE CURB AND GUTTER (TYPE SPECIFIED) or COMBINATION CONCRETE CURB AND GUTTER (TYPE SPECIFIED), REINFORCED which price shall be payment in full for the work as specified herein.

#### 12 POROUS GRANULAR EMBANKMENT, SPECIAL

<u>Description</u>: This work shall consist of removing and disposing of unsuitable sub-grade, furnishing, placing and compacting porous granular material to the lines and grades shown on the plans or as directed by the Engineer in accordance with the applicable portions of Sections 202 and 207 of the Standard Specifications. The material shall be used as a bridging layer over soft, pumpy, loose soil areas and for placement under water. The material shall conform with Article 1003.04 and 1004.05 of the Standard Specifications except the gradation shall be as follows:

1. Crushed Stone, Crushed Blast Furnace Slag and Crushed Concrete

Sieve Size	Percent Passing
*6"	97 <u>+</u> 3
*4**	90 <u>±</u> 10
2"	45 <u>+</u> 25
#200	5 <u>+</u> 5

#### 2. Gravel, Crushed Gravel and Pit Run Gravel

Sieve Size	Percent Passing
*6"	97 <u>+</u> 3
*4"	90 <u>+</u> 10
2"	55 <u>+</u> 25
#4	30 <u>+</u> 20
#200	5 <u>+</u> 5

<sup>\*</sup>For undercuts less than 18" the percent passing the 6" sieve may be 90±10 and the 4" sieve requirement eliminated.

The porous granular material shall be placed in one lift when the total thickness to be placed is two (2) feet thick or less or as directed by the Engineer. Rolling each lift of the porous granular material with a vibratory roller meeting the requirements of Article 1101.1 of the Standard Specifications should be sufficient to obtain the desired keying or interlock and necessary compaction. The Engineer shall verify that adequate keying has been obtained.

A three- (3) inch nominal thickness top lift of capping aggregate having a gradation of CA-6 will be required. The use of on-site bituminous grindings resulting from bituminous surface removal, substantially meeting the gradation of CA-6, shall also be permitted. The granular cap shall be compacted to the satisfaction of the Engineer. It shall be the Contractor's responsibility that all proposed bituminous replacement regarding patching and paving operations in these areas will meet the specified performance criteria of their respective pay items.

Construction equipment not necessary for the completion of the replacement material will not be allowed on the undercut areas until completion of the recommended thickness of the porous granular embankment, special.

This work will be measured for payment in accordance with Article 207.04 of the Standard Specifications. When specified on the contract, the theoretical elevation of the bottom of the aggregate subgrade shall be used to determine the upper limit of Porous Granular Embankment, Special. The volume will be computed by the method of average end areas.

<u>Basis of Payment:</u> This work shall be paid for at the contract unit price per Cubic Yard for: POROUS GRANULAR EMBANKMENT, SPECIAL, which price shall include the capping aggregate, as required.

The Porous Granular Embankment, Special shall be used as field conditions warrant at the time of construction. No adjustment in unit price will be allowed for an increase or decrease in quantities from the estimated quantities shown on the plans.

# 13 MANHOLES OR INLETS, TO BE ADJUSTED OR RECONSTRUCTED

<u>Description</u>: This item shall be done in accordance with Sec. 602 of the Standard Specifications for Road and Bridge Construction and the following provisions.

All excavation for structure adjustment shall be replaced with Class SI concrete and in accordance with the attached details. For excavation required for reconstructed items, backfill materials shall be mechanically compacted SELECTED GRANULAR BACKFILL placed per the special provision elsewhere in these documents.

Castings shall be set in mortar or bituminous mastic beds. The adjustment of the casting to the required final grade shall be made with precast concrete adjusting rings. Brick, concrete block, or wooden shims will not be permitted.

When adjustments include new frame and grate or new frame and lid, all replacement frames, grates and lids shall be heavy duty. Depending on the type of frame, care shall be taken to properly align the new frame with the curb and gutter, and maintain the proper size opening into the structure.

Although the cost of adjusting structures per this specification will be paid for under this contract, the Contractor shall be aware that many of the structures are not the property of the Village of Downers Grove, and that such work may require inspections and/or permits from other governmental agencies.

For those structures noted on the Schedule of Quantities or as designated by the Engineer as MANHOLE TO BE ADJUSTED, SPECIAL, for that period after Hot-Mix Asphalt Surface Removal operations and prior to adjustment to finished pavement elevation, frames and lids or grates shall be removed from the structure and stored in a safe manner until reused. The resulting void over the structure shall be covered with a steel plate and temporary pavement, or other approved method, capable of carrying the anticipated daily traffic in a safe manner. The Contractor shall also make note of structure location so it may be reestablished after initial bituminous paving operations have been completed.

For those structures designated as INLET TO BE ADJUSTED WITH NEW TYPE 3 FRAME AND GRATE, SPECIAL, the new frame and grate shall be a standard Type 3, or approved equal, except the barred curb box shall be replaced with an open face curb box.

<u>Basis of Payment</u>: This item shall be paid for at the contract unit price Each for MANHOLE TO BE ADJUSTED or MANHOLE TO BE ADJUSTED, SPECIAL or MANHOLE TO BE ADJUSTED WITH NEW FRAME AND LID (TYPE SPECIFIED) or MANHOLE TO BE RECONSTRUCTED.

This item shall also be paid for at the contract unit price Each for INLET TO BE ADJUSTED or INLET TO BE ADJUSTED WITH NEW TYPE 3 FRAME AND GRATE, SPECIAL or INLET TO BE RECONSTRUCTED which price shall be payment in full for all labor and materials specified herein including backfill with Selected Granular Backfill.

# 14 TREE ROOT PRUNING

Description: All trees, public or private, affected by new sidewalk installation within its root protection zone, shall be root pruned prior to any excavation taking place. Root pruning shall be performed in accordance with the applicable portions of Section 201 of the Standard Specifications as well as the Tree Protection Zone detail of the Plans. Root pruning shall be done only to the depth of the excavation necessary for installing the new walk. Root pruning shall start and proceed uninterrupted for the length of travel through the root protection zone. Root pruning shall be made no more than 10 inches from the tree-side edge of the proposed walk. Approval by the Village Forester of the equipment to be used for root pruning, as well as the proposed path of the root pruning work, is required prior to the work being performed. The Engineer or his representative shall permit no excavation until written approval is obtained by the Contractor from the Village Forester. Additionally, no materials or equipment may be stored or kept in the Tree Protection Zone. Tree damage, as determined by the Village Forester, shall be assessed to the Contractor using the most recent edition of the Guide for Plant Appraisal, published by the International Society of Arboriculture.

Basis of Payment: This work shall be paid for at the contract unit price per Each for TREE ROOT PRUNING.

# 15 PORTLAND CEMENT CONCRETE SIDEWALK

<u>Description</u>: This work shall consist of the removal and replacement of P.C.C. Sidewalk in accordance with the SSRBC, except as amended herein.

Removal of sidewalk shall include the saw cutting of existing concrete as directed by the Engineer. Removal of sidewalks shall also include any necessary pruning and removal of tree roots, bituminous paved sidewalks and/or bituminous overlayment of existing sidewalks, or excavation necessary to place the proposed sidewalk. Replacement of sidewalk shall be of the width and thickness as noted on the Schedule of Quantities and as directed by the Engineer. Thickness of the proposed sidewalk shall generally be (5") five inch for standard or courtesy walks, (6") six inch for full width across residential drives, and (8") eight inch for full width across commercial drives.

Placement of P.C.C. sidewalk shall include the excavation for and placement of four inches (4") of Type B, CA-6, compacted aggregate base, the (3/4") three-quarter inch scoring of contraction joints (5') five feet on center, the placing of (1/2") one-half inch premolded expansion joints where new concrete abuts existing concrete and/or at (50') fifty feet on center and/or at the end of a pour. This work shall also include the adjustment to proper grade of all water valve or utility boxes encountered.

Replacement of sidewalk shall include the application of membrane curing compound, Type III, in accordance with Articles 1020.13 and 1022.01 of the Standard Specifications unless otherwise directed by the Engineer.

At those locations where existing street configuration does not contain curb and gutter, it is necessary to end construction of new sidewalk with a minimum of two (2) feet separation from the existing or proposed edge of pavement. At these locations, a HMA transition sidewalk shall be constructed between the concrete sidewalk and the edge of pavement.

Construction of the transition sidewalk shall include excavation as necessary for the full width of the concrete sidewalk, placement and compaction of the four inches (4") of Type B, CA-6 aggregate base, and the placement and compaction of 5 inches (5") of Hot-Mix Asphalt Surface, Mixture D, N50 (IL 9.5) per the applicable portions of Sec. 442 of the Standard Specifications. Asphalt to be placed in compacted layers not to exceed four inches (4").

Hot-Mix Asphalt Binder Course, IL-19.0, N50 may be utilized for the bottom courses, but in all cases the top course shall be a minimum 1 ½ inch lift of the HMA Surface noted above.

For those locations as noted on the Schedule of Quantities or as designated by the Engineer for Detectable Warnings, work shall be completed in accordance with Section 424 of the SSRBC and the Standards included in the details regarding curb ramps with detectable warnings and as amended herein.

Detectable Warnings will NOT include any placement of full depth red dyed concrete or other on-site fabrication such as stamping or molding the fresh concrete with coloring added to the surface of the concrete.

Detectable Warnings shall be limited to inserts meeting the requirements of the ADAAG and subject to approval by the Village.

Color of detectable warnings shall be brick red. The area of red detectable warning shall be protected from overspray during the application of Type III membrane curing compound.

If replacement of sidewalk takes place prior to April 15, or after October 15, all sidewalk shall be properly cured and that followed by the application of protective coat in accordance with Article 420.18 of the Standard Specifications.

<u>Basis of Payment</u>: This work shall be paid for at the contract unit price per Square Foot for PORTLAND CEMENT CONCRETE SIDEWALK REMOVAL and for PORTLAND CEMENT CONCRETE SIDEWALK, 5" or PORTLAND CEMENT CONCRETE SIDEWALK, 6" or PORTLAND CEMENT CONCRETE SIDEWALK, 8" which price shall be payment in full for the work as specified herein.

Detectable warnings shall be paid for at the contract unit price per Square Foot for DETECTABLE WARNINGS which price shall be in addition to the cost for placement of the 5" sidewalk at the curb ramp.

# 16 AGGREGATE SHOULDERS, TYPE B

<u>Description</u>: This item shall be done in accordance with Sec. 481 of the SSRBC and shall consist of the construction of approximately two (2) foot wide, four (4) inch deep shoulders or as directed by the Engineer in the area designated by the Engineer.

Unless otherwise directed by the Engineer, existing shoulders with elevations that are too high to accept the proposed aggregate shoulder shall be scraped or excavated as necessary prior to placement of new aggregate.

This provision shall also apply to existing shoulders that contain too much vegetation or topsoil. Unnecessary damage or debris outside the designated shoulder area shall be removed and repaired and will not be paid for separately but shall be considered incidental to the cost of Aggregate Shoulders, Type B.

Basis of Payment: This work shall be paid for at the contract unit price per Ton for AGGREGATE SHOULDERS, TYPE B which price shall be payment in full for all labor and materials.

#### 17 PARKWAY RESTORATION

<u>Description</u>: This item shall be done in accordance with the applicable portions of Sec. 252 of the Standard Specifications and the following provisions.

As contract work progresses through the Village, parkway restoration work shall commence in a timely manner in areas where permanent placement of new curb and gutter, driveways, sidewalks, etc., has been completed. Under no circumstances shall the Contractor prolong final grading, shaping and sod placement so that the entire project can be permanently restored at the same time.

This work shall consist of the excavation, topsoiling and sodding from a minimum of one and one-half (1-1/2) feet to a maximum of three (3) feet behind or adjacent to all curbs, sidewalks and driveways removed and replaced during the course of construction or as directed by the Engineer. Restoration will also be performed on areas disturbed by storm sewer or culvert construction.

All topsoil to be used for parkway restoration shall be obtained from outside the limits of this improvement, transported to the site and placed at required locations to a minimum depth of 4". All materials shall meet the requirements of Art. 1081.05 of the Standard Specifications. All placement of topsoil shall meet the requirements of Sec. 211 of the Standard Specifications.

All sod shall be an approved grass that is native to the locality of work meeting the requirements of Art. 1081.03 of the Standard Specifications. All placement of sod shall meet the requirements of Sec. 252 of the Standard Specifications.

For that period prior to full parkway restoration, the Contractor shall backfill and grade all disturbed areas so as to insure the safety of the general public. Parkways shall be left in a safe, clean and usable condition conducive to foot traffic and to the satisfaction of the Village. The Contractor shall protect these unfinished areas against erosion and work to keep them weed free.

Basis of Payment: This work shall be paid for at the contract unit price per Square Yard for PARKWAY RESTORATION which price shall be payment in full for any excavation and grading necessary, the furnishing, transporting and placement of all topsoil and sod and the full watering of sod. Unless otherwise directed by the Engineer restoration of disturbed parkways more than three (3) feet behind the back of curb or more than three (3) feet adjacent to newly constructed driveway or sidewalk or more than six (6) feet either side of the newly placed storm sewer or pipe culvert will not be paid for separately but shall be considered incidental to the contract.

#### 18 HOT-MIX ASPHALT DRIVEWAY

<u>Description</u>: This work shall consist of the removal and replacement of asphalt driveways at locations indicated on the plans and/or as required by the Engineer.

The replacement of the driveways shall consist of preparing a subgrade at all required locations, shaping of slopes adjacent to the driveways, the placement and compacting of six inches of CA-6 Aggregate Base, and the placement and compacting of three inches (3") of Hot-Mix Asphalt Surface, Mixture D, N50 (IL 9.5).

This work shall also include the adjustment to proper grade of all water valve or utility boxes encountered.

The locations at which this work will be measured for payment will consist of only those areas bounded by combination concrete curb and gutter. Those areas where the surface course of the payment flares into existing driveways beyond the limits of the fully improved areas will not be included for payment.

<u>Basis of Payment</u>: This work will be paid for at the contract unit price per Square Yard for HOT-MIX ASPHALT DRIVEWAY REMOVAL and for HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 3" or HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 8" which price shall be payment in full for all work as specified herein.

# 19 PORTLAND CEMENT CONCRETE DRIVEWAY

<u>Description</u>: This work shall consist of the removal and replacement of concrete driveways in accordance with the applicable parts of Sec. 423 of the SSRBC except as amended herein.

This work shall include the placement of 3/4" premolded expansion joints where new concrete abuts existing concrete or as directed by the Engineer.

This work shall also include the adjustment to proper grade of all water valve or private utility boxes encountered.

Replacement of the driveways shall include the application of membrane curing compound, Type III, in accordance with Articles 1020.13 and 1022.01 of the SSRBC, unless otherwise directed by the Engineer. If replacement of the driveways takes place prior to April 15, or after October 15, the driveway shall be properly cured and that followed by the application of protective coat in accordance with Article 420.18 of the Standard Specifications.

<u>Basis of Payment</u>: This work will be paid for at the contract unit price per Square Yard for PORTLAND CEMENT CONCRETE DRIVEWAY REMOVAL and for PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 6" or PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8" which price will be payment in full for all work as specified herein.

#### **20 TEMPORARY RAMP, HMA**

<u>Description:</u> This work shall consist of construction and maintenance of hot-mix asphalt ramps for temporary access to all abutting side streets and properties per the applicable portions of Article 406.08 of the SSRBC except as amended herein.

At those locations noted on the plans or as directed by the Engineer, the Contractor shall have sufficient bituminous material at the worksite prior to beginning hot-mix asphalt surface removal operations. After hot-mix asphalt surface removal operations and prior to placement of the permanent pavement, temporary ramps shall be constructed to supply access to all abutting streets and properties where traffic is to be maintained. Unless otherwise directed by the Engineer, construction of temporary bituminous ramps for access to abutting private properties will generally be limited to where surface removal operations are over 2 1/2" inches or more in depth.

Basis of Payment: This work will be paid for at the contract unit price per Square Yard for TEMPORARY RAMP, HOT-MIX ASPHALT, which price shall include all costs of furnishing, placing and maintaining the ramps. Removal of the temporary ramps prior to the placement of permanent pavement shall also be included in this item.

# 21 DECORATIVE PAVER DRIVEWAY OR SIDEWALK REMOVAL & REPLACEMENT

<u>Description</u>: This work shall consist of removal and replacement of existing decorative concrete or brick paver driveways or sidewalks per the applicable portions of Check Sheet LRS 14 of the SSRBC except as amended herein.

At those locations noted on the plans or as directed by the Engineer, the Contractor shall remove existing decorative pavers in such a manner so that no damage occurs to the pavers and with full intent to reuse said paver blocks. Any decorative paver block damaged to an extent that it may not be reused as part of the final pavement, sidewalk or driveway shall be replaced in kind by the Contractor at no additional cost to the Village.

Extent of existing paver removal shall be at the direction of the Engineer. This removal will only be that amount necessary to construct the new curb and gutter or other appurtenance, and replace the decorative pavers to an acceptable grade and appearance.

At those locations where it is determined that an existing bituminous base warrants removal and replacement or repair, this portion of the work would be performed and measured for payment per the special provision for CLASS D PATCHING, of the necessary thickness.

Basis of Payment: This work will be paid for at the contract unit price per Square Yard for DECORATIVE PAVER DRIVEWAY REMOVAL AND REPLACEMENT, which price shall be payment in full for all materials and work as specified herein.

# 22 CONSTRUCTION STAKING

<u>Description</u>: The Contractor shall furnish and place all construction layout stakes for this project. This work shall be conducted by competent personnel with suitable equipment and supervised by a licensed Illinois Land Surveyor. The Contractor shall be responsible for layout for all curb, sidewalk, pipe culvert, driveway and pavement removal and replacement, such that all finished work shall conform substantially to the lines, grades, elevations and dimensions shown on the plans.

The Contractor shall provide adequate control points to construct the individual Project elements, and shall provide the Engineer with adequate control in close proximity to check the compliance of the elements constructed.

Basis of Payment: This work will be paid for at the contract Lump Sum price for CONSTRUCTION STAKING.

# 23 MANHOLE AND INLET CONSTRUCTION

<u>Description</u>: This work shall consist of the construction of precast concrete drainage structures of the size and type shown on the plans or specified by the Engineer. Included in the contract unit price shall be all excavation, bedding, backfilling and reconnection of all existing inlet and outlet pipe. For all new structures backfill materials shall be mechanically compacted SELECTED GRANULAR BACKFILL placed per the special provision elsewhere in these documents.

All structures in excess of four feet in depth shall be equipped with cast iron steps meeting the standards of ASTM A48. Precast sections shall conform to ASTM C 478 and shall be substantially free from fractures, large or deep cracks and surface roughness. Joints between precast sections shall be designed for rubber gaskets or bituminous mastic material.

Adequate foundation for all structures shall be obtained by removal and replacement of unsuitable materials with well graded granular material; or by tightening with coarse ballast rock, or by such other means as provided for foundation preparation of the connected sewers.

Precast base sections, risers and bottoms, shall be one piece and shall be placed on a well graded granular bedding of not less than two (2) inches in thickness. The bedding course shall be firmly tamped and made smooth and level to assure uniform contact and support of the precast element.

All lift holes shall be completely filled with mortar to ensure water tightness.

Castings shall be set in mortar or bituminous mastic beds. The adjustment of the casting to the required final grade shall be made with precast concrete adjusting rings. Maximum adjustment with rings shall be twelve (12) inches. Brick, concrete block, or wooden shims will not be permitted. Precast concrete adjusting rings shall be set in mortar or bituminous mastic beds.

In pavements, frames and grates or lids shall be heavy duty.

Basis of Payment: This work shall be paid for at the contract unit price Each for INLET, TYPE A, 24" WITH SALVAGED FRAME AND GRATE or INLET, TYPE A, 24" WITH NEW FRAME AND GRATE (TYPE SPECIFIED) or MANHOLE, TYPE A, 48" WITH NEW FRAME AND GRATE (TYPE SPECIFIED) which price shall be payment in full for all labor and materials specified herein including SELECTED GRANULAR BACKFILL.

# 24 STORM SEWER (TYPE, MATERIAL, SIZE SPECIFIED)

**Description:** This item shall consist of the removal and replacement of existing Storm Sewer. Storm sewer shall be constructed with new Reinforced Concrete Pipe (RCP), of the IDOT Type appropriate for the depth of cover and the diameter shown with rubber-gasketed joints ASTM C443, or Ductile Iron Pipe (DIP), Class 52 with rubber-gasketed joints AWWA C – 111 of the diameter shown, or Polyvinyl Chloride (PVC) Pipe SDR 26 with gasketed, bell and spigot, push on type joints conforming to ASTM D3212 of the diameter shown on the Drawings.

Unless otherwise allowed by the Engineer, the Contractor shall place a well compacted, fine aggregate bedding at least four inches below the pipe and extending the entire width of the trench for the length of the pipe.

The pipe shall be placed so that the entire length of the pipe will have full bearing. No blocking of any kind shall be used to adjust the pipe to grade except when used with concrete encasement.

Laying of sewer pipe shall be accomplished to line and grade in the trench only after it has been de-watered and the foundation and/or bedding has been prepared. Mud, silt, gravel, and other foreign material shall be kept out of the pipe and off the jointing surface.

All pipe laid shall be retained in position so as to maintain alignment and joint closure until sufficient backfill has been completed to adequately hold the pipe in place. All pipes shall be laid to conform to the prescribed line and grade shown on the Plans.

The sewer pipe, unless otherwise approved by the Engineer, shall be laid up grade from point of connection on the existing sewer or from a designated starting point. The sewer pipe shall be installed with the bell end forward or upgrade, unless approved otherwise. When pipe laying is not in progress, the forward end of the pipe shall be kept tightly closed with an approved temporary plug.

The following specific items shall be considered incidental to storm sewer pipe construction and their costs shall be merged into the contract unit price per Linear Foot of the storm sewer pipe.

- 1. Removal of all surplus trench excavation from site.
- 2. Excavation for and placement of bedding material.
- 3. Support of trenches, including any necessary bracing or shoring.
- 4. De-watering of trench or excavation.
- 5. Placement and compaction of backfill by vibratory plate or other approved mechanical device.
- 6. Coring into existing drainage structures where connections are called for on the plans.

<u>Basis of Payment:</u> This work shall be paid for at the contract unit price per Linear Foot for STORM SEWER (TYPE, MATERIAL, SIZE SPECIFIED) which price shall include all labor, material, and equipment necessary for excavation, bedding, installing, jointing, and backfilling the sewers and all incidental work herein specified.

# 25 SELECTED GRANULAR BACKFILL

<u>Description:</u> All trenches and excavations beneath pavements and driveways, as shown on the plans or as directed by the Engineer in the field, will require SELECTED GRANULAR BACKFILL.

Such material shall meet the applicable requirements of Section 1004 of the SSRBC, except as amended herein. Except for the capping aggregate, the material will meet the gradation for CA-7, CA-11 or the gradation commonly known as 3/4" chip.

Backfill shall be placed in maximum 12" lifts and compacted by vibrating plate or other mechanical compacting device in a manner consistent with the Standard Specifications, to ensure that no future settlement occurs.

All backfilling shall be done in accordance with Section 20-2.21 of the Standard Specifications for Water and Sewer Main Construction in Illinois. Specifically, all trenches and excavations other than those shown on the plans or designated by the Engineer to receive SELECTED GRANULAR BACKFILL shall be backfilled by any acceptable method which will not dislodge or damage the pipe, or cause bridging action in the trench. After SELECTED GRANULAR BACKFILL is placed as haunching to one-half pipe outside diameter, spoil material may be used as backfill in turf areas.

All backfilling, including granular bedding and backfill of approved excavated material, and placement and compaction of SELECTED GRANULAR BACKFILL around new or reconstructed storm sewer or structures shall be considered incidental to the contract.

When Select Backfill is placed to the existing surface elevation and used as a temporary driving or walking surface, this item shall also include the maintenance of trench surface in a safe and usable condition, satisfactory to the engineer, until the permanent proposed pavement or walkway is completed.

This item also includes the disposal of the surplus excavated material that is replaced by selected granular backfill. Any material meeting the aforementioned gradation that has been excavated from the trenches may be used for backfilling the trenches. However, no compensation will be allowed as selected granular backfill for the portion of the trench backfilled with excavated material.

Basis of Payment: All work to backfill around new and reconstructed storm sewer or structures with SELECTED GRANULAR BACKFILL shall be considered Incidental to each respective pay item and will not be paid for separately.

# 26 HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH

<u>Description</u>: This work shall be done in accordance with Section 440 of the SSRBC except as amended herein.

At those locations designated for HMA Surface Removal, Variable Depth, existing HMA material over existing concrete or brick bases varies in thickness. Unless otherwise directed by the engineer, it is intended that existing HMA surface is to be removed exposing the underlying concrete or brick base.

Basis of Payment: This work shall be paid for at the contract unit price per Square Yard for HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH, 2.0" TO 4.5"

# <u>**DETECTOR LOOP, TYPE 1**</u>

<u>Description:</u> This work shall consist of the replacement of detector loops at the intersection of Franklin Street and Main Street. The placement of the detector loop shall take place after the level binder course but prior to the surface course of asphalt being placed. All detector loop work shall be in accordance with Section 886 of the Standard Specifications.

The Contractor shall supply cut sheets to the Engineer for the wire and sealer to be used. The Contractor shall also notify the Engineer at the time the work is taking place to allow for inspection by Village personnel.

Upon completion of the work, the Contractor shall supply written confirmation that all new and existing detector loops are in working order.

Basis of Payment: This work will be paid for at the contract unit price per Linear Foot of DETECTOR LOOP, TYPE 1, measured along the sawed slot in the pavement, which price shall include furnishing, installing and testing of the detector loop. This price shall also include splicing of new detector loop to existing shielded cable in the adjacent handhole. All work to replace or construct any necessary dive holes shall be considered incidental and will not be paid for separately.

# 28 EROSION, SEDIMENTATION AND DUST CONTROL

<u>Description:</u> Throughout each and every phase of the project, all downstream ditches and storm sewers shall be protected from the run-off of roadway surfaces, excavations, and other construction activities generating the movement of dirt, mud, dust and debris. This work shall consist of constructing temporary erosion and sedimentation control systems as shown on the plans or as directed by the Engineer. The work shall be placed by methods and with materials in accordance with Sections 280, 1080 and 1081 of the SSRBC, except as amended herein.

All roadway surfaces shall be kept free of dirt, mud, dust and debris of any kind at all times through all phases of the project. All downstream ditches shall be protected from erosion and sedimentation by the installation of silt fence ditch checks; straw bales shall not be used. Piles of excavated material and/or trench backfill material, allowed to be in place in excess of three days, shall be protected against erosion and sedimentation

runoff by use of silt fence. Storm sewer inlet structures or manholes shall be protected by temporary placement of geotextile fabric, filter baskets, or solid lids, as authorized in the field by the Engineer.

Dirt, mud, dust and debris of any kind shall be removed from the roadway surface to the satisfaction of the Engineer by any one or combination of the following: approved mechanical sweeping equipment, manual labor, or other approved techniques.

Erosion and sedimentation control measures as indicated in the Erosion Control Plan, or as directed by the Engineer shall be installed on the project site prior to beginning any construction activities which will potentially create conditions subject to erosion. Erosion control devices shall be in place and approved by the Engineer as to proper placement and installation prior to beginning other work. Erosion control protection for Contractor equipment storage sites, plant sites, and other sites shall be installed by the Contractor and approved by the Engineer prior to beginning construction activities at each site.

On those streets designated for Aggregate Base Repair and Preparation of Aggregate Base, dust control shall include the application of water to the existing aggregate base, as conditions warrant, by water truck or other approved method. Unless otherwise directed by the Engineer, during dry periods between rains, a minimum of two applications per day will be necessary.

Temporary or permanent storage in the flood plain of the following are prohibited unless elevated or flood proofed to one foot above the base flood elevation:

- Items susceptible to flood damage; or
- Unsecured buoyant materials or materials that may cause off-site damage including bulky materials, flammable liquids, chemicals, explosives, pollutants, or other hazardous materials; or
- Landscape waste.

<u>Silt Fence</u> Placement, maintenance, and removal of silt fence at areas designated by the Engineer. The work shall be placed by methods and materials in accordance with Sections 280 and 1080 of the SSRBC, except as amended herein.

<u>Perimeter Erosion Barrier, Special</u> Placement, maintenance, and removal of PERIMETER EROSION BARRIER, SPECIAL shall be by methods and materials in accordance with applicable portions of Sections 280, 1080 and 1081 of the SSRBC, except as amended herein.

Barrier shall be placed approximately one (1 ft) +/- off edge of existing pavement running along the far south end of Cornell Ave as noted on the included location detail.

Barrier shall consist of a combination of excelsior log staked immediately adjacent to a minimum 4ft high protective "snow" fence. Barrier is intended to protect more sensitive vegetation and turf areas from runoff and any and all workers and equipment during the duration of the improvements. All contract work on this designated section of Cornell Avenue shall take place inside or within the PERIMETER EROSION BARRIER, SPECIAL.

#### **DEFICIENCY CHARGE:**

The Village reserves the right to apply deficiency deductions per the applicable portions of Article 105.03 of the SSRBC.

Basis of Payment: This work shall be paid for at the contract Lump Sum price for: EROSION, SEDIMENTATION AND DUST CONTROL except for INLET FILTERS and PERIMETER EROSION BARRIER, SPECIAL which shall be paid for separately.

This work shall also be paid for at the contract unit price per Each for INLET FILTERS or INLET FILTERS CLEANING and at the contract unit price per Linear Foot for PERIMETER EROSION BARRIER, SPECIAL.

# 29 TRAFFIC CONTROL, MAINTENANCE OF TRAFFIC

<u>Description:</u> This item shall include the furnishing, installing, maintaining, relocating and removing of all traffic control devices and personnel used for the purpose of regulating, warning, or directing traffic during the construction of this project. Placement and maintenance of all traffic control devices shall be in accordance with the applicable parts of Article 107.14 and Section 701 of the Standard Specifications and included Highway Standards. All traffic control devices used on this project shall conform to the <u>Standard Specifications for Traffic Control Devices</u> and the <u>Illinois Manual on Uniform Traffic Control Devices</u>. No waiving of these requirements will be allowed without prior written approval of the Engineer.

The Contractor shall protect all workers engaged in the project, and shall provide for safe and convenient public travel by providing adequate traffic control under all circumstances. Such circumstances may include, but not be limited to work performed along the route under construction, road closures for construction operations of any type, or when any section of the road is opened to traffic prior to completion of all work. The Contractor shall ensure that work zone in question is properly signed, barricaded and otherwise marked.

The contractor will be responsible for the proper location, installation, and arrangement of all traffic control devices during the period of construction. All open excavations shall be protected by Type I barricades equipped with working bi-directional flashing lights at each end of the excavation, as well as at 50-foot intervals between ends for excavations greater than 50 feet in length and weighted down by **one sandbag per each barricade**. All street closures shall be protected by Type III barricades equipped with working bi-directional flashing lights and weighted down by **eight sandbags per each barricade**.

The Contractor shall plan his work so that there will be no open excavations during non-working hours and that all barricades not necessary have been removed from the pavement during non-working hours.

In the event that one direction of vehicular travel must be closed, the Contractor has the option of setting up a detour route or using flaggers (minimum of two) to direct traffic around the work area. The Engineer shall approve proper signing and barricading of the detour route and lane closures, and shall issue written authorization prior to closure.

In the event that both directions of vehicular travel must be closed, the Contractor shall set up a detour route to direct traffic around the work area. The Engineer shall approve proper signing and barricading of the detour route and shall issue written authorization prior to closure.

The Contractor shall maintain his operations in a manner such that traffic flow shall not be substantially impeded during the construction of the proposed improvements. Where traffic must cross open trenches during a given work day, the Contractor shall provide steel plates at street intersections and driveways. Prior to the end of a given work day, the pavement surface shall be temporarily restored.

No open excavation may be left overnight or on the weekend without the express written permission of the Engineer.

No street closure shall be permitted without the express written permission of the Engineer. No street closure may exceed 800 linear feet, nor be in effect from Friday night at 4:30PM to Monday morning at 9:00AM. Where it is necessary to establish a temporary detour, all the requirements of the Standard Specifications and MUTCD shall be met.

As the condition and location of the work changes, the Contractor shall maintain all traffic control devices and personnel engaged in traffic control, in a manner that will accommodate the changing particulars of the work at any given time. Advance warnings, detour and directional information and other controls or directions necessary for safe passage of traffic around the work site shall be reviewed and changed, if necessary, to meet the needs of the situation. Signage erected, but not necessary or proper for the situation ahead shall be covered or taken down. Barricading and signage shall be monitored by the Contractor on a daily basis to ensure that it meets the requirements for work zone safety for the conditions of the particular work being performed.

The Contractor shall provide a name and phone number of a responsible party capable of providing emergency service, 24 hours per day, for the duration of the Project.

#### **DEFICIENCY CHARGE:**

The primary concern of the Village is to maintain a safe travel way for the public and a safe environment for the work in the construction zone. The Contractor is expected to comply with the Standard Specifications, contract plans, the Special Provisions and directions from the Engineer concerning traffic control and protection. The Contractor shall provide a telephone number where a responsible individual can be contacted on a 24-hour-a-day basis to receive notification of any deficiencies regarding traffic control and protection. The Contractor shall immediately respond correcting traffic control deficiencies by dispatching workers, materials and equipment to correct such deficiencies.

Failure to comply with directions from the Engineer for corrections or modifications to the traffic control and protection will result in a deduction of either \$1,000 or 0.05 percent of the awarded contract value, whichever is greater, in accordance with Article 105.03. This charge is separate from the cost of any corrective work ordered. The Contractor shall not be relieved of any contractual responsibilities by the Village's actions.

Basis of Payment: This work shall be paid for at the contract Lump Sum price for TRAFFIC CONTROL, MAINTENANCE OF TRAFFIC which price shall be payment in full for the installation and maintenance of proper traffic control to protect the work and public for the duration of the Project.

#### 30 HOT-MIX ASPHALT BINDER AND SURFACE COURSE

This item shall be done in accordance with all applicable parts of Sections 406 and 1030 of the SSRBC, the included D-1 and BDE Specifications, and included mix table.

All preparation of the existing base shall be considered incidental to its respective pay item. This shall include but not be limited to cleaning cracks with an air compressor or other approved method prior to placement of mixture for cracks, joints and flangeways.

The target value for the air voids of the Hot-Mix Asphalt Surface Course, Mix D, N50 shall be 3.5% at the design number of gyrations.

Basis of Payment: Prime Coat shall be paid for at the contract unit price per pound of residual asphalt applied for BITUMINOUS MATERIALS (PRIME COAT).

The HMA surfacing shall be paid for at the contract unit price per Ton for MIXTURE FOR CRACKS, JOINTS AND FLANGEWAYS, and LEVELING BINDER (MACHINE METHOD), N50, and HOT-MIX ASPHALT SURFACE COURSE, MIX D, N50.

# 31 IEPA CLEAN CONSTRUCTION AND DEMOLITION DEBRIS

**Description:** If construction activities will result in removal and disposal of excavation spoils, per Illinois Public Act 96-1416 and the Illinois Environmental Protection Agency, soil sampling and analysis, along with certification from a licensed professional engineer (PE) or licensed professional geologist (PG) that the soil is uncontaminated, will be required prior to clean construction and demolition debris (CCDD) facility acceptance. However, if the subject property has never been used for industrial or commercial purposes, and is not adjacent to Potentially Impacted Properties (PIP's), then the site owner or operator may certify that the soil is uncontaminated by use of IEPA form LPC-662.

To facilitate meeting the above requirements, the Village will supply a signed LPC-663 or LPC-662 form. Neither the LPC-663/662, nor the report shall be considered a guarantee that excavated material shall meet the requirements of Illinois Public Act 96-1416, and the Contractor shall be responsible for satisfactory removal and disposal of all material as specified herein. No additional environmental testing of the existing on-site material may be performed without prior written permission from the Engineer. In the event that Contractor performs any additional testing without the written permission of the Engineer, Contractor will be required to properly and legally dispose of all material from the project site, regardless of its suitability for disposal in a CCDD facility, at his own expense, without any additional payment for testing, hauling and disposal as specified below.

The Village anticipates that one or more of the following CCDD facilities will accept material from this project:

- Reliable Lyons CCDD, 4226 Lawndale Ave, Lyons, IL 60534
- Hanson Material Service, 125 N Independence Blvd Romeoville, IL 60446
- Bluff City Materials, 1245 Gifford Rd, Elgin, IL 60120
- Vulcan Materials, 5500 Joliet Rd, McCook, IL 60525
- Heartland Recycling Aurora CCDD, Mettel Rd, Aurora, IL 60505

Contractor shall consult with these facilities prior to submitting a bid for this project. Contractor shall base his bid on hauling all CCDD generated by this project to these facilities. No additional compensation will be allowed for hauling to any other facilities, for any reason, unless none of the above listed facilities will accept the material. If an alternate facility was approved by the Village prior to bid submittal, and that facility will no longer accept the material, the facilities listed above shall be used by the Contractor at no additional cost to the Village, unless none of the above facilities will accept the material. In the case where neither any of the above listed facilities, nor a pre-approved alternate facility, will accept the material, the Village and Contractor shall attempt to locate an alternate facility, unless the material is classified as unsuitable for disposal in a CCDD facility, in which case it shall be hauled to a landfill and paid for as specified below. Should the Contractor wish to haul material to an alternate facility, the name, location and contact information for the proposed facility shall be submitted to the Village for evaluation, a minimum of five (5) calendar days prior to submission of a bid. Any costs associated with additional sampling, analysis, and/or reporting to meet the acceptance requirements of the alternate facility shall be borne by the bidding Contractor and included within the Contractor's bid. By submitting a bid, Contractor agrees that at least one (1) of the above listed facilities, or an alternate facility approved by the Village in writing prior to the submission of the bid, will accept the material and shall be used for disposal of all CCDD from this project, unless otherwise determined to be nonhazardous special waste as specified below. In the event that the Contractor needs to alter the CCDD facility used for placement of excavated material, the Contractor shall notify the Engineer no later than three (3) days in advance of the planned alteration. In no event shall material be hauled to an alternate facility without the written permission of the Engineer.

Construction Requirements: The Contractor shall be responsible for satisfactory removal and disposal of all waste material, asphalt, concrete, stone, dirt, and debris generated or discovered in the course of the work. Removal and disposal of excavation items being disposed of at a clean construction and demolition debris (CCDD) facility shall meet the requirements of Public Act 96-1416. This work shall be incidental and shall not be paid for separately, with the exception of the ADDITIONAL HAULING SURCHARGE, NON-HAZARDOUS SPECIAL WASTE as specified below.

The temporary storing of excavated materials within the public right-of-way or project limits shall not be allowed unless approved by the Engineer. It shall be the Contractor's responsibility to find an approved dumpsite for debris and any excavated materials. The Village will not provide one.

The Contractor shall employ a licensed testing firm, as approved by Engineer, to screen each truck-load of material on-site, using a PID or FID field screen or other acceptable method. The PID shall be calibrated on a daily basis. The Contractor shall enter all truck-loads leaving the site into an on-site screening log including, but not limited to, project name, date, time, weather conditions, name of screener, hauling company, truck number, screening method, background PID reading, calibrated PID reading, truck/bucket PID reading, and description of materials screened. Each day prior to the first truck leaving the site, Engineer and Contractor's testing consultant shall agree on the allowable PID reading in accordance with the receiving CCDD facility procedures (typically 0.0 or daily background levels). The receiving CCDD facility may be consulted daily, or periodically, as needed to verify that the appropriate value is being used. If said screen indicates levels that will be unacceptable for disposal at the CCDD facility, the material shall be quarantined on-site for further evaluation. If material is rejected at the CCDD facility, it shall be returned to the project site and quarantined for further evaluation. No additional compensation shall be allowed for returning a rejected load back to the project site, or any other additional hauling, loading, unloading, etc, as may be required. Should it be determined by the Village or Village's agent that the material is not suitable for disposal in a CCDD facility,

the Contractor shall be responsible for properly disposing of the material at an acceptable landfill, and providing the Village with all of the proper paperwork to document the material disposal with the IEPA. This work shall be paid for as specified below. If a truck-load is rejected by a CCDD facility after leaving the project site, and said truck-load is not identified in the on-site screening log, the Contractor shall still be required to properly dispose of the material and provide the Village with the necessary documentation, but shall not be additionally compensated as specified below.

All additional work to satisfy these requirements shall be the responsibility of the Contractor. All costs associated with meeting these requirements shall be paid for as specified herein. These costs shall include but are not limited to all required testing, lab analysis, and certification by a licensed professional engineer (PE) or licensed professional geologist (PG), if required, in addition to the cost of additional hauling, dump fees, etc. Payment for this work shall be in addition to payment for EARTH EXCAVATION per the contract unit price. No adjustment to the contract unit price will be allowed due to changes to quantities based on actual field conditions.

Basis of Payment: This work shall be paid for at the contract unit price per LOAD for ADDITIONAL HAULING SURCHARGE, NON-HAZARDOUS SPECIAL WASTE, which price shall be payment in full for the work as specified herein.

# SPECIAL PROVISION FOR CONSTRUCTION DEBRIS

Effective October 18, 1999

Add the following to the third paragraph of Article 202.03 of the Standard Specifications:

"The Contractor shall not conduct any generation, transportation, or recycling of construction or demolition debris, clean or general or uncontaminated soil generated during construction, remodeling, repair, and demolition of utilities, structures, and roads that is not commingled with any waste, without the maintenance of documentation identifying the hauler, generator, place of origin of the debris or soil, the weight or volume of the debris or soil, and the location, owner, and operator of the facility where the debris or soil was transferred, disposed, recycled or treated. This documentation must be maintained by the Contractor for 3 years."

\\DISTINTFS2\LocGen\\Wp2\\MFT Form \( \text{Letters}\\MFT FORM TEMPLATES\\ Constructions Debris Special Provision.doc

#### ADJUSTMENTS AND RECONSTRUCTIONS

Effective: March 15, 2011

Revise the first paragraph of Article 602.04 to read:

**"602.04 Concrete.** Cast-in-place concrete for structures shall be constructed of Class SI concrete according to the applicable portions of Section 503. Cast-in-place concrete for pavement patching around adjustments and reconstructions shall be constructed of Class PP-1 concrete, unless otherwise noted in the plans, according to the applicable portions of Section 1020."

Revise the third, fourth and fifth sentences of the second paragraph of Article 602.11(c) to read:

"Castings shall be set to the finished pavement elevation so that no subsequent adjustment will be necessary, and the space around the casting shall be filled with Class PP-1 concrete, unless otherwise noted in the plans, to the elevation of the surface of the base course or binder course. HMA surface or binder course material shall not be allowed. The pavement may be opened to traffic according to Article 701.17(e)(3)b."

Revise Article 603.05 to read:

"603.05 Replacement of Existing Flexible Pavement. After the castings have been adjusted, the surrounding space shall be filled with Class PP-1 concrete, unless otherwise noted in the plans, to the elevation of the surface of the base course or binder course. HMA surface or binder course material shall not be allowed. The pavement may be opened to traffic according to Article 701.17(e)(3)b."

Revise Article 603.06 to read:

"603.06 Replacement of Existing Rigid Pavement. After the castings have been adjusted, the pavement and HMA that was removed, shall be replaced with Class PP-1 concrete, unless otherwise noted in the plans, not less than 9 in. (225 mm) thick. The pavement may be opened to traffic according to Article 701.17(e)(3)b.

The surface of the Class PP concrete shall be constructed flush with the adjacent surface."

Revise the first sentence of Article 603.07 to read:

"603.07 Protection Under Traffic. After the casting has been adjusted and the Class PP concrete has been placed, the work shall be protected by a barricade and two lights according to Article 701.17(e)(3)b."

# DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)

Effective: April 1, 2011 Revised: April 2, 2011

Add the following to Article 603.02 of the Standard Specifications:

(j) Temporary Rubber Ramps (Note 2)

Note 1. The HMA shall have maximum aggregate size of 3/8 in. (95 mm).

Note 2. The rubber material shall be according to the following.

Property	Test Method	Requirement	
Durometer Hardness, Shore A	ASTM D 2240	75 ±15	
Tensile Strength, psi (kPa)	ASTM D 412	300 (2000) min	
Elongation, percent	ASTM D 412	90 min	
Specific Gravity	ASTM D 792	1.0 - 1.3	
Brittleness, °F (°C)	ASTM D 746	-40 (-40)"	

Revise Article 603.07 of the Standard Specifications to read:

"603.07 Protection Under Traffic. After the casting has been adjusted and the Class PP concrete has been placed, the work shall be protected by a barricade and two lights according to Article 701.17(e)(3)b.

When castings are under traffic before the final surfacing operation has been started, properly sized temporary ramps shall be placed around the drainage and/or utility castings according to the following methods.

- (a) Temporary Asphalt Ramps. Temporary hot-mix asphalt ramps shall be placed around the casting, flush with its surface and decreasing to a featheredge in a distance of 2 ft (600 mm) around the entire surface of the casting.
- (b) Temporary Rubber Ramps. Temporary rubber ramps shall only be used on roadways with permanent posted speeds of 40 mph or less and when the height of the casting to be protected meets the proper sizing requirements for the rubber ramps as shown below.

Dimension	Requirement
Inside Opening	Outside dimensions of casting + 1 in. (25 mm)

Thickness at inside edge	Height of casting $\pm$ 1/4 in. (6 mm)
Thickness at outside edge	1/4 in. (6 mm) max.
Width, measured from inside opening to outside edge	8 1/2 in. (215 mm) min

Placement shall be according to the manufacturer's specifications.

Temporary ramps for castings shall remain in place until surfacing operations are undertaken within the immediate area of the structure. Prior to placing the surface course, the temporary ramp shall be removed. Excess material shall be disposed of according to Article 202.03."

#### HMA MIXTURE DESIGN REQUIREMENTS (D-1)

Effective: January 1, 2013 Revised: November 1, 2014

#### 1) Design Composition and Volumetric Requirements

Revise the last sentence of the first paragraph of Article 312.05 of the Standard Specifications to read:

"The minimum compacted thickness of each lift shall be according to Article 406.06(d)."

Delete the minimum compacted lift thickness table in Article 312.05 of the Standard Specifications.

Revise the second paragraph of Article 355.02 of the Standard Specifications to read:

"The mixture composition used shall be IL-19.0."

Revise Article 355.05(a) of the Standard Specifications to read:

"(a) The top lift thickness shall be 2 1/4 in. (60 mm) for mixture composition IL-19.0."

Revise the Leveling Binder table and second paragraph of Article 406.05(c) of the Standard Specifications to read:

"Leveling Binder					
Nominal, Compacted, Leveling Binder Thickness, in. (mm)  Mixture Composition					
≤ 1 1/4 (32)	IL-4.75, IL-9.5, or IL-9.5L				
> 1 1/4 to 2 (32 to 50)	IL-9.5 or IL-9.5L				

The density requirements of Article 406.07(c) shall apply for leveling binder, machine method, when the nominal compacted thickness is: 3/4 in. (19 mm) or greater for IL-4.75 mixtures; and 1 1/4 in. (32 mm) or greater for IL-9.5 and IL-9.5L mixtures."

Revise the table in Article 406.06(d) of the Standard Specifications to read:

"MINIMUM COMPACTED LIFT THICKNESS					
Mixture Composition Thickness, in. (mm)					
IL-4.75	3/4 (19)				
SMA-9.5, IL-9.5, IL-9.5L	1 1/2 (38)				
SMA-12.5	2 (50)				
IL-19.0, IL-19.0L 2 1/4 (57)"					

Revise the ninth paragraph of Article 406.14 of the Standard Specifications to read: "Test strip mixture will be evaluated at the contract unit price according to the following."

Revise Article 406.14(a) of the Standard Specifications to read:

"(a) If the HMA placed during the initial test strip is determined to be acceptable the mixture will be paid for at the contract unit price."

Revise Article 406.14(b) of the Standard Specifications to read:

"(b) If the HMA placed during the initial test strip (1) is determined to be unacceptable to remain in place by the Engineer, and (2) was not produced within 2.0 to 6.0 percent air voids or within the individual control limits of the JMF according to the Department's test results, the mixture will not be paid for and shall be removed at the Contractor's expense. An additional test strip shall be constructed and the mixture will be paid for in full, if produced within 2.0 to 6.0 percent air voids and within the individual control limits of the JMF."

Revise Article 406.14(c) of the Standard Specifications to read:

"(c) If the HMA placed during the initial test strip (1) is determined to be unacceptable to remain in place by the Engineer, and (2) was produced within 2.0 to 6.0 percent air voids and within the individual control limits of the JMF according to the Department's test results, the mixture shall be removed. Removal will be paid according to Article 109.04. This initial mixture will be paid for at the contract unit price. An additional test strip shall be constructed and the mixture will be paid for in full, if produced within 2.0 to 6.0 percent air voids and within the individual control limits of the JMF."

Delete Article 406.14(d) of the Standard Specifications.

Delete Article 406.14(e) of the Standard Specifications.

Delete the last sentence of Article 407.06(c) of the Standard Specifications.

Revise Note 2. of Article 442.02 of the Standard Specifications to read:

"Note 2. The mixture composition of the HMA used shall be IL-19.0 binder, designed with the same Ndesign as that specified for the mainline pavement."

Delete the second paragraph of Article 482.02 of the Standard Specifications.

Revise the first sentence of the sixth paragraph of Article 482.05 of the Standard Specifications to read:

"When the mainline HMA binder and surface course mixture option is used on resurfacing projects, shoulder resurfacing widths of 6 ft (1.8 m) or less may be placed simultaneously with the adjacent traffic lane for both the binder and surface courses."

Revise the second sentence of the fourth paragraph of Article 601.04 of the Standard Specifications to read:

"The top 5 in. (125 mm) of the trench shall be backfilled with an IL-19.0L Low ESAL mixture meeting the requirements of Section 1030 and compacted to a density of not less than 90 percent of the theoretical density."

Revise the second sentence of the fifth paragraph of Article 601.04 of the Standard Specifications to read:

"The top 8 in. (200 mm) of the trench shall be backfilled with an IL-19.0L Low ESAL mixture meeting the requirements of Section 1030 and compacted to a density of not less than 90 percent of the theoretical density."

Revise Article 1003.03(c) of the Standard Specifications to read:

"(c) Gradation. The fine aggregate gradation for all HMA shall be FA 1, FA 2, FA 20, FA 21, or FA 22. The fine aggregate gradation for SMA shall be FA/FM 20.

For mixture IL-4.75 and surface mixtures with an Ndesign = 90, at least 50 percent of the required fine aggregate fraction shall consist of either stone sand, slag sand, or steel slag meeting the FA 20 gradation.

For mixture IL-19.0, Ndesign = 90 the fine aggregate fraction shall consist of at least 67 percent manufactured sand meeting FA 20 or FA 22 gradation. For mixture IL-19.0, Ndesign = 50 or 70 the fine aggregate fraction shall consist of at least 50 percent manufactured sand meeting FA 20 or FA 22 gradation. The manufactured sand shall be stone sand, slag sand, steel slag sand, or combinations thereof.

Gradation FA 1, FA 2, or FA 3 shall be used when required for prime coat aggregate application for HMA."

Delete the last sentence of the first paragraph of Article 1004.03(b) of the Standard Specifications.

Revise the table in Article 1004.03(c) of the Standard Specifications to read:

"Use	Size/Application	Gradation No.
Class A-1, 2, & 3	3/8 in. (10 mm) Seal	CA 16
Class A-1	1/2 in. (13 mm) Seal	CA 15
Class A-2 & 3	Cover	CA 14
HMA High ESAL	IL-19.0	CA 11 <sup>1/</sup>
	IL-9.5	CA 16, CA 13 <sup>3/</sup>
HMA Low ESAL	IL-19.0L	CA 11 <sup>1/</sup>
	IL-9.5L	CA 16
	Stabilized Subbase	·
	or Shoulders	
SMA <sup>2/</sup>	1/2 in. (12.5mm)	CA13 <sup>3</sup> /, CA14 or CA16
	Binder & Surface	
	IL 9.5	CA16, CA 13 <sup>3/</sup>
	Surface	

1/ CA 16 or CA 13 may be blended with the gradations listed.

- 2/ The coarse aggregates used shall be capable of being combined with stone sand, slag sand, or steel slag sand meeting the FA/FM 20 gradation and mineral filler to meet the approved mix design and the mix requirements noted herein.
- 3/ CA 13 shall be 100 percent passing the 1/2 in. (12.5mm) sieve.

Revise Article 1004.03(e) of the Supplemental Specifications to read:

"(e) Absorption. For SMA the coarse aggregate shall also have water absorption ≤ 2.0 percent."

Revise the nomenclature table in Article 1030.01 of the Standard Specifications to read:

"High ESAL	IL-19.0 binder; IL-9.5 surface; IL-4.75; SMA-12.5,
	SMA-9.5
Low ESAL	IL-19.0L binder; IL-9.5L surface;
	Stabilized Subbase (HMA) <sup>1/</sup> ;
	HMA Shoulders <sup>2/</sup>

- 1/ Uses 19.0L binder mix.
- 2/ Uses 19.0L for lower lifts and 9.5L for surface lift."

Revise Article 1030.02 of the Standard Specifications and Supplemental Specifications to read:

"1030.02 Materials. Materials shall be according to the following.

Item	Article/Section
(a) Coarse Aggregate	1004.03
(b) Fine Aggregate	1003.03
(c) RAP Material	
(d) Mineral Filler	
(e) Hydrated Lime	
(f) Slaked Quicklime (Note 1)	•
(g) Performance Graded Asphalt Binder (Note 2)	1032
(h) Fibers (Note 3)	
(i) Warm Mix Asphalt (WMA) Technologies (Note 4)	
, , , , , , , , , , , , , , , , , , , ,	

- Note 1. Slaked quicklime shall be according to ASTM C 5.
- Note 2. The asphalt binder shall be an SBS PG 76-28 when the SMA is used on a full-depth asphalt pavement and SBS PG 76-22 when used as an overlay, except where modified herein. The asphalt binder shall be an Elvaloy or SBS PG 76-22 for IL-4.75, except where modified herein. The elastic recovery shall be a minimum of 80.
- Note 3. A stabilizing additive such as cellulose or mineral fiber shall be added to the SMA mixture according to Illinois Modified AASHTO M 325. The stabilizing additive

shall meet the Fiber Quality Requirements listed in Illinois Modified AASHTO M 325. Prior to approval and use of fibers, the Contractor shall submit a notarized certification by the producer of these materials stating they meet these requirements. Reclaimed Asphalt Shingles (RAS) may be used in Stone Matrix Asphalt (SMA) mixtures designed with an SBA polymer modifier as a fiber additive if the mix design with RAS included meets AASHTO T305 requirements. The RAS shall be from a certified source that produces either Type I or Type 2. Material shall meet requirements noted herein and the actual dosage rate will be determined by the Engineer.

Note 4. Warm mix additives or foaming processes shall be selected from the current Bureau of Materials and Physical Research Approved List, "Warm Mix Asphalt Technologies"."

Revise Article 1030.04(a)(1) of the Standard Specifications and the Supplemental Specifications to read:

"(1) High ESAL Mixtures. The Job Mix Formula (JMF) shall fall within the following limits.

High ESAL, MIXTURE COMPOSITION (% PASSING) 1/										
Sieve Size	IL-19.	0 mm		IA <sup>4/</sup> .5 mm		IA <sup>4/</sup> 5 mm	IL-9.	5 mm	IL-4.7	'5 mm
	min	max	min	max	min	max	min	max	min	max
1 1/2 in (37.5 mm)										
1 in. (25 mm)		100								
3/4 in. (19 mm)	90	100		100						
1/2 in. (12.5 mm)	75	89	80	100		100		100		100
3/8 in. (9.5 mm)				65	90	100	90	100		100
#4 (4.75 mm)	40	60	20	30	36	50	34	69	90	100
#8 (2.36 mm)	20	42	16	24 5/	16	325/	34 <sup>6/</sup>	52 <sup>2/</sup>	70	90
#16 (1.18 mm)	15	30					10	32	50	65
#30 (600 µm)			12	16	12	18				
#50 (300 μm)	6	15					4	15	15	30
#100 (150 μm)	4	9					3	10	10	18
#200 (75 µm)	3	6	7.0	9.0 3/	7.5	9.5 <sup>3/</sup>	4	6	7	9 3/
Ratio Dust/Asphalt Binder		1.0		1.5		1.5		1.0		1.0

- 1/ Based on percent of total aggregate weight.
- 2/ The mixture composition shall not exceed 44 percent passing the #8 (2.36 mm) sieve for surface courses with Ndesign = 90.

- 3/ Additional minus No. 200 (0.075 mm) material required by the mix design shall be mineral filler, unless otherwise approved by the Engineer.
- 4/ The maximum percent passing the #635 (20  $\mu$ m) sieve shall be  $\leq$  3 percent.
- 5/ When establishing the Adjusted Job Mix Formula (AJMF) the percent passing the #8 (2.36 mm) sieve shall not be adjusted above the percentage stated on the table.
- 6/ When establishing the Adjusted Job Mix Formula (AJMF) the percent passing the #8 (2.36 mm) sieve shall not be adjusted below 34 percent.

Delete Article 1030.04(a)(3) of the Standard Specifications.

Delete Article 1030.04(a)(4) of the Standard Specifications.

Revise Article 1030.04(b)(1) of the Standard Specifications to read:

"(1) High ESAL Mixtures. The target value for the air voids of the HMA shall be 4.0 percent and for IL-4.75 it shall be 3.5 percent at the design number of gyrations. The VMA and VFA of the HMA design shall be based on the nominal maximum size of the aggregate in the mix, and shall conform to the following requirements.

	VOLUMETRIC REQUIREMENTS High ESAL					
	Voids Filled with Asphalt Binder					
Ndesign	IL-19.0	IL-4.75 <sup>1/</sup>				
50		65 – 78 <sup>2/</sup>				
70	13.5	65 - 75				
90						

- 1/ Maximum Draindown for IL-4.75 shall be 0.3 percent
- 2/ VFA for IL-4.75 shall be 72-85 percent"

Revise the table in Article 1030.04(b)(2) of the Standard Specifications to read:

"VOLUMETRIC REQUIREMENTS Low ESAL					
Mixture Composition	Design Compactive Effort	Design Air Voids Target %	VMA (Voids in the Mineral Aggregate), % min.	VFA (Voids Filled with Asphalt Binder), %	
IL-9.5L	N <sub>DES</sub> =30	4.0	15.0	65-78	
IL-19.0L	N <sub>DES</sub> = 30	4.0	13.5	N/A"	

Replace Article 1030.04(b)(3) of the Standard Specifications with the following:

#### "(3) SMA Mixtures.

	Volumetric Requirements SMA <sup>1/</sup>							
Ndesign	Ndesign Design Air Voids Voids in the Voids Filled Target % Mineral Aggregate with Asphalt (VMA), % min. (VFA), %							
80 <sup>4/</sup>	80 <sup>4</sup> / 3.5 17.0 <sup>2</sup> / 75 - 83							

- 1/ Maximum draindown shall be 0.3 percent. The draindown shall be determined at the JMF asphalt binder content at the mixing temperature plus 30 °F.
- 2/ Applies when specific gravity of coarse aggregate is ≥ 2.760.
- 3/ Applies when specific gravity of coarse aggregate is < 2.760.
- 4/ Blending of different types of aggregate will not be permitted. For surface course, the coarse aggregate can be crushed steel slag, crystalline crushed stone or crushed sandstone. For binder course, coarse aggregate shall be crushed stone (dolomite), crushed gravel, crystalline crushed stone, or crushed sandstone.

Delete Article 1030.04(b)(4) of the Standard Specifications.

Delete Article 1030.04(b)(5) from the Supplemental Specifications.

Delete last sentence of the second paragraph of Article 1102.01(a) (13) a.

Add to second paragraph in Article 1102.01 (a) (13) a.:

"As an option, collected bag-house dust may be used in lieu of manufactured mineral filler, provided; 1) there is enough available for the production of the SMA mix for the entire project and 2) a mix design was prepared with collected bag-house dust."

Revise the table in Article 1030.05(d)(2)a. of the Standard Specifications to read:

	Frequency of Tests	Test Method
"Parameter	High ESAL Mixture Low ESAL Mixture	See Manual of Test Procedures for Materials
Aggregate Gradation	1 washed ignition oven test on the mix per half day of production	Illinois Procedure
% passing sieves: 1/2 in. (12.5 mm), No. 4 (4.75 mm), No. 8 (2.36 mm), No. 30 (600 μm) No. 200 (75 μm)	Note 3.	
Asphalt Binder Content by Ignition Oven	1 per half day of production	Illinois-Modified AASHTO T 308
Note 1.		
VMA Note 2.	Day's production ≥ 1200 tons:  1 per half day of	Illinois-Modified AASHTO R 35
	production	
	Day's production < 1200 tons:	
	1 per half day of production for first 2 days and 1 per day thereafter (first sample of the day)	
Air Voids Bulk Specific	Day's production ≥ 1200 tons:	Illinois-Modified
Gravity of Gyratory Sample	1 per half day of production	AASHTO T 312
Note 4.	Day's production < 1200 tons:	
	1 per half day of production for first 2 days and 1 per day thereafter (first sample of the day)	
Maximum Specific Gravity of Mixture	Day's production ≥ 1200 tons:	Illinois-Modified AASHTO T 209
	1 per half day of production	
	Day's production < 1200 tons:	
	1 per half day of production for first 2 days and 1 per day thereafter (first sample of the day)	

- Note 1. The Engineer may waive the ignition oven requirement for asphalt binder content if the aggregates to be used are known to have ignition asphalt binder content calibration factors which exceed 1.5 percent. If the ignition oven requirement is waived, other Department approved methods shall be used to determine the asphalt binder content.
- Note 2. The  $G_{sb}$  used in the voids in the mineral aggregate (VMA) calculation shall be the same average  $G_{sb}$  value listed in the mix design.
- Note 3. The Engineer reserves the right to require additional hot bin gradations for batch plants if control problems are evident.
- Note 4. The WMA compaction temperature for mixture volumetric testing shall be 270 ± 5 °F (132 ± 3 °C) for quality control testing. The WMA compaction temperature for quality assurance testing will be 270 ± 5 °F (132 ± 3 °C) if the mixture is not allowed to cool to room temperature. If the mixture is allowed to cool to room temperature, it shall be reheated to standard HMA compaction temperatures."

Revise the table in Article 1030.05(d)(2)b. of the Standard Specifications to read:

"Parameter	High ESAL Mixture Low ESAL Mixture
Ratio Dust/Asphalt Binder	0.6 to 1.2
Moisture	0.3 %"

Revise the Article 1030.05(d)(4) of the Supplemental Specifications to read:

"(4) Control Limits. Target values shall be determined by applying adjustment factors to the AJMF where applicable. The target values shall be plotted on the control charts within the following control limits.

"CONTROL LIMITS						
	High ESAL		SMA		IL-4.75	
Parameter	Individual Test	Moving Avg. of 4	Test	Moving Avg. of 4	Individual Test	Moving Avg. of 4
% Passing: 1/						
1/2 in. (12.5 mm)	±6%	±4%	±6%	±4%		
3/8 in. (9.5mm)			±4%	±3%		
No. 4 (4.75 mm)	±5%	±4%	±5%	± 4 %		
No. 8 (2.36 mm)	± 5 %	± 3 %	± 4 %	± 2 %		
No. 16 (1.18 mm)			±4%	±2%	±4%	±3%
No. 30 (600 µm)	±4%	± 2.5 %	±4%	± 2.5 %		
Total Dust Content No. 200 (75 μm)	± 1.5 %	± 1.0 %			± 1.5 %	± 1.0 %
Asphalt Binder Content	± 0.3 %	± 0.2 %	± 0.2 %	± 0.1 %	± 0.3 %	± 0.2 %
Voids	± 1.2 %	± 1.0 %	± 1.2 %	± 1.0 %	± 1.2 %	± 1.0 %
VMA	-0.7 % <sup>2/</sup>	-0.5 % <sup>2/</sup>	-0.7 % <sup>2/</sup>	-0.5 % <sup>2/</sup>	-0.7 % <sup>2/</sup>	-0.5 % <sup>2/</sup>

- 1/ Based on washed ignition oven
- 2/ Allowable limit below minimum design VMA requirement

DENSITY CONTROL LIMITS			
Mixture Composition	Parameter	Individual Test	
IL-4.75	Ndesign = 50	93.0 - 97.4 % 1/	
IL-9.5	Ndesign = 90	92.0 - 96.0 %	
IL-9.5,IL-9.5L	Ndesign < 90	92.5 - 97.4 %	
IL-19.0	Ndesign = 90	93.0 - 96.0 %	
IL-19.0, IL-19.0L	Ndesign < 90	93.0 <sup>2/</sup> - 97.4 %	
SMA	Ndesign = 80	93.5 - 97.4 %	

- 1/ Density shall be determined by cores or by correlated, approved thin lift nuclear gauge.
- 2/ 92.0 % when placed as first lift on an unimproved subgrade."

Revise the table in Article 1030.05(d)(5) of the Supplemental Specifications to read:

"CONTROL CHART	High ESAL,
REQUIREMENTS	Low ESAL, SMA
	& IL-4.75
	% Passing Sieves:
	1/2 in. (12.5 mm) <sup>2/</sup>
Gradation 1/3/	No. 4 (4.75 mm)
	No. 8 (2.36 mm)
	No. 30 (600 µm)
Total Dust Content 1/	No. 200 (75 μm)
	Asphalt Binder Content
	Bulk Specific Gravity
	Maximum Specific
	Gravity of Mixture
	Voids
	Density
	VMA

- 1/ Based on washed ignition oven.
- 2/ Does not apply to IL-4.75.
- 3/ SMA also requires the 3/8 in. (9.5 mm) sieve."

Delete Article 1030.05(d)(6)a.1.(b.) of the Standard Specifications.

Delete Article 1030.06(b) of the Standard Specifications.

Delete Article 1102.01(e) of the Standard Specifications.

### 2) Design Verification and Production

<u>Description</u>. The following states the requirements for Hamburg Wheel and Tensile Strength testing for High ESAL, IL-4.75, and Stone Matrix Asphalt (SMA) hot-mix asphalt (HMA) mixes during mix design verification and production.

Mix Design Testing. Add the following below the referenced AASHTO standards in Article 1030.04 of the Standard Specifications:

AASHTO T 324

Hamburg Wheel Test

AASHTO T 283

Tensile Strength Test

Add the following to Article 1030.04 of the Standard Specifications:

"(d) Verification Testing. High ESAL, IL-4.75, and SMA mix designs submitted for verification will be tested to ensure that the resulting mix designs will pass the required criteria for the Hamburg Wheel Test (IL mod AASHTO T-324) and the Tensile Strength Test (IL mod AASHTO T-283). The Department will perform a verification test on gyratory specimens compacted by the Contractor. If the mix fails the Department's verification test, the Contractor shall make the necessary changes to the mix and resubmit compacted specimens to the Department for verification. If the mix fails again, the mix design will be rejected.

All new and renewal mix designs will be required to be tested, prior to submittal for Department verification and shall meet the following requirements:

(1)Hamburg Wheel Test criteria. The maximum allowable rut depth shall be 0.5 in. (12.5 mm). The minimum number of wheel passes at the 0.5 in. (12.5 mm) rut depth criteria shall be based on the high temperature binder grade of the mix as specified in the mix requirements table of the plans.

Illinois Modified AASHTO T 324 Requirements 1/

Asphalt Binder Grade	# Repetitions	Max Rut Depth (mm)
PG 70 -XX (or higher)	20,000	12.5
PG 64 -XX (or lower)	10,000	12.5

1/ When produced at temperatures of 275 ± 5 °F (135 ± 3 °C) or less, loose Warm Mix Asphalt shall be oven aged at 270 ± 5 °F (132 ± 3 °C) for two hours prior to gyratory compaction of Hamburg Wheel specimens.

Note: For SMA Designs (N-80) the maximum rut depth is 6.0 mm at 20,000 repetitions.

For IL 4.75mm Designs (N-50) the maximum rut depth is 9.0mm at 15,000 repetitions.

(2) Tensile Strength Criteria. The minimum allowable conditioned tensile strength shall be 60 psi (415 kPa) for non-polymer modified performance graded (PG) asphalt binder and 80 psi (550 kPa) for polymer modified PG asphalt binder. The maximum allowable unconditioned tensile strength shall be 200 psi (1380 kPa)."

Production Testing. Revise Article 1030.06(a) of the Standard Specifications to read:

"(a) High ESAL, IL-4.75, WMA, and SMA Mixtures. For each contract, a 300 ton (275 metric tons) test strip, except for SMA mixtures it will be 400 ton (363 metric ton), will be required at the beginning of HMA production for each mixture with a quantity of 3000 tons (2750 metric tons) or more according to the Manual of Test Procedures for Materials "Hot Mix Asphalt Test Strip Procedures".

Before start-up, target values shall be determined by applying gradation correction factors to the JMF when applicable. These correction factors shall be determined from previous experience. The target values, when approved by the Engineer, shall be used to control HMA production. Plant settings and control charts shall be set according to target values.

Before constructing the test strip, target values shall be determined by applying gradation correction factors to the JMF when applicable. After any JMF adjustment, the JMF shall become the Adjusted Job Mix Formula (AJMF). Upon completion of the first acceptable test strip, the JMF shall become the AJMF regardless of whether or not the JMF has been adjusted. If an adjustment/plant change is made, the Engineer may require a new test strip to be constructed. If the HMA placed during the initial test strip is determined to be unacceptable to remain in place by the Engineer, it shall be removed and replaced.

The limitations between the JMF and AJMF are as follows.

Parameter	Adjustment
1/2 in. (12.5 mm)	± 5.0 %
No. 4 (4.75 mm)	± 4.0 %
No. 8 (2.36 mm)	± 3.0 %
No. 30 (600 µm)	*
No. 200 (75 µm)	*
Asphalt Binder	± 0.3 %
Content	

<sup>\*</sup> In no case shall the target for the amount passing be greater than the JMF.

Any adjustments outside the above limitations will require a new mix design.

Mixture sampled to represent the test strip shall include additional material sufficient for the Department to conduct Hamburg Wheel testing according to Illinois Modified AASHTO T324 (approximately 60 lb (27 kg) total).

The Contractor shall immediately cease production upon notification by the Engineer of failing Hamburg Wheel test. All prior produced material may be paved out provided all other mixture criteria is being met. No additional mixture shall be produced until the Engineer receives passing Hamburg Wheel tests.

The Department may conduct additional Hamburg Wheel tests on production material as determined by the Engineer."

Revise the title of Article 1030.06(b) of the Standard Specifications to read:

"(b) Low ESAL Mixtures."

Add the following to Article 1030.06 of the Standard Specifications:

"(c) Hamburg Wheel Test. All HMA mixtures shall be sampled within the first 500 tons (450 metric tons) on the first day of production or during start up with a split reserved for the Department. The mix sample shall be tested according to the Illinois Modified AASHTO T 324 and shall meet the requirements specified herein. Mix production shall not exceed 1500 tons (1350 metric tons) or one day's production, whichever comes first, until the testing is completed and the mixture is found to be in conformance. The

requirement to cease mix production may be waived if the plant produced mixture demonstrates conformance prior to start of mix production for a contract.

The Department may conduct additional Hamburg Wheel Tests on production material as determined by the Engineer. If the mixture fails to meet the Hamburg Wheel criteria, no further mixture will be accepted until the Contractor takes such action as is necessary to furnish a mixture meeting the criteria"

The Contractor shall immediately cease production upon notification by the Engineer of failing Hamburg Wheel test. All prior produced material may be paved out provided all other mixture criteria are being met. No additional mixture shall be produced until the Engineer receives passing Hamburg Wheel tests.

#### Method of Measurement:

Add the following after the fourth paragraph of Article 406.13 (b):

"The plan quantities of SMA mixtures shall be adjusted using the actual approved binder and surface Mix Design's G<sub>mb</sub>."

#### Basis of Payment.

Replace the seventh paragraph of Article 406.14 of the Standard Specifications with the following:

"For all mixes designed and verified under the Hamburg Wheel criteria, the cost of furnishing and introducing anti-stripping additives in the HMA will not be paid for separately, but shall be considered as included in the contract unit price of the HMA item involved.

No additional compensation will be awarded to the Contractor because of reduced production rates associated with the addition of the anti-stripping additive."

### RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (D-1)

Effective: November 1, 2012 Revise: January 2, 2015

Revise Section 1031 of the Standard Specifications to read:

# "SECTION 1031. RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES

**1031.01 Description.** Reclaimed asphalt pavement and reclaimed asphalt shingles shall be according to the following.

- (a) Reclaimed Asphalt Pavement (RAP). RAP is the material resulting from cold milling or crushing an existing hot-mix asphalt (HMA) pavement. RAP will be considered processed FRAP after completion of both crushing and screening to size. The Contractor shall supply written documentation that the RAP originated from routes or airfields under federal, state, or local agency jurisdiction.
- (b) Reclaimed Asphalt Shingles (RAS). Reclaimed asphalt shingles (RAS). RAS is from the processing and grinding of preconsumer or post-consumer shingles. RAS shall be a clean and uniform material with a maximum of 0.5 percent unacceptable material, as defined in Bureau of Materials and Physical Research Policy Memorandum "Reclaimed Asphalt Shingle (RAS) Sources", by weight of RAS. All RAS used shall come from a Bureau of Materials and Physical Research approved processing facility where it shall be ground and processed to 100 percent passing the 3/8 in. (9.5 mm) sieve and 90 percent passing the #4 (4.75 mm) sieve. RAS shall meet the testing requirements specified herein. In addition, RAS shall meet the following Type 1 or Type 2 requirements.
  - (1) Type 1. Type 1 RAS shall be processed, preconsumer asphalt shingles salvaged from the manufacture of residential asphalt roofing shingles.
  - (2) Type 2. Type 2 RAS shall be processed post-consumer shingles only, salvaged from residential, or four unit or less dwellings not subject to the National Emission Standards for Hazardous Air Pollutants (NESHAP).

**1031.02 Stockpiles.** RAP and RAS stockpiles shall be according to the following.

(a) RAP Stockpiles. The Contractor shall construct individual, sealed RAP stockpiles meeting one of the following definitions. Additional processed RAP (FRAP) shall be stockpiled in a separate working pile, as designated in the QC Plan, and only added to the sealed stockpile when test results for the working pile are complete and are found to meet tolerances specified herein for the original sealed FRAP stockpile. Stockpiles shall be sufficiently separated to prevent intermingling at the base. All stockpiles (including unprocessed RAP and FRAP) shall be identified by signs indicating the type as listed below (i.e. "Non- Quality, FRAP -#4 or Type 2 RAS", etc...).

- (1) Fractionated RAP (FRAP). FRAP shall consist of RAP from Class I, Superpave HMA (High and Low ESAL) or equivalent mixtures. The coarse aggregate in FRAP shall be crushed aggregate and may represent more than one aggregate type and/or quality but shall be at least C quality. All FRAP shall be processed prior to testing and sized into fractions with the separation occurring on or between the #4 (4.75 mm) and 1/2 in. (12.5 mm) sieves. Agglomerations shall be minimized such that 100 percent of the RAP in the coarse fraction shall pass the maximum sieve size specified for the mix the FRAP will be used in.
- (2) Restricted FRAP (B quality) stockpiles shall consist of RAP from Class I, Superpave (High ESAL), or HMA (High ESAL). If approved by the Engineer, the aggregate from a maximum 3.0 inch single combined pass of surface/binder milling will be classified as B quality. All millings from this application will be processed into FRAP as described previously.
- (3) Conglomerate. Conglomerate RAP stockpiles shall consist of RAP from Class I, Superpave HMA (High and Low ESAL) or equivalent mixtures. The coarse aggregate in this RAP shall be crushed aggregate and may represent more than one aggregate type and/or quality but shall be at least C quality. This RAP may have an inconsistent gradation and/or asphalt binder content prior to processing. All conglomerate RAP shall be processed (FRAP) prior to testing. Conglomerate RAP stockpiles shall not contain steel slag or other expansive material as determined by the Department.
- (4) Conglomerate "D" Quality (DQ). Conglomerate DQ RAP stockpiles shall consist of RAP from HMA shoulders, bituminous stabilized subbases or Superpave (Low ESAL)/HMA (Low ESAL) IL-19.0L binder mixture. The coarse aggregate in this RAP may be crushed or round but shall be at least D quality. This RAP may have an inconsistent gradation and/or asphalt binder content. Conglomerate DQ RAP stockpiles shall not contain steel slag or other expansive material as determined by the Department.
- (5) Non-Quality. RAP stockpiles that do not meet the requirements of the stockpile categories listed above shall be classified as "Non-Quality".
- RAP or FRAP containing contaminants, such as earth, brick, sand, concrete, sheet asphalt, bituminous surface treatment (i.e. chip seal), pavement fabric, joint sealants, plant cleanout etc., will be unacceptable unless the contaminants are removed to the satisfaction of the Engineer. Sheet asphalt shall be stockpiled separately.
- (b) RAS Stockpiles. Type 1 and Type 2 RAS shall be stockpiled separately and shall be sufficiently separated to prevent intermingling at the base. Each stockpile shall be signed indicating what type of RAS is present.

However, a RAS source may submit a written request to the Department for approval to blend mechanically a specified ratio of type 1 RAS with type 2 RAS. The source will not be permitted to change the ratio of the blend without the Department prior written approval. The Engineer's written approval will be required, to mechanically blend RAS with any fine aggregate produced under the AGCS, up to an equal weight of RAS, to improve workability. The fine aggregate shall be "B Quality" or better from an approved Aggregate Gradation Control System source. The fine aggregate shall be one that is approved for use in the HMA mixture and accounted for in the mix design and during HMA production.

Records identifying the shingle processing facility supplying the RAS, RAS type and lot number shall be maintained by project contract number and kept for a minimum of three years.

**1031.03 Testing.** FRAP and RAS testing shall be according to the following.

- (a) FRAP Testing. When used in HMA, the FRAP shall be sampled and tested either during processing or after stockpiling. It shall also be sampled during HMA production.
  - (1) During Stockpiling. For testing during stockpiling, washed extraction samples shall be run at the minimum frequency of one sample per 500 tons (450 metric tons) for the first 2000 tons (1800 metric tons) and one sample per 2000 tons (1800 metric tons) thereafter. A minimum of five tests shall be required for stockpiles less than 4000 tons (3600 metric tons).
  - (2) Incoming Material. For testing as incoming material, washed extraction samples shall be run at a minimum frequency of one sample per 2000 tons (1800 metric tons) or once per week, whichever comes first.
  - (3) After Stockpiling. For testing after stockpiling, the Contractor shall submit a plan for approval to the District proposing a satisfactory method of sampling and testing the RAP/FRAP pile either in-situ or by restockpiling. The sampling plan shall meet the minimum frequency required above and detail the procedure used to obtain representative samples throughout the pile for testing.

Before extraction, each field sample of FRAP, shall be split to obtain two samples of test sample size. One of the two test samples from the final split shall be labeled and stored for Department use. The Contractor shall extract the other test sample according to Department procedure. The Engineer reserves the right to test any sample (split or Department-taken) to verify Contractor test results.

(b) RAS Testing. RAS shall be sampled and tested during stockpiling according to Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Shingle (RAS) Sources". The Contractor shall also sample as incoming material at the HMA plant.

- (1) During Stockpiling. Washed extraction and testing for unacceptable materials shall be run at the minimum frequency of one sample per 200 tons (180 metric tons) for the first 1000 tons (900 metric tons) and one sample per 1000 tons (900 metric tons) thereafter. A minimum of five samples are required for stockpiles less than 1000 tons (900 metric tons). Once a ≤ 1000 ton (900 metric ton), five-sample/test stockpile has been established it shall be sealed. Additional incoming RAS shall be in a separate working pile as designated in the Quality Control plan and only added to the sealed stockpile when the test results of the working pile are complete and are found to meet the tolerances specified herein for the original sealed RAS stockpile.
- (2) Incoming Material. For testing as incoming material at the HMA plant, washed extraction shall be run at the minimum frequency of one sample per 250 tons (227 metric tons). A minimum of five samples are required for stockpiles less than 1000 tons (900 metric tons). The incoming material test results shall meet the tolerances specified herein.

The Contractor shall obtain and make available all test results from start of the initial stockpile sampled and tested at the shingle processing facility in accordance with the facility's QC Plan.

Before extraction, each field sample shall be split to obtain two samples of test sample size. One of the two test samples from the final split shall be labeled and stored for Department use. The Contractor shall extract the other test sample according to Department procedures. The Engineer reserves the right to test any sample (split or Department-taken) to verify Contractor test results.

**1031.04 Evaluation of Tests.** Evaluation of tests results shall be according to the following.

(a) Evaluation of FRAP Test Results. All test results shall be compiled to include asphalt binder content, gradation and, when applicable (for slag), G<sub>mm</sub>. A five test average of results from the original pile will be used in the mix designs. Individual extraction test results run thereafter, shall be compared to the average used for the mix design, and will be accepted if within the tolerances listed below.

Parameter	FRAP
No. 4 (4.75 mm)	± 6 %
No. 8 (2.36 mm)	± 5 %
No. 30 (600 μm)	± 5 %
No. 200 (75 μm)	± 2.0 %
Asphalt Binder	± 0.3 %
G <sub>mm</sub>	± 0.03 <sup>1/</sup>

1/ For stockpile with slag or steel slag present as determined in the current Manual of Test Procedures Appendix B 21, "Determination of Reclaimed Asphalt Pavement Aggregate Bulk Specific Gravity".

If any individual sieve and/or asphalt binder content tests are out of the above tolerances when compared to the average used for the mix design, the FRAP stockpile shall not be used in Hot-Mix Asphalt unless the FRAP representing those tests is removed from the stockpile. All test data and acceptance ranges shall be sent to the District for evaluation.

The Contractor shall maintain a representative moving average of five tests to be used for Hot-Mix Asphalt production.

With the approval of the Engineer, the ignition oven may be substituted for extractions according to the Illinois Test Procedure, "Calibration of the Ignition Oven for the Purpose of Characterizing Reclaimed Asphalt Pavement (RAP)" or Illinois Modified AASHTO T-164-11, Test Method A.

(b) Evaluation of RAS Test Results. All of the test results, with the exception of percent unacceptable materials, shall be compiled and averaged for asphalt binder content and gradation. A five test average of results from the original pile will be used in the mix designs. Individual test results run thereafter, when compared to the average used for the mix design, will be accepted if within the tolerances listed below.

Parameter	RAS
No. 8 (2.36 mm)	± 5 %
No. 16 (1.18 mm)	± 5 %
No. 30 (600 μm)	± 4 %
No. 200 (75 µm)	± 2.5 %
Asphalt Binder Content	± 2.0 %

If any individual sieve and/or asphalt binder content tests are out of the above tolerances when compared to the average used for the mix design, the RAS shall not be used in Hot-Mix Asphalt unless the RAS representing those tests is removed from the stockpile. All test data and acceptance ranges shall be sent to the District for evaluation.

(c) Quality Assurance by the Engineer. The Engineer may witness the sampling and splitting conduct assurance tests on split samples taken by the Contractor for quality control testing a minimum of once a month.

The overall testing frequency will be performed over the entire range of Contractor samples for asphalt binder content and gradation. The Engineer may select any or all split samples for assurance testing. The test results will be made available to the Contractor as soon as they become available.

The Engineer will notify the Contractor of observed deficiencies.

Differences between the Contractor's and the Engineer's split sample test results will be considered acceptable if within the following limits.

Test Parameter	Acceptable Limits of Precision	
% Passing:1/	FRAP	RAS
1 / 2 in.	5.0%	
No. 4	5.0%	
No. 8	3.0%	4.0%
No. 30	2.0%	3.0%
No. 200	2.2%	2.5%
Asphalt Binder Content	0.3%	1.0%
G <sub>mm</sub>	0.030	

1/ Based on washed extraction.

In the event comparisons are outside the above acceptable limits of precision, the Engineer will immediately investigate.

(d) Acceptance by the Engineer. Acceptable of the material will be based on the validation of the Contractor's quality control by the assurance process.

#### 1031.05 Quality Designation of Aggregate in RAP and FRAP.

- (a) RAP. The aggregate quality of the RAP for homogenous, conglomerate, and conglomerate "D" quality stockpiles shall be set by the lowest quality of coarse aggregate in the RAP stockpile and are designated as follows.
  - (1) RAP from Class I, Superpave/HMA (High ESAL), or (Low ESAL) IL-9.5L surface mixtures are designated as containing Class B quality coarse aggregate.
  - (2) RAP from Superpave/HMA (Low ESAL) IL-19.0L binder mixture is designated as Class D quality coarse aggregate.
  - (3) RAP from Class I, Superpave/HMA (High ESAL) binder mixtures, bituminous base course mixtures, and bituminous base course widening mixtures are designated as containing Class C quality coarse aggregate.
  - (4) RAP from bituminous stabilized subbase and BAM shoulders are designated as containing Class D quality coarse aggregate.

(b) FRAP. If the Engineer has documentation of the quality of the FRAP aggregate, the Contractor shall use the assigned quality provided by the Engineer.

If the quality is not known, the quality shall be determined as follows. Fractionated RAP stockpiles containing plus #4 (4.75 mm) sieve coarse aggregate shall have a maximum tonnage of 5,000 tons (4,500 metric tons). The Contractor shall obtain a representative sample witnessed by the Engineer. The sample shall be a minimum of 50 lb (25 kg). The sample shall be extracted according to Illinois Modified AASHTO T 164 by a consultant prequalified by the Department for the specified testing. The consultant shall submit the test results along with the recovered aggregate to the District Office. The cost for this testing shall be paid by the Contractor. The District will forward the sample to the BMPR Aggregate Lab for MicroDeval Testing, according to Illinois Modified AASHTO T 327. A maximum loss of 15.0 percent will be applied for all HMA applications. The fine aggregate portion of the fractionated RAP shall not be used in any HMA mixtures that require a minimum of "B" quality aggregate or better, until the coarse aggregate fraction has been determined to be acceptable thru a MicroDeval Testing.

**1031.06 Use of FRAP and/or RAS in HMA.** The use of FRAP and/or RAS shall be a Contractor's option when constructing HMA in all contracts.

- (a) FRAP. The use of FRAP in HMA shall be as follows.
  - (1) Coarse Aggregate Size (after extraction). The coarse aggregate in all FRAP shall be equal to or less than the nominal maximum size requirement for the HMA mixture to be produced.
  - (2) Steel Slag Stockpiles. FRAP stockpiles containing steel slag or other expansive material, as determined by the Department, shall be homogeneous and will be approved for use in HMA (High ESAL and Low ESAL) mixtures regardless of lift or mix type.
  - (3) Use in HMA Surface Mixtures (High and Low ESAL). FRAP stockpiles for use in HMA surface mixtures (High and Low ESAL) shall have coarse aggregate that is Class B quality or better. FRAP shall be considered equivalent to limestone for frictional considerations unless produced/screened to minus 3/8 inch.
  - (4) Use in HMA Binder Mixtures (High and Low ESAL), HMA Base Course, and HMA Base Course Widening. FRAP stockpiles for use in HMA binder mixtures (High and Low ESAL), HMA base course, and HMA base course widening shall be FRAP in which the coarse aggregate is Class C quality or better.
  - (5) Use in Shoulders and Subbase. FRAP stockpiles for use in HMA shoulders and stabilized subbase (HMA) shall be FRAP, Restricted FRAP, conglomerate, or conglomerate DQ.

- (b) RAS. RAS meeting Type 1 or Type 2 requirements will be permitted in all HMA applications as specified herein.
- (c) FRAP and/or RAS Usage Limits. Type 1 or Type 2 RAS may be used alone or in conjunction with FRAP in HMA mixtures up to a maximum of 5.0% by weight of the total mix.

When FRAP is used alone or FRAP is used in conjunction with RAS, the percent of virgin asphalt binder replacement (ABR) shall not exceed the amounts indicated in the table below for a given N Design.

HMA Mixtures 1/2/	Maximum % ABR		
Ndesign	Binder/Leveling Binder	Surface	Polymer Modified <sup>3/</sup>
30L	50	40	10
50	40	35	10
70	40	30	10
90	40	30	104/
4.75 mm N-50			30
SMA N-80			20

- 1/ For HMA "All Other" (shoulder and stabilized subbase) N-30, the percent asphalt binder replacement shall not exceed 50% of the total asphalt binder in the mixture.
- 2/ When the binder replacement exceeds 15 percent for all mixes, except for SMA and IL-4.75, the high and low virgin asphalt binder grades shall each be reduced by one grade (i.e. 25 percent binder replacement using a virgin asphalt binder grade of PG64-22 will be reduced to a PG58-28). When constructing full depth HMA and the ABR is less than 15 percent, the required virgin asphalt binder grade shall be PG64-28.
- 3/ When the ABR for SMA or IL-4.75 is 15 percent or less, the required virgin asphalt binder shall be SBS PG76-22 and the elastic recovery shall be a minimum of 80. When the ABR for SMA or IL-4.75 exceeds 15%, the virgin asphalt binder grade shall be SBS PG70-28 and the elastic recovery shall be a minimum of 80.
- 4/ For polymerized surface mix used for overlays, with up to 10 percent ABR, an SBS PG70-22 will be required. However if used in full depth HMA, an SBS PG70-28 will be required.

**1031.07 HMA Mix Designs.** At the Contractor's option, HMA mixtures may be constructed utilizing RAP/FRAP and/or RAS material meeting the detailed requirements specified herein.

- (a) FRAP and/or RAS. FRAP and /or RAS mix designs shall be submitted for verification. If additional FRAP or RAS stockpiles are tested and found to be within tolerance, as defined under "Evaluation of Tests" herein, and meet all requirements herein, the additional FRAP or RAS stockpiles may be used in the original design at the percent previously verified.
- (b) RAS. Type 1 and Type 2 RAS are not interchangeable in a mix design. A RAS stone bulk specific gravity (Gsb) of 2.300 shall be used for mix design purposes.

1031.08 HMA Production. HMA production utilizing FRAP and/or RAS shall be as follows.

To remove or reduce agglomerated material, a scalping screen, gator, crushing unit, or comparable sizing device approved by the Engineer shall be used in the RAS and FRAP feed system to remove or reduce oversized material. If material passing the sizing device adversely affects the mix production or quality of the mix, the sizing device shall be set at a size specified by the Engineer.

If during mix production, corrective actions fail to maintain FRAP, RAS or QC/QA test results within control tolerances or the requirements listed herein the Contractor shall cease production of the mixture containing FRAP or RAS and conduct an investigation that may require a new mix design.

- (a) RAS. RAS shall be incorporated into the HMA mixture either by a separate weight depletion system or by using the RAP weigh belt. Either feed system shall be interlocked with the aggregate feed or weigh system to maintain correct proportions for all rates of production and batch sizes. The portion of RAS shall be controlled accurately to within ± 0.5 percent of the amount of RAS utilized. When using the weight depletion system, flow indicators or sensing devices shall be provided and interlocked with the plant controls such that the mixture production is halted when RAS flow is interrupted.
- (b) HMA Plant Requirements. HMA plants utilizing FRAP and/or RAS shall be capable of automatically recording and printing the following information.
  - (1) Dryer Drum Plants.
    - a. Date, month, year, and time to the nearest minute for each print.
    - b. HMA mix number assigned by the Department.
    - c. Accumulated weight of dry aggregate (combined or individual) in tons (metric tons) to the nearest 0.1 ton (0.1 metric ton).

- d. Accumulated dry weight of RAS and FRAP in tons (metric tons) to the nearest 0.1 ton (0.1 metric ton).
- e. Accumulated mineral filler in revolutions, tons (metric tons), etc. to the nearest 0.1 unit.
- f. Accumulated asphalt binder in gallons (liters), tons (metric tons), etc. to the nearest 0.1 unit.
- g. Residual asphalt binder in the RAS and FRAP material as a percent of the total mix to the nearest 0.1 percent.
- h. Aggregate RAS and FRAP moisture compensators in percent as set on the control panel. (Required when accumulated or individual aggregate and RAS and FRAP are printed in wet condition.)
- i. When producing mixtures with FRAP and/or RAS, a positive dust control system shall be utilized.
- j. Accumulated mixture tonnage.
- k. Dust Removed (accumulated to the nearest 0.1 ton)
- (2) Batch Plants.
  - a. Date, month, year, and time to the nearest minute for each print.
  - b. HMA mix number assigned by the Department.
  - c. Individual virgin aggregate hot bin batch weights to the nearest pound (kilogram).
  - d. Mineral filler weight to the nearest pound (kilogram).
  - e. RAS and FRAP weight to the nearest pound (kilogram).
  - f. Virgin asphalt binder weight to the nearest pound (kilogram).
  - g. Residual asphalt binder in the RAS and FRAP material as a percent of the total mix to the nearest 0.1 percent.

The printouts shall be maintained in a file at the plant for a minimum of one year or as directed by the Engineer and shall be made available upon request. The printing system will be inspected by the Engineer prior to production and verified at the beginning of each construction season thereafter.

1031.09 RAP in Aggregate Surface Course and Aggregate Shoulders. The use of

RAP or FRAP in aggregate surface course and aggregate shoulders shall be as follows.

- (a) Stockpiles and Testing. RAP stockpiles may be any of those listed in Article 1031.02, except "Non-Quality" and "FRAP". The testing requirements of Article 1031.03 shall not apply. RAP used to construct aggregate surface course and aggregate shoulders shall be according to the current Bureau of Materials and Physical Research's Policy Memorandum, "Reclaimed Asphalt Pavement (RAP) for Aggregate Applications"
- (b) Gradation. One hundred percent of the RAP material shall pass the 1 1/2 in. (37.5mm) sieve. The RAP material shall be reasonably well graded from coarse to fine. RAP material that is gap-graded, FRAP, or single sized will not be accepted for use as Aggregate Surface Course and Aggregate Shoulders."

# GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D-1)

Effective: June 26, 2006 Revised: January 1, 2013

Add the following to the end of article 1032.05 of the Standard Specifications:

"(c) Ground Tire Rubber (GTR) Modified Asphalt Binder. A quantity of 10.0 to 14.0 percent GTR (Note 1) shall be blended by dry unit weight with a PG 64-28 to make a GTR 70-28 or a PG 58-28 to make a GTR 64-28. The base PG 64-28 and PG 58-28 asphalt binders shall meet the requirements of Article 1032.05(a). Compatible polymers may be added during production. The GTR modified asphalt binder shall meet the requirements of the following table.

Test	Asphalt Grade GTR 70-28	Asphalt Grade
Flash Point (C.O.C.), AASHTO T 48, °F (°C), min.	450 (232)	450 (232)
Rotational Viscosity, AASHTO T 316 @ 275 °F (135 °C), Poises, Pa·s, max.	30 (3)	30 (3)
Softening Point, AASHTO T 53, °F (°C), min.	135 (57)	130 (54)
Elastic Recovery, ASTM D 6084, Procedure A (sieve waived) @ 77 °F, (25 °C), aged, ss, 100 mm elongation, 5 cm/min., cut immediately, %, min.	65	65

Note 1. GTR shall be produced from processing automobile and/or light truck tires by the ambient grinding method. GTR shall not exceed 1/16 in. (2 mm) in any dimension and shall contain no free metal particles or other materials. A mineral powder (such as talc) meeting the requirements of AASHTO M 17 may be added, up to a maximum of four percent by weight of GTR to reduce sticking and caking of the GTR particles. When tested in accordance with Illinois modified AASHTO T 27, a 50 g sample of the GTR shall conform to the following gradation requirements:

Sieve Size	Percent Passing
No. 16 (1.18 mm)	100
No. 30 (600 μm)	95 ± 5
No. 50 (300 μm)	> 20

Add the following to the end of Note 1. of article 1030.03 of the Standard Specifications:

"A dedicated storage tank for the Ground Tire Rubber (GTR) modified asphalt binder shall be provided. This tank must be capable of providing continuous mechanical mixing throughout by continuous agitation and recirculation of the asphalt binder to provide a

uniform mixture. The tank shall be heated and capable of maintaining the temperature of the asphalt binder at 300 °F to 350 °F (149 °C to 177 °C). The asphalt binder metering systems of dryer drum plants shall be calibrated with the actual GTR modified asphalt binder material with an accuracy of  $\pm$  0.40 percent."

Revise 1030.02(c) of the Standard Specifications to read:

"(c) RAP Materials (Note 3) ......1031"

Add the following note to 1030.02 of the Standard Specifications:

Note 3. When using reclaimed asphalt pavement and/or reclaimed asphalt shingles, the maximum asphalt binder replacement percentage shall be according to the most recent special provision for recycled materials.

# HOT MIX ASPHALT - QUANTITY CORRECTION (BMPR)

Effective: October 1, 2014 Revised: October 2, 2014

Revise the fifth paragraph of Article 406.13(b) of the Standard Specifications to read as follows:

"HMA and Stone Matrix Asphalt (SMA) mixture in excess of 103 percent of the quantity shown on the plans or the plan quantity as specified by the Engineer will not be measured for payment. The "adjusted quantity to be placed" and the "adjusted pay quantity" for HMA and SMA mixtures will be calculated as follows.

Adjusted Quantity To Be Placed =  $C \times C$  quantity shown on the plans or the plan quantity as specified by the Engineer

where: C = English:  $C = \frac{G_{mb} \times 46.8}{U}$  Metric:  $C = \frac{G_{mb} \times 24.99}{U}$ 

and where: G<sub>mb</sub> = average bulk specific gravity from approved mix design

U = unit weight of HMA shown on the plans in lb/sq yd/in. (kg/sq m/25 mm), used to estimate plan quantity

46.8 = English constant
24.99 = metric constant

Adjusted Pay Quantity (not to exceed 103 percent of the quantity shown on the plans or the plan quantity as specified by the Engineer) =  $B \times HMA$  tons actually placed

where:  $B = \frac{1}{C}$ 

If project circumstances warrant a new mix design, the above equations shall be used to calculate the adjusted plan quantity and adjusted pay quantity for each mix design using its respective average bulk specific gravity."

### BDE SPECIAL PROVISIONS For the April 24 and June 12, 2015 Lettings

The following special provisions indicated by an "x" are applicable to this contract and will be included by the Project Development and Implementation Section of the BD&E. An \* indicates a new or revised special provision for the letting.

File Name	<u>#</u>		Special Provision Title	<u>Effective</u>	Revised
80240	1	<u> </u>	Above Grade Inlet Protection	July 1, 2009	Jan. 1, 2012
80099			Accessible Pedestrian Signals (APS)	April 1, 2003	Jan. 1, 2014
80274			Aggregate Subgrade Improvement	April 1, 2012	Jan. 1, 2013
80192	4		Automated Flagger Assistance Device	Jan. 1, 2008	
80173	5		Bituminous Materials Cost Adjustments	Nov. 2, 2006	Aug. 1, 2013
80241	6		Bridge Demolition Debris	July 1, 2009	
50261	7		Building Removal-Case I (Non-Friable and Friable Asbestos)	Sept. 1, 1990	April 1, 2010
5048	8		Building Removal-Case II (Non-Friable Asbestos)	Sept. 1, 1990	April 1, 2010
50491	9		Building Removal-Case III (Friable Asbestos)	Sept. 1, 1990	April 1, 2010
50531	10		Building Removal-Case IV (No Asbestos)	Sept. 1, 1990	April 1, 2010
80310	11		Coated Galvanized Steel Conduit	Jan. 1, 2013	Jan. 1, 2015
80341	12		Coilable Nonmetallic Conduit	Aug. 1, 2014	Jan. 1, 2015
80198	13		Completion Date (via calendar days)	April 1, 2008	
80199	14		Completion Date (via calendar days) Plus Working Days	April 1, 2008	
* 80293	15		Concrete Box Culverts with Skews > 30 Degrees and Design Fills ≤	5 April 1, 2012	April 1, 2015
			Feet		
80294	16		Concrete Box Culverts with Skews ≤ 30 Degrees Regardless of	April 1, 2012	April 1, 2014
			Design Fill and Skews > 30 Degrees with Design Fills > 5 Feet	•	•
80311	17		Concrete End Sections for Pipe Culverts	Jan. 1, 2013	
80334	18	$\geq$	Concrete Gutter, Curb, Median, and Paved Ditch	April 1, 2014	Aug. 1, 2014
80277	19		Concrete Mix Design – Department Provided	Jan. 1, 2012	Jan. 1, 2014
80261	20	$\geq <$	Construction Air Quality – Diesel Retrofit	June 1, 2010	Nov. 1, 2014
80335	21		Contract Claims	April 1, 2014	
* 80029	22		Disadvantaged Business Enterprise Participation	Sept. 1, 2000	Jan. 2, 2015
* 80358	23		Equal Employment Opportunity	April 1, 2015	
80265	24	$\geq$	Friction Aggregate	Jan. 1, 2011	Nov. 1, 2014
80229	25		Fuel Cost Adjustment	April 1, 2009	July 1, 2009
80329	26		Glare Screen	Jan. 1, 2014	-
80304	27		Grooving for Recessed Pavement Markings	Nov. 1, 2012	Aug. 1, 2014
80246	28	$\times$	Hot-Mix Asphalt – Density Testing of Longitudinal Joints	Jan. 1, 2010	April 1, 2012
80322	29		Hot-Mix Asphalt – Mixture Design Composition and Volumetric	Nov. 1, 2013	Nov. 1, 2014
			Requirements		
80323	30		Hot-Mix Asphalt – Mixture Design Verification and Production	Nov. 1, 2013	Nov. 1, 2014
* 80347	31		Hot-Mix Asphalt - Pay for Performance Using Percent Within Limits	- Nov. 1, 2014	April 1, 2015
			Jobsite Sampling		
80348	32	$\geq \leq$	Hot-Mix Asphalt – Prime Coat	Nov. 1, 2014	
80315	33		Insertion Lining of Culverts	Jan. 1, 2013	Nov. 1, 2013
	34		Light Tower	Jan. 1, 2015	
80336			Longitudinal Joint and Crack Patching	April 1, 2014	
* 80324	36		LRFD Pipe Culvert Burial Tables	Nov. 1, 2013	April 1, 2015
* 80325	37		LRFD Storm Sewer Burial Tables	Nov. 1, 2013	April 1, 2015
80045	38	L	Material Transfer Device	June 15, 1999	Aug. 1, 2014
80342	39		Mechanical Side Tie Bar Inserter	Aug. 1, 2014	Jan. 1, 2015
80165	40		Moisture Cured Urethane Paint System	Nov. 1, 2006	Jan. 1, 2010
80337	41		Paved Shoulder Removal	April 1, 2014	•
80349	42		Pavement Marking Blackout Tape	Nov. 1, 2014	
80298	43		Pavement Marking Tape Type IV	April 1, 2012	
			· · · · · · · · · · · · · · · · · · ·	•	

<u>File Name</u>	<u>#</u>	Special Provision Title	Effective	Revised
80254	44	Pavement Patching	Jan. 1, 2010	
80352	45	Pavement Striping - Symbols	Jan. 1, 2015	
* 80359	46	Portland Cement Concrete Bridge Deck Curing	April 1, 2015	
* 80353	47	Portland Cement Concrete Inlay or Overlay	Jan. 1, 2015	April 1, 2015
80338	48	Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching	April 1, 2014	
80343	49	Precast Concrete Handhole	Aug. 1, 2014	
80300	50	Preformed Plastic Pavement Marking Type D - Inlaid	April 1, 2012	
80328	51	Progress Payments	Nov. 2, 2013	
34261	52	Railroad Protective Liability Insurance	Dec. 1, 1986	Jan. 1, 2006
80157	53	Railroad Protective Liability Insurance (5 and 10)	Jan. 1, 2006	
80306	54	Reclaimed Asphalt Pavement (RAP) and Reclaimed Asphalt Shingles (RAS)	Nov. 1, 2012	April 1, 2014
80350	55	Retroreflective Sheeting for Highway Signs	Nov. 1, 2014	
80327	56	Reinforcement Bars	Nov. 1, 2013	
80344	57	Rigid Metal Conduit	Aug. 1, 2014	
* 80354	58	Sidewalk, Corner, or Crosswalk Closure	Jan. 1, 2015	April 1, 2015
80340	59	Speed Display Trailer	April 2, 2014	
80127	60	Steel Cost Adjustment	April 2, 2004	April 1, 2009
80317	61	Surface Testing of Hot-Mix Asphalt Overlays	Jan. 1, 2013	
80355	62	Temporary Concrete Barrier	Jan. 1, 2015	
80301	63	Tracking the Use of Pesticides	Aug. 1, 2012	
80356	64	Traffic Barrier Terminals Type 6 or 6B	Jan. 1, 2015	
20338	65	Training Special Provisions	Oct. 15, 1975	
80318	66	Traversable Pipe Grate	Jan. 1, 2013	April 1, 2014
* 80345	seven anneen en voor an	Underpass Luminaire	Aug. 1, 2014	April 1, 2015
80357	68	Urban Half Road Closure with Mountable Median	Jan. 1, 2015	
* 80346	KOKUPIO NASIONDIANI	Waterway Obstruction Warning Luminaire	Aug, 1, 2014	April 1, 2015
80288	70	Warm Mix Asphalt	Jan. 1, 2012	Nov. 1, 2014
80302	71	Weekly DBE Trucking Reports	June 2, 2012	
80289	72	Wet Reflective Thermoplastic Pavement Marking	Jan. 1, 2012	
80071	73	Working Days	Jan. 1, 2002	

The following special provisions are in the 2015 Supplemental Specifications and Recurring Special Provisions:

<u>File Name</u>	Special Provision Title	New Location	<b>Effective</b>	Revised
80292	Coarse Aggregate in Bridge Approach	Articles 1004.01(b) and	April 1, 2012	April 1, 2013
	Slabs/Footings	1004.02(f)	•	•
80303	Granular Materials	Articles 1003.04, 1003.04(c), and 1004.05(c)	Nov. 1, 2012	
80330	Pavement Marking for Bike Symbol	Article 780.14	Jan. 1, 2014	
80331	Payrolls and Payroll Records	Recurring CS #1 and #5	Jan. 1, 2014	
80332	Portland Cement Concrete – Curing of Abutments and Piers	Article 1020.13	Jan. 1, 2014	
80326	Portland Cement Concrete Equipment	Article 1103.03(a)(5)	Nov. 1, 2013	
80281	Quality Control/Quality Assurance of Concrete Mixtures	Recurring CS #31	Jan. 1, 2012	Jan. 1, 2014
80283	Removal and Disposal of Regulated Substances	Articles 669.01, 669.08, 669.09, 669.14, and 669.16	Jan. 1, 2012	Nov. 2, 2012
80319	Removal and Disposal of Surplus Materials	Article 202.03	Nov. 2, 2012	
80307	Seeding	Article 250.07	Nov. 1, 2012	
80339	Stabilized Subbase	Article 312.06	April 1, 2014	
80333	Traffic Control Setup and Removal Freeway/Expressway	Articles 701.18(I) and 701.19(a)	Jan. 1, 2014	

The following special provisions require additional information from the designer. The additional information needs to be included in a separate document attached to this check sheet. The Project Development and Implementation section will then include the information in the applicable special provision. The Special Provisions are:

- Bridge Demolition Debris
- Building Removal-Case I
- Building Removal-Case II
- Building Removal-Case III
- Building Removal-Case IV
- Completion Date
- Completion Date Plus Working Days
- DBE Participation

- Material Transfer Device
- Railroad Protective Liability Insurance
- Training Special Provisions
- Working Days

### CONCRETE GUTTER, CURB, MEDIAN, AND PAVED DITCH (BDE)

Effective: April 1, 2014 Revised: August 1, 2014

Add the following to Article 606.02 of the Standard Specifications:

"(i) Polyurethane Joint Sealant .......1050.04"

Revise the fifth paragraph of Article 606.07 of the Standard Specifications to read:

"Transverse contraction and longitudinal construction joints shall be sealed according to Article 420.12, except transverse joints in concrete curb and gutter shall be sealed with polysulfide or polyurethane joint sealant."

Add the following to Section 1050 of the Standard Specifications:

"1050.04 Polyurethane Joint Sealant. The joint sealant shall be a polyurethane sealant, Type S, Grade NS, Class 25 or better, Use T ( $T_1$  or  $T_2$ ), according to ASTM C 920."

# FRICTION AGGREGATE (BDE)

Effective: January 1, 2011 Revised: November 1, 2014

Revise Article 1004.01(a)(4) of the Standard Specifications to read:

- "(4) Crushed Stone. Crushed stone shall be the angular fragments resulting from crushing undisturbed, consolidated deposits of rock by mechanical means. Crushed stone shall be divided into the following, when specified.
  - a. Carbonate Crushed Stone. Carbonate crushed stone shall be either dolomite or limestone. Dolomite shall contain 11.0 percent or more magnesium oxide (MgO). Limestone shall contain less than 11.0 percent magnesium oxide (MgO).
  - b. Crystalline Crushed Stone. Crystalline crushed stone shall be either metamorphic or igneous stone, including but is not limited to, quartzite, granite, rhyolite and diabase."

Revise Article 1004.03(a) of the Standard Specifications to read:

"1004.03 Coarse Aggregate for Hot-Mix Asphalt (HMA). The aggregate shall be according to Article 1004.01 and the following.

(a) Description. The coarse aggregate for HMA shall be according to the following table.

Use	Mixture	Aggregates Allowed
Class A	Seal or Cover	Allowed Alone or in Combination 5/:
		Gravel Crushed Gravel Carbonate Crushed Stone Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag Crushed Concrete

Use	Mixture	Aggregates Allowed	
HMA Low ESAL	Stabilized Subbase or Shoulders	Allowed Alone or in Co Gravel Crushed Gravel	embination <sup>5/</sup> :
		Carbonate Crushed St Crystalline Crushed St Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>1/</sup> Crushed Concrete	•
HMA	Binder	Allowed Alone or in Co	mbination <sup>5/</sup> :
High ESAL Low ESAL	IL-19.0 or IL-19.0L	Crushed Gravel Carbonate Crushed St	one <sup>2/</sup>
	SMA Binder	Crystalline Crushed St	
		Crushed Sandstone Crushed Slag (ACBF) Crushed Concrete <sup>3/</sup>	
HMA	C Surface and	Allowed Alone or in Co	mbination <sup>5/</sup> :
High ESAL Low ESAL	Leveling Binder IL-9.5 or IL-9.5L	Crushed Gravel Carbonate Crushed St Crystalline Crushed St	
	SMA Ndesign 50 Surface	Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>4/</sup> Crushed Concrete <sup>3/</sup>	
HMA	D Surface and	Allowed Alone or in Co	mbination <sup>5/</sup> :
High ESAL	Leveling Binder IL-9.5	Crushed Gravel Carbonate Crushed St	one (other than
	SMA	Limestone) <sup>2/</sup> Crystalline Crushed St	,
	Ndesign 50 Surface	Crushed Sandstone	
		Crushed Slag (ACBF) Crushed Steel Slag <sup>4/</sup> Crushed Concrete <sup>3/</sup>	
		Other Combinations Allowed:	
		Up to	With
		25% Limestone	Dolomite

Use	Mixture	Aggregates Allowed	
		50% Limestone	Any Mixture D aggregate other than Dolomite
		75% Limestone	Crushed Slag (ACBF) or Crushed Sandstone
HMA High ESAL	E Surface IL-9.5 SMA Ndesign 80 Surface	Allowed Alone or in Concurrence of Crushed Gravel Crystalline Crushed Standstone Crushed Slag (ACBF) Crushed Steel Slag Crushed Concrete No Limestone.	·····
		Other Combinations A	
		Up to 50% Dolomite <sup>2/</sup>	With Any Mixture E aggregate
		75% Dolomite <sup>2/</sup>	Crushed Sandstone, Crushed Slag (ACBF), Crushed Steel Slag, or Crystalline Crushed Stone
		75% Crushed Gravel or Crushed Concrete <sup>3/</sup>	Crushed Sandstone, Crystalline Crushed Stone, Crushed Slag (ACBF), or Crushed Steel Slag
НМА	F Surface	Allowed Alone or in Co	
High ESAL	IL-9.5 SMA Ndesign 80 Surface	Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag No Limestone.	
		Other Combinations A	llowed:

Use	Mixture	Aggregates Allowed	
Andrew Andrews		Up to	With
		50% Crushed Gravel, Crushed Concrete <sup>3/</sup> , or Dolomite <sup>2/</sup>	Crushed Sandstone, Crushed Slag (ACBF), Crushed Steel Slag, or Crystalline Crushed Stone

- Crushed steel slag allowed in shoulder surface only.
  Carbonate crushed stone shall not be used in SMA Ndesign 80. In SMA Ndesign 50, carbonate crushed stone shall not be blended with any of the other aggregates allowed alone in Ndesign 50 SMA binder or Ndesign 50 SMA surface.
- 3/ Crushed concrete will not be permitted in SMA mixes.
- Crushed steel slag shall not be used as leveling binder.
  When combinations of aggregates are used, the blend percent measurements shall be by volume."

# HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)

Effective: January 1, 2010 Revised: April 1, 2012

<u>Description</u>. This work shall consist of testing the density of longitudinal joints as part of the quality control/quality assurance (QC/QA) of hot-mix asphalt (HMA). Work shall be according to Section 1030 of the Standard Specifications except as follows.

Quality Control/Quality Assurance (QC/QA). Delete the second and third sentence of the third paragraph of Article 1030.05(d)(3) of the Standard Specifications.

Add the following paragraphs to the end of Article 1030.05(d)(3) of the Standard Specifications:

"Longitudinal joint density testing shall be performed at each random density test location. Longitudinal joint testing shall be located at a distance equal to the lift thickness or a minimum of 4 in. (100 mm), from each pavement edge. (i.e. for a 5 in. (125 mm) lift the near edge of the density gauge or core barrel shall be within 5 in. (125 mm) from the edge of pavement.) Longitudinal joint density testing shall be performed using either a correlated nuclear gauge or cores.

- a. Confined Edge. Each confined edge density shall be represented by a one-minute nuclear density reading or a core density and shall be included in the average of density readings or core densities taken across the mat which represents the Individual Test.
- b. Unconfined Edge. Each unconfined edge joint density shall be represented by an average of three one-minute density readings or a single core density at the given density test location and shall meet the density requirements specified herein. The three one-minute readings shall be spaced ten feet apart longitudinally along the unconfined pavement edge and centered at the random density test location."

Revise the Density Control Limits table in Article 1030.05(d)(4) of the Standard Specifications to read:

"Mixture Composition	Parameter	Individual Test (includes confined edges)	Unconfined Edge Joint Density Minimum
IL-4.75	Ndesign = 50	93.0 – 97.4%	91.0%
IL-9.5, IL-12.5	Ndesign ≥ 90	92.0 - 96.0%	90.0%
IL-9.5,IL-9.5L, IL-12.5	Ndesign < 90	92.5 – 97.4%	90.0%
IL-19.0, IL-25.0	Ndesign ≥ 90	93.0 - 96.0%	90.0%
IL-19.0, IL-19.0L, IL-25.0	Ndesign < 90	93.0 – 97.4%	90.0%

SMA	Ndesign = 50 & 80	93.5 – 97.4%	91.0%
All Other	Ndesign = 30	93.0 - 97.4%	90.0%"

### HOT MIX ASPHALT - PRIME COAT (BDE)

Effective: November 1, 2014

Revise Note 1 of Article 406.02 of the Standard Specifications to read:

"Note 1. The bituminous material used for prime coat shall be one of the types listed in the following table.

When emulsified asphalts are used, any dilution with water shall be performed by the emulsion producer. The emulsified asphalt shall be thoroughly agitated within 24 hours of application and show no separation of water and emulsion.

Application	Bituminous Material Types
Prime Coat on Brick, Concrete, or HMA Bases	SS-1, SS-1h, SS-1hP, SS-1vh, RS-1, RS-2, CSS-1, CSS-1h, CSS-1hp, CRS-1, CRS-2, HFE-90, RC-70
Prime Coat on Aggregate Bases	MC-30, PEP"

Add the following to Article 406.03 of the Standard Specifications.

"(i)		
(j)	Spray Paver	1102.06"

Revise Article 406.05(b) of the Standard Specifications to read:

- "(b) Prime Coat. The bituminous material shall be prepared according to Article 403.05 and applied according to Article 403.10. The use of RC-70 shall be limited to air temperatures less than 60 °F (15 °C).
  - (1) Brick, Concrete or HMA Bases. The base shall be cleaned of all dust, debris and any substance that will prevent the prime coat from adhering to the base. Cleaning shall be accomplished by sweeping to remove all large particles and air blasting to remove dust. As an alternative to air blasting, a vacuum sweeper may be used to accomplish the dust removal. The base shall be free of standing water at the time of application. The prime coat shall be applied uniformly and at a rate that will provide a residual asphalt rate on the prepared surface as specified in the following table.

Type of Surface to be Primed	Residual Asphalt Rate lb/sq ft (kg/sq m)
Milled HMA, Aged Non-Milled HMA, Milled Concrete, Non-Milled Concrete & Tined Concrete	0.05 (0.244)
Fog Coat between HMA Lifts, IL-4.75 & Brick	0.025 (0.122)

The bituminous material for the prime coat shall be placed one lane at a time. If a spray paver is not used, the primed lane shall remain closed until the prime coat is

fully cured and does not pickup under traffic. When placing prime coat through an intersection where it is not possible to keep the lane closed, the prime coat may be covered immediately following its application with fine aggregate mechanically spread at a uniform rate of 2 to 4 lb/sq yd (1 to 2 kg/sq m).

(2) Aggregate Bases. The prime coat shall be applied uniformly and at a rate that will provide a residual asphalt rate on the prepared surface of 0.25 lb/sq ft  $\pm$  0.01 (1.21 kg/sq m  $\pm$ 0.05).

The prime coat shall be permitted to cure until the penetration has been approved by the Engineer, but at no time shall the curing period be less than 24 hours for MC-30 or four hours for PEP. Pools of prime occurring in the depressions shall be broomed or squeegeed over the surrounding surface the same day the prime coat is applied.

The base shall be primed 1/2 width at a time. The prime coat on the second half/width shall not be applied until the prime coat on the first half/width has cured so that it will not pickup under traffic.

The residual asphalt rate will be verified a minimum of once per type of surface to be primed as specified herein for which at least 2000 tons (1800 metric tons) of HMA will be placed. The test will be according to the "Determination of Residual Asphalt in Prime and Tack Coat Materials" test procedure.

Prime coat shall be fully cured prior to placement of HMA to prevent pickup by haul trucks or paving equipment. If pickup occurs, paving shall cease in order to provide additional cure time, and all areas where the pickup occurred shall be repaired.

If after five days, loss of prime coat is evident prior to covering with HMA, additional prime coat shall be placed as determined by the Engineer at no additional cost to the Department."

Revise the last sentence of the first paragraph of Article 406.13(b) of the Standard Specifications to read:

"Water added to emulsified asphalt, as allowed in Article 406.02, will not be included in the quantities measured for payment."

Revise the second paragraph of Article 406.13(b) of the Standard Specifications to read:

"Aggregate for covering prime coat will not be measured for payment."

Revise the first paragraph of Article 406.14 of the Standard Specifications to read:

"406.14 Basis of Payment. Prime Coat will be paid for at the contract unit price per pound (kilogram) of residual asphalt applied for BITUMINOUS MATERIALS (PRIME COAT), or POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT)."

Revise Article 407.02 of the Standard Specifications to read:

"407.02 Materials. Materials shall be according to Article 406.02, except as follows."

Revise Article 407.06(b) of the Standard Specifications to read:

"(b) A bituminous prime coat shall be applied between each lift of HMA according to Article 406.05(b)."

Delete the second paragraph of Article 407.12 of the Standard Specifications.

Revise the first paragraph of Article 408.04 of the Standard Specifications to read:

"408.04 Method of Measurement. Bituminous priming material will be measured for payment according to Article 406.13."

Revise the first paragraph of Article 408.05 of the Standard Specifications to read:

"408.05 Basis of Payment. This work will be paid for at the contract unit price per pound (kilogram) of residual asphalt applied for BITUMINOUS MATERIALS (PRIME COAT) or POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT) and at the contract unit price per ton (metric ton) for INCIDENTAL HOT-MIX ASPHALT SURFACING."

Revise Article 1032.02 of the Standard Specifications to read:

"1032.02 Measurement. Asphalt binders, emulsified asphalts, rapid curing liquid asphalt, medium curing liquid asphalts, slow curing liquid asphalts, asphalt fillers, and road oils will be measured by weight.

A weight ticket for each truck load shall be furnished to the inspector. The truck shall be weighed at a location approved by the Engineer. The ticket shall show the weight of the empty truck (the truck being weighed each time before it is loaded), the weight of the loaded truck, and the net weight of the bituminous material.

When an emulsion or cutback is used for prime coat, the percentage of asphalt residue of the actual certified product shall be shown on the producer's bill of lading or attached certificate of analysis. If the producer adds extra water to an emulsion at the request of the purchaser, the amount of water shall also be shown on the bill of lading.

Payment will not be made for bituminous materials in excess of 105 percent of the amount specified by the Engineer."

Add the following to the table in Article 1032.04 of the Standard Specifications.

"SS-1vh	160-180	70-80
RS-1, CRS-1	75-130	25-55"

Add the following to Article 1032.06 of the Standard Specifications.

"(g) Non Tracking Emulsified Asphalt SS-1vh shall be according to the following.

	Requiremen	ts for SS-1vh	
Test		SPEC	AASHTO Test Method
Saybolt Viscosity @ 25C,	SFS	20-200	T 72
Storage Stability, 24hr.,	%	1 max.	T 59
Residue by Evaporation,	%	50 min.	T 59
Sieve Test,	%	0.3 max.	T 59
Tests	on Residue	from Evapora	ation
Penetration @25°C, 100g., 5	sec., dmm	20 max.	T <b>49</b>
Softening Point,	°C	65 min.	T 53
Solubility,	%	97.5 min.	T 44
Orig. DSR @ 82°C,	kPa	1.00 min.	T 315"

Revise the last table in Article 1032.06(f)(2)d. of the Standard Specifications to read:

"Grade	Use
SS-1, SS-1h, RS-1, RS-2, CSS-1, CRS-1, CRS-2, CSS-1h, HFE-90, SS-1hP, CSS-1hP, SS-1vh	Prime or fog seal
PEP	Bituminous surface treatment prime
RS-2, HFE-90, HFE-150, HFE- 300, CRSP, HFP, CRS-2, HFRS-2	Bituminous surface treatment
CSS-1h Latex Modified	Microsurfacing"

Add the following to Article 1101 of the Standard Specifications.

"1101.19 Vacuum Sweeper. The vacuum sweeper shall have a minimum sweeping path of 52 in. (1.3 m) and a minimum blower rating of 20,000 cu ft per minute (566 cu m per minute)."

Add the following to Article 1102 of the Standard Specifications:

"1102.06 Spray Paver. The spreading and finishing machine shall be capable of spraying a rapid setting emulsion tack coat, paving a layer of HMA, and providing a smooth HMA mat in one pass. The HMA shall be spread over the tack coat in less than five seconds after the

application of the tack coat during normal paving speeds. No wheel or other part of the paving machine shall come into contact with the tack coat before the HMA is applied. In addition to meeting the requirements of Article 1102.03, the spray paver shall also meet the requirements of Article 1102.05 for the tank, heating system, pump, thermometer, tachometer or synchronizer, and calibration. The spray bar shall be equipped with properly sized and spaced nozzles to apply a uniform application of tack coat at the specified rate for the full width of the mat being placed."

## **PAVEMENT PATCHING (BDE)**

Effective: January 1, 2010

Revise the first sentence of the second paragraph of Article 701.17(e)(1) of the Standard Specifications to read:

"In addition to the traffic control and protection shown elsewhere in the contract for pavement, two devices shall be placed immediately in front of each open patch, open hole, and broken pavement where temporary concrete barriers are not used to separate traffic from the work area."

# SIDEWALK, CORNER, OR CROSSWALK CLOSURE (BDE)

Effective: January 1, 2015 Revised: April 1, 2015

Revise the first sentence of Article 1106.02(m) of the Supplemental Specifications to read:

"The top and bottom panels shall have alternating white and orange stripes sloping 45 degrees on both sides."

### WARM MIX ASPHALT (BDE)

Effective: January 1, 2012 Revised: November 1, 2014

<u>Description</u>. This work shall consist of designing, producing and constructing Warm Mix Asphalt (WMA) in lieu of Hot Mix Asphalt (HMA) at the Contractor's option. Work shall be according to Sections 406, 407, 408, 1030, and 1102 of the Standard Specifications, except as modified herein. In addition, any references to HMA in the Standard Specifications, or the special provisions shall be construed to include WMA.

WMA is an asphalt mixture which can be produced at temperatures lower than allowed for HMA utilizing approved WMA technologies. WMA technologies are defined as the use of additives or processes which allow a reduction in the temperatures at which HMA mixes are produced and placed. WMA is produced by the use of additives, a water foaming process, or combination of both. Additives include minerals, chemicals or organics incorporated into the asphalt binder stream in a dedicated delivery system. The process of foaming injects water into the asphalt binder stream, just prior to incorporation of the asphalt binder with the aggregate.

Approved WMA technologies may also be used in HMA provided all the requirements specified herein, with the exception of temperature, are met. However, asphalt mixtures produced at temperatures in excess of 275 °F (135 °C) will not be considered WMA when determining the grade reduction of the virgin asphalt binder grade.

### Equipment.

Revise the first paragraph of Article 1102.01 of the Standard Specifications to read:

"1102.01 Hot-Mix Asphalt Plant. The hot-mix asphalt (HMA) plant shall be the batch-type, continuous-type, or dryer drum plant. The plants shall be evaluated for prequalification rating and approval to produce HMA according to the current Bureau of Materials and Physical Research Policy Memorandum, "Approval of Hot-Mix Asphalt Plants and Equipment". Once approved, the Contractor shall notify the Bureau of Materials and Physical Research to obtain approval of all plant modifications. The plants shall not be used to produce mixtures concurrently for more than one project or for private work unless permission is granted in writing by the Engineer. The plant units shall be so designed, coordinated and operated that they will function properly and produce HMA having uniform temperatures and compositions within the tolerances specified. The plant units shall meet the following requirements."

Add the following to Article 1102.01(a) of the Standard Specifications.

- "(13) Equipment for Warm Mix Technologies.
  - a. Foaming. Metering equipment for foamed asphalt shall have an accuracy of ± 2 percent of the actual water metered. The foaming control system shall be electronically interfaced with the asphalt binder meter.

b. Additives. Additives shall be introduced into the plant according to the supplier's recommendations and shall be approved by the Engineer. The system for introducing the WMA additive shall be interlocked with the aggregate feed or weigh system to maintain correct proportions for all rates of production and batch sizes."

### Mix Design Verification.

Add the following to Article 1030.04 of the Standard Specifications.

- "(e) Warm Mix Technologies.
  - (1) Foaming. WMA mix design verification will not be required when foaming technology is used alone (without WMA additives). However, the foaming technology shall only be used on HMA designs previously approved by the Department.
  - (2) Additives. WMA mix designs utilizing additives shall be submitted to the Engineer for mix design verification."

### Construction Requirements.

Revise the second paragraph of Article 406.06(b)(1) of the Standard Specifications to read:

"The HMA shall be delivered at a temperature of 250 to 350 °F (120 to 175 °C). WMA shall be delivered at a minimum temperature of 215 °F (102 °C)."

### Basis of Payment.

This work will be paid at the contract unit price bid for the HMA pay items involved. Anti-strip will not be paid for separately, but shall be considered as included in the cost of the work.

LR 109 Page 1 of 1

State of Illinois

Department of Transportation

Bureau of Local Roads and Streets

### SPECIAL PROVISION FOR EQUIPMENT RENTAL RATES

Effective: January 1, 2012

All references to Sections or Articles in this specification shall be construed to mean a specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

Replace Article 109.04(b)(4) with the following:

"(4) Equipment. For any machinery or special equipment (other than small tools) the use of which has been authorized by the Engineer, the Contractor will be paid according to the latest revision of "SCHEDULE OF AVERAGE ANNUAL EQUIPMENT OWNERSHIP EXPENSE" and latest index factor as issued by the Illinois Department of Transportation. The equipment should be of a type and size reasonably required to complete the extra work."

# **Du Page County Prevailing Wage for April 2015**

(See explanation of column headings at bottom of wages)

Trade Name				Base	FRMAN M-F>8			H/W	Pensn	Vac	Trng
ASBESTOS ABT-GEN		ALL			38.700 1.5				10.12		
ASBESTOS ABT-MEC		BLD			37.600 1.5				10.76		
BOILERMAKER		BLD			49.760 2.0				17.81		
BRICK MASON		BLD			46.840 1.5				13.60		
CARPENTER		ALL			45.350 1.5				13.75		
CEMENT MASON		ALL			41.250 2.0				17.14		
CERAMIC TILE FNSHER		BLD		35.810	0.000 1.5				8.440		
COMMUNICATION TECH		BLD			34.750 1.5				15.16		
ELECTRIC PWR EQMT OP		ALL			51.480 1.5				11.75		
ELECTRIC PWR EOMT OP		HWY			53.290 1.5				12.17		
ELECTRIC PWR GRNDMAN		ALL			51.480 1.5				9.090		
ELECTRIC PWR GRNDMAN		HWY			53.290 1.5				9.400		
ELECTRIC PWR LINEMAN		ALL			51.480 1.5				14.06		
ELECTRIC PWR LINEMAN		HWY			53.290 1.5				14.56		
ELECTRIC PWR TRK DRV		ALL			51.480 1.5				9.400		
ELECTRIC PWR TRK DRV		HWY			53.290 1.5				9,730		
ELECTRICIAN		BLD			41.980 1.5				18.29		
ELEVATOR CONSTRUCTOR		BLD			57.150 2.0				14.21		
FENCE ERECTOR	NE	ALL			37.840 1.5				11.51		
FENCE ERECTOR	W	ALL			48.660 2.0				18.81		
GLAZIER		BLD			41.500 1.5				15.99		
HT/FROST INSULATOR		BLD			50.950 1.5				12.16		
IRON WORKER	E	ALL			45.000 2.0				20.65		
IRON WORKER	W	ALL			48.660 2.0				18.81		
LABORER	•-	ALL			38.750 1.5				10.12		
LATHER		ALL			45.350 1.5				13.75		
MACHINIST		BLD			46.850 1.5				8.950		
MARBLE FINISHERS		ALL			32.970 1.5				13.10		
MARBLE MASON		BLD			45.960 1.5				13.42		
MATERIAL TESTER I		ALL		28.000	0.000 1.5				10.12		
MATERIALS TESTER II		ALL		33.000	0.000 1.5				10.12		
MILLWRIGHT		ALL			45.350 1.5				13.75		
OPERATING ENGINEER			1		51.100 2.0				11.80		
OPERATING ENGINEER					51.100 2.0				11.80		
OPERATING ENGINEER					51.100 2.0				11.80		
OPERATING ENGINEER		BLD	4	41.500	51.100 2.0				11.80		
OPERATING ENGINEER					51.100 2.0				11.80		
OPERATING ENGINEER					51.100 2.0				11.80		
OPERATING ENGINEER		BLD	7	50.100	51.100 2.0				11.80		
OPERATING ENGINEER		FLT			35.000 1.5				11.05		
OPERATING ENGINEER			1		49.300 1.5				11.80		
OPERATING ENGINEER		HWY	2	44.750	49.300 1.5	1.5	2.0	17.10	11.80	1.900	1.250
OPERATING ENGINEER		HWY	3	42.700	49.300 1.5				11.80		
OPERATING ENGINEER					49.300 1.5				11.80		
OPERATING ENGINEER					49.300 1.5				11.80		
OPERATING ENGINEER					49.300 1.5				11.80		
OPERATING ENGINEER					49.300 1.5				11.80		
ORNAMNTL IRON WORKER	Ε	ALL			46.400 2.0				17.24		
ORNAMNTL IRON WORKER		ALL			48.660 2.0				18.81		
PAINTER		ALL			43.730 1.5				8.200		
PAINTER SIGNS		BLD			38.090 1.5				2.710		
PILEDRIVER		ALL			45.350 1.5				13.75		
PIPEFITTER		BLD			49.000 1.5				15.85		
PLASTERER		BLD			43.760 1.5				13.08		

```
PLUMBER
                        BLD
                             46.650 48.650 1.5
                                                 1.5 2.0 13.18 11.46 0.000 0.880
ROOFER
                        BLD
                             40.100 43,100 1.5
                                                1.5 2.0 8.280 10.54 0.000 0.530
SHEETMETAL WORKER
                       BLD
                             44.000 46.000 1.5 1.5 2.0 10.65 13.06 0.000 0.820
SPRINKLER FITTER
                        BLD
                              49.200 51.200 1.5 1.5 2.0 11.75 9.650 0.000 0.550
STEEL ERECTOR
                    E ALL
                             42.070 44.070 2.0 2.0 2.0 13.45 19.59 0.000 0.350
STEEL ERECTOR
                    W ALL
                             45.060 48.660 2.0
                                                 2.0 2.0 10.52 18.81 0.000 0.400
STONE MASON
                        BLD
                             42.580 46.840 1.5
                                                 1.5 2.0 9.850 13.60 0.000 1.030
                                      ALL 37.000 37.750 1.5
SURVEY WORKER
                --> NOT IN EFFECT
                                                                1.5 2.0 12.97 9.930 0.000 0.500
                       BLD
TERRAZZO FINISHER
                             37.040 0.000 1.5
                                                1.5 2.0 10.55 10.32 0.000 0.620
                                                1.5 2.0 10.55 11.63 0.000 0.820
TERRAZZO MASON
                       BLD
                             40.880 43.880 1.5
                             42.840 46.840 1.5
TILE MASON
                       BLD
                                                1.5 2.0 10.55 10.42 0.000 0.920
TRAFFIC SAFETY WRKR
                       HWY
                             32.750 34.350 1.5
                                                1.5 2.0 6.550 6.450 0.000 0.500
TRUCK DRIVER
                       ALL 1 32.550 33.100 1.5
                                                1.5 2.0 6.500 4.350 0.000 0.150
TRUCK DRIVER
                       ALL 2 32.700 33.100 1.5 1.5 2.0 6.500 4.350 0.000 0.150
TRUCK DRIVER
                       ALL 3 32.900 33.100 1.5 1.5 2.0 6.500 4.350 0.000 0.150
TRUCK DRIVER
                       ALL 4 33.100 33.100 1.5
                                                1.5 2.0 6.500 4.350 0.000 0.150
TUCKPOINTER
                       BLD
                             41.620 42.620 1.5
                                                1.5 2.0 9.850 12.61 0.000 0.650
```

```
Legend: RG (Region)

TYP (Trade Type - All, Highway, Building, Floating, Oil & Chip, Rivers)
C (Class)

Base (Base Wage Rate)

FRMAN (Foreman Rate)

M-F>8 (OT required for any hour greater than 8 worked each day, Mon through Fri.
OSA (Overtime (OT) is required for every hour worked on Saturday)
OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance)

Pensn (Pension)

Vac (Vacation)

Trng (Training)
```

### Explanations

DUPAGE COUNTY

IRON WORKERS AND FENCE ERECTOR (WEST) - West of Route 53.

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

### **EXPLANATION OF CLASSES**

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

TRAFFIC SAFETY - work associated with barricades, horses and drums used to reduce lane usage on highway work, the installation and removal of temporary lane markings, and the installation and removal of temporary road signs.

### CERAMIC TILE FINISHER

The grouting, cleaning, and polishing of all classes of tile, whether for interior or exterior purposes, all burned, glazed or unglazed products; all composition materials, granite tiles, warning detectable tiles, cement tiles, epoxy composite materials, pavers, glass, mosaics, fiberglass, and all substitute materials, for tile made in tile-like units; all mixtures in tile like form of cement, metals, and other materials that are for and intended for use as a finished floor surface, stair treads, promenade roofs, walks, walls, ceilings, swimming pools, and all other places where tile is to form a finished interior or exterior. The mixing of all setting mortars including but not limited to thin-set mortars, epoxies, wall mud, and any other sand and cement mixtures or adhesives when used in the preparation, installation, repair, or maintenance of tile and/or similar materials. The handling and unloading of all sand, cement, lime, tile, fixtures, equipment, adhesives, or any other materials to be used in the preparation, installation, repair, or maintenance of tile and/or similar materials. Ceramic Tile Finishers shall fill all joints and voids regardless of method on all tile work, particularly and especially after installation of said tile work. Application of any and all protective coverings to all types of tile installations including, but not be limited to, all soap compounds, paper products, tapes, and all polyethylene coverings, plywood, masonite, cardboard, and any new type of products that may be used to protect tile installations, Blastrac equipment, and all floor scarifying equipment used in preparing floors to receive tile. The clean up and removal of all waste and materials. All demolition of existing tile floors and walls to be re-tiled.

### COMMUNICATIONS TECHNICIAN

Low voltage installation, maintenance and removal of telecommunication facilities (voice, sound, data and video) including telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area networks), LAN (local area networks), and ISDN (integrated system digital network), pulling of wire in raceways, but not the installation of raceways.

### MARBLE FINISHER

Loading and unloading trucks, distribution of all materials (all stone, sand, etc.), stocking of floors with material, performing all rigging for heavy work, the handling of all material that may be needed for the installation of such materials, building of scaffolding, polishing if needed, patching, waxing of material if damaged, pointing up, caulking, grouting and cleaning of marble, holding water on diamond or Carborundum blade or saw for setters cutting, use of tub saw or any other saw needed for preparation of material, drilling of holes for wires that anchor material set by setters, mixing up of molding plaster for installation of material, mixing up thin set for the installation of material, mixing up of sand to cement for the installation of material and such other work as may be required in helping a Marble Setter in the handling of all material in the erection or installation of interior marble, slate, travertine, art marble, serpentine, alberene stone, blue stone. granite and other stones (meaning as to stone any foreign or domestic materials as are specified and used in building interiors and exteriors and customarily known as stone in the trade), carrara, sanionyx, vitrolite and similar opaque glass and the laying of all marble tile, terrazzo tile, slate tile and precast tile, steps, risers treads, base, or any other materials that may be used as substitutes

for any of the aforementioned materials and which are used on interior and exterior which are installed in a similar manner.

MATERIAL TESTER I: Hand coring and drilling for testing of materials; field inspection of uncured concrete and asphalt.

MATERIAL TESTER II: Field inspection of welds, structural steel, fireproofing, masonry, soil, facade, reinforcing steel, formwork, cured concrete, and concrete and asphalt batch plants; adjusting proportions of bituminous mixtures.

### OPERATING ENGINEER - BUILDING

Class 1. Asphalt Plant; Asphalt Spreader; Autograde; Backhoes with Caisson Attachment; Batch Plant; Benoto (requires Two Engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-loader Machine; Compressor and Throttle Valve; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Conveyor (Truck Mounted); Concrete Paver Over 27E cu. ft; Concrete Paver 27E cu. ft. and Under: Concrete Placer; Concrete Placing Boom; Concrete Pump (Truck Mounted); Concrete Tower; Cranes, All; Cranes, Hammerhead; Cranes, (GCI and similar Type); Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Machines; Heavy Duty Self-Propelled Transporter or Prime Mover; Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Elevators, outside type rack and pinion and similar machines; Hoists, One, Two and Three Drum; Hoists, Two Tugger One Floor; Hydraulic Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment); Locomotives, All; Motor Patrol; Lubrication Technician; Manipulators; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Cretes Dual Ram; Pump Cretes: Squeeze Cretes-Screw Type Pumps; Gypsum Bulker and Pump; Raised and Blind Hole Drill; Roto Mill Grinder; Scoops - Tractor Drawn; Slip-Form Paver; Straddle Buggies; Operation of Tie Back Machine; Tournapull; Tractor with Boom and Side Boom; Trenching Machines.

Class 2. Boilers; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd.; Hoists, Automatic; Hoists, Inside Elevators; Hoists, Sewer Dragging Machine; Hoists, Tugger Single Drum; Laser Screed; Rock Drill (Self-Propelled); Rock Drill (Truck Mounted); Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame.

Class 3. Air Compressor; Combination Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators (remodeling or renovation work); Hydraulic Power Units (Pile Driving, Extracting, and Drilling); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Low Boys; Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 4. Bobcats and/or other Skid Steer Loaders; Oilers; and Brick Forklift.

Class 5. Assistant Craft Foreman.

Class 6. Gradall.

Class 7. Mechanics; Welders.

OPERATING ENGINEERS - HIGHWAY CONSTRUCTION

Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Heater Scarfire; Asphalt Spreader; Autograder/GOMACO or other similar type machines: ABG Paver; Backhoes with Caisson Attachment; Ballast Regulator; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Plant; Combination Backhoe Front Endloader Machine, (1 cu. yd. Backhoe Bucket or over or with attachments); Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower Cranes of all types: Creter Crane: Spider Crane; Crusher, Stone, etc.; Derricks, All; Derrick Boats; Derricks, Traveling; Dredges; Elevators, Outside type Rack & Pinion and Similar Machines; Formless Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Rail Post Driver Truck Mounted; Hoists, One, Two and Three Drum; Heavy Duty Self-Propelled Transporter or Prime Mover; Hydraulic Backhoes; Backhoes with shear attachments up to 40' of boom reach; Lubrication Technician; Manipulators; Mucking Machine; Pile Drivers and Skid Rig; Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill - Crawler or Skid Rig; Rock Drill - Truck Mounted; Rock/Track Tamper; Roto Mill Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; Hydraulic Telescoping Form (Tunnel); Operation of Tieback Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader (with attached pusher - two engineers); Tractor with Boom; Tractaire with Attachments; Traffic Barrier Transfer Machine; Trenching; Truck Mounted Concrete Pump with Boom; Raised or Blind Hole Drills (Tunnel Shaft); Underground Boring and/or Mining Machines 5 ft. in diameter and over tunnel, etc; Underground Boring and/or Mining Machines under 5 ft. in diameter; Wheel Excavator; Widener (APSCO).

Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers: Car Loader Trailing Conveyors: Combination Backhoe Front Endloader Machine (Less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw; Conveyor Muck Cars (Haglund or Similar Type); Drills, All; Finishing Machine -Concrete; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro-Blaster; Hydro Excavating (excluding hose work); Laser Screed; All Locomotives, Dinky; Off-Road Hauling Units (including articulating) Non Self-Loading Ejection Dump; Pump Cretes: Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., self-propelled; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper - Single/Twin Engine/Push and Pull; Scraper - Prime Mover in Tandem (Regardless of Size); Tractors pulling attachments, Sheeps Foot, Disc, Compactor, etc.; Tug Boats.

Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Forklift Trucks; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machines; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than Asphalt; Seed and Straw Blower; Steam Generators; Stump Machine; Winch Trucks with "A" Frame; Work Boats; Tamper-Form-Motor Driven.

Class 4. Air Compressor; Combination - Small Equipment Operator; Directional Boring Machine; Generators; Heaters, Mechanical; Hydraulic Power Unit (Pile Driving, Extracting, or Drilling); Light Plants, All

- (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Vacuum Trucks (excluding hose work); Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.
- Class 5. SkidSteer Loader (all); Brick Forklifts; Oilers.
- Class 6. Field Mechanics and Field Welders
- Class 7. Dowell Machine with Air Compressor; Gradall and machines of like nature.

SURVEY WORKER - Operated survey equipment including data collectors, G.P.S. and robotic instruments, as well as conventional levels and transits.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION

- Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines, including those pulled by cars, pick-up trucks and tractors; Ambulances; Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers; Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled Dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.
- Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yeards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.
- Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit; Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter.
- Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

### TERRAZZO FINISHER

The handling of sand, cement, marble chips, and all other materials that may be used by the Mosaic Terrazzo Mechanic, and the mixing, grinding, grouting, cleaning and sealing of all Marble, Mosaic, and Terrazzo work, floors, base, stairs, and wainscoting by hand or machine, and in addition, assisting and aiding Marble, Masonic, and Terrazzo Mechanics.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

#### LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.


### MATERIAL TESTER & MATERIAL TESTER/INSPECTOR I AND II

Notwithstanding the difference in the classification title, the classification entitled "Material Tester I" involves the same job duties as the classification entitled "Material Tester/Inspector I". Likewise, the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester/Inspector II".


HOT-MIX ASPHALT MIXTURE REQUIREMENTS	
MIXTURE TYPE	AIR VOIDS
PAVEMENT RESURFACING	
Leveling Binder (Machine Method), N50 (IL-9.5 mm)	4% @ 50 Gyr.
Hot-Mix Asphalt Surface Course, Mix "D", N50 (IL-9.5 mm)	3.5% @ 50 Gyr.
PATCHING	
Class D Patches (HMA Binder IL-19 mm)	4% @ 70 Gyr.
Pavement Removal & HMA Replacement (HMA Binder IL-19 mm)	4% @ 70 Gyr.
DRIVEWAYS	
Hot-Mix Asphalt Surface Course, Mix "D", N50 (IL-9.5 mm), 3"	3.5% @ 50 Gyr.
Hot-Mix Asphalt Base Course (HMA Binder IL-19 mm), 6"	4% @ 50 Gyr.

The unit weight used to calculate all Hot-Mix Asphalt Surface Mixture Quantities is 112 Lbs/SqYd/In.

The "AC Type" for polymerized HMA mixes shall be SBS/SBR PG 76-22 and for non-polymerized HMA the "AC Type" shall be "PG 64-22" unless modified by district one special provisions. For use of recycled materials see special provisions.




NOTE: DEPTH OF EXISTING SURFACE
REMOVAL PER SCHEDULE
OF QUANTITIES





R.W.B 06/08/05 C:\CADFILES\RESURFACING\DETAILS






C. (CADPILES | RESURFACING | DETAILS


R.W.B





CLASS D PATCHES, 4" or 6

N. T. S.





N.T.S.




03/05/08 I:\PW-ENG & TRANSPORTATION\CAD-FILES\RESURFACING\2008 DETAILS.DWG

- MIN. 2" COMPACTED CA-6" AGGREGATE LEVEL BASE, INCIDENTAL

(2) 3/4" DOWEL BARS AT EXPANSION — & AT EXISTING CURB CONSTRUCTION JOINT

SLOPE SAME AS SUB-BASE OR 3/4" WHEN SUB-BASE IS OMITTED.


DEPRESSED CURB



JOINT SPACING ON CENTERS: 15' FOR CONTRACTIONS 90' FOR EXPANSION WHERE APPLICABLE NEW CURB SHALL BE TED TO ADJACENT CONCRETE PAVEMENT OR BASE WITH NO. 6 (3/4") BARS AT 24" CENTERS IN ACCORDANCE WITH DETAILS FOR

LONGITUDINAL CONSTRUCTION JOINT SHOWN ON STANDARD 420001

03/04/08 LYPW-ENG & TRANSPORTATION\CAD-FILES\RESURFACING\2008 DETAILS.DWG



MOUNTABLE CURB

JOINT SPACING ON CENTERS: 15' FOR CONTRACTIONS 90' FOR EXPANSION

# COMBINATION CONCRETE CURB & GUTTER-MOUNTABLE


N.T.S.


STANDARD DESIGN

WHERE APPLICABLE NEW CURB SHALL BE TIED TO ADJACENT CONCRETE PAVEMENT OR BASE WITH NO. 6 (3/4") BARS AT 24" CENTERS IN ACCORDANCE WITH DETAILS FOR LONGITUDINAL CONSTRUCTION JOINT SHOWN ON STANDARD 420001

R.W.B 06/08/05 C:\CADFILES\RESURFACING\DETAILS








# DRIVEWAY REMOVAL & REPLACEMENT

N.T.S.

R.W.B 06/08/05 C:\CADFILES\RESURFACING\DETAILS







NOTES:

AFTER MANHOLE HAS BEEN ADJUSTED AND IF STREET IS OPEN TO TRAFFIC, A TYPE I BARRICADE W/FLASHER SHALL BE PLACED AT EACH MANHOLE.


SANITARY MANHOLE AND MANHOLE TO BE ADJUSTED, BUSINESS TO BE SET W/MASTIC


 $\circ$ 

## MANHOLE ADJUSTMENT DETAIL

N.7.S.

SAF







NOTE: INSIDE WALL OF INLET TO BE FLUSH WITH FACE OF CURB FOR TYPE I FRAME OR BACK OF CURB FOR TYPE 3 & TYPE II FRAME


TYPE "A" INLET NEW/REPLACEMENT

N.T.S.


Vulsige a DOWNERS GROVE











N.T.S.	DATE	REVISIONS	DRAWN BY	APPVD BY	STANDARD DETAIL
Village of DOWNERS GROVE PRUMED IN 1528		NO.SWK-03	D.J.G. S.A.V. T.J.T. A.J.S.	A.J.S. A.J.S. A.J.S.	A.D.A RAMPS ON NON-CURBED STREETS


















































Page 1 of 9

LENGTH WIDTH TOT. IMP. AREA HMA SURF. CSE. MIN. THICKNESS LEVEL BIND (TON) 235 133 285 254 250 224 292 182 157 186 254 5 62 61 36 8 137 101 66 94 1.50 1.50 නු නු 22 50 55 .50 50 50 S င္သ .50 5 င္သ 50 MIX D (TON) 346 585 124 218 122 72 266 285 424 499 314 223 179 275 108 469 378 254 201 187 3165 2593 1447 5048 5944 3739 1414 1287 4122 6962 3394 2134 2394 4496 5587 2651 3272 1471 857 22-28 15-23 20-34 24-25 20-22 20-22 18-21 18-20 18-21 19-21 19-22 20-22 19-21 18-21 24 9 22 24 ဗ္ဗ 28 7 1994 2692 1956 1506 1265 1482 1274 2260 1309 526 928 583 849 1884 501 934 750 847 251 E. OF SEELEY AVE N. OF VIRGINIA ST WASHINGTON ST WASHINGTON ST S. CUL DE SAC HITCHCOCK ST BELLE AIRE LN CORNELL AVE CORNELL AVE BELLE AIRE LN FAIRVIEW AVE GILBERT AVE E. OF SEELEY PRAIRIE AVE HERBERT ST HERBERT ST HERBERT ST **DUNHAM RD** ROGERS ST S. OF JEFFERSON AVE MAPLE AVE 임 40TH ST MAIN ST ELM ST 41ST ST LEE ST W. OF MORTON AVE S. OF CURTISS ST WASHINGTON ST SARATOGA AVE W. OF MORTON FROM PLYMOUTH RD DOUGLAS RD PRAIRIE AVE BELMONT RD FOREST AVE BELMONT RD OGDEN AVE **CURTISS ST** OGDEN AVE MAPLE AVE HAVENS CT ROGERS ST LACEY RD LACEY RD JANET ST MAIN ST MAIN ST 40TH ST 40TH ST LEE ST AUBREY TERRACE STREET NORTHCOTT AVE THORNWOOD DR HITCHCOCK AVE GLENVIEW AVE HIGHLAND AVE CORNELL AVE DOWNERS DR PLYMOUTH ST MORTON AVE HERBERT ST FOREST AVE FRANKLIN ST SEELEY AVE **CURTISS ST** VIRGINIA ST LINCOLN ST HAVENS CT BIRCH AVE BRYAN PL CAROL ST JANET ST EE AVE 41ST ST

Miles> 6.11

4121

7065

84097

32284

T0tals>

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

Page 2 of 9

AVG. THICKNESS BIT. PRIME CL D, Ty 4 CL D, Special CL D, Ty 4 CL D, Special PAVE REM & HMA PAVE REM & PCC PGE SPECIAL (IN) (LB) 4" (SY) 4" (SY) 6" (SY) 6" (SY) REPL 8" (SY) REPL 8" (SY) (CY) 237 9 ~ 6 8 22 56 5 5 25 5 8 100 384 184 120 272 180 918 8 6 8 22 130 100 308 78 1074 143 200 356 225 150 414 29 45 57 35 28 83 33 33 37 19073 993 480 910 133 468 1182 1700 207 2100 2574 1000 370 1576 842 1187 578 893 930 68118 3339 4525 5639 1192 2100 1172 694 2564 2749 2749 4089 3029 2147 1729 2650 1939 1145 2593 0.75 0.75 0.75 0.75 0.75 0.90 0.90 0.75 1.25 0.75 0.75 0.75 **AUBREY TERRACE** STREET NORTHCOTT AVE THORNWOOD DR HITCHCOCK AVE JANET ST GLENVIEW AVE HIGHLAND AVE CORNELL AVE DOWNERS DR PLYMOUTH ST MORTON AVE FOREST AVE FRANKLIN ST **HERBERT ST** SEELEY AVE VIRGINIA ST **CURTISS ST** LINCOLN ST HAVENS CT **BIRCH AVE BRYAN PL** CAROL ST OTIS AVE LEE AVE 40TH ST 41ST ST

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

STREET	HAUL SPECIAL CURB REM. WASTE (LOAD) (LF)	CURB REM. (LF)	C & G TY M-4.12 (LF)	C & G TY B-4.12 (LF)	C & G TY B-6.0 (LF)	C & G TY B-6.13 (LF)	C & G TY M-4.12 C & G TY B-4.12 C & G TY B-6.0 C & G TY B-6.12 C & G TY B-4.18 (LF) (LF) (LF) (LF) (LF) (LF) (LF)	C & G TY B-4.18 (LF)
*** O   1## O								
40TH ST	C. COSTACTO SPACES AND	O 1 To a September State of the September 2 To Sept	and the state of definition to be seen that to be to be to be seen the seen that the s	**************************************				
41ST ST		259				217	42	•••
AUBREY TERRACE		15				15		
BIRCH AVE		190						
BRYAN PL		1074		1074				
CAROL ST					2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	For an Anthony Co. Constitution of Market Market Andrews and the state of the second teams are assessed as a second of the secon		
CORNELL AVE								
CURTISS ST	_						AND OF A MARKANI I MODELLI MATERIAL AND A MATERIAL	
DOWNERS DR		212				112	100	
FOREST AVE								
FRANKLIN ST		365			99			
GLENVIEW AVE		A CALLED A C						The state of the s
HAVENS CT		95				95		
HERBERT ST								
HIGHLAND AVE		1180						1000
HITCHCOCK AVE	_							and the same of th
JANET ST								
LEE AVE								
LINCOLN ST	Annual An	890				30	And the state of t	860
MORTON AVE								
NORTHCOTT AVE								
OTIS AVE		592	522					
PLYMOUTH ST								
SEELEY AVE			N ANY WORK WITH WEIGHT AN ENVIOLENCE THAT AND ANY AND AND ANY AND AND ANY AND					
THORNWOOD DR		10				10		
VIRGINIA ST							-	
	<b>V</b>	4882	522	1074	RO	479	142	1860
	۲	1001	370	+ 10	3	2	71	200

Page 3 of 9

Page 4 of 9

IN. ADJ. IN. ADJ W/ NEW INLET RECON NEW 2' IN. W/ SALVAGE (EA) EA) TY 3 SP FR (EA) N (EA) 24 9 Θ က SPECIAL (EA) W/ NEW TY 1 FR (EA) RECON (EA) Ξ M.H. ADJ. M.H. ADJ. 35 က 3 2 က ဝ S C & G TY B-6.18 M.H. ADJ. (EA) 45 9 က <del>ر</del> 4 4 4 0 4 745 190 305 180 2 AUBREY TERRACE STREET NORTHCOTT AVE THORNWOOD DR HITCHCOCK AVE JANET ST CAROL ST CORNELL AVE CURTISS ST GLENVIEW AVE DOWNERS DR FOREST AVE HIGHLAND AVE PLYMOUTH ST MORTON AVE FRANKLIN ST HERBERT ST SEELEY AVE VIRGINIA ST LINCOLN ST HAVENS CT **BIRCH AVE BRYAN PL** OTIS AVE LEE AVE 41ST ST 40TH ST

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

Page 5 of 9

40TH ST         40TH ATA	STREET	TY 1 FR. OL (EA) TY 1 FR (EA) 10" (LF) (EA) CLEANING (EA) 2" (SY) 2.5" (SY) VARI 2" 4.5" (SY)	TY 1 FR (EA)	10" (LF)	(EA)	CLEANING (EA)	2" (SY)	2.5" (SY)	VARI 2"-4.5"(SY
RRACE   1									
FRACE         1         3130           NVE         20         2         2           NVE         1         1         1370         812           NVE         1         1         1370         4217           NVE         1         1         1370         4217           NVE         1         1         1471         206         756           NVE         1         1         1471         176         176           NVE         1         1         162         385         176           NVE         2004         176         477         176           NVE         2004         2048         177         176           NVE         200         20         20         20         20           NVE         20         20         20         20         20           NVE <td< td=""><td></td><td></td><td></td><td></td><td>,</td><td></td><td>2877</td><td>317</td><td></td></td<>					,		2877	317	
FRACE         1         20         2 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3130</td> <td></td> <td></td>							3130		
VE         20         2         1         1287	ERRACE		-				3939		
20     2     2     1     1287     812       1     1     1     1370     4217     4	BIRCH AVE								1414
WE     1     1287     812       WE     3310     812     4217       DR     6206     756     4217       FE     1     1471     756       ST     1     1     1       ST     1     1     1     1       ST     857     385     178       AVE     867     178     178       KAVE     5048     178     178       T     1     1     1     1       T     4     1     1     1       T     1     1     1     1       T     1     1     1     1       T     1     1     1     1       T     2     239     236       T     2     2     2       D     0     2     2       B     1     1     2       B     1     2     2       B     1     1     2       B     1     2     2       B     1     2     2     2       B     1     2     2     2       B     1     2     3     2       B     3     3 </td <td></td> <td></td> <td></td> <td>20</td> <td>2</td> <td>2</td> <td></td> <td>magnet in the control of the control</td> <td>3328</td>				20	2	2		magnet in the control of the control	3328
1   1   3310   812     1370   4217     1370   4217     1370   4217     1370   4217     1471   1471     1471   162   386     1662   386     1662   386     1663   178     1664   178     1667   178     1667   178     1667   178     1667   178     1667   178     1667   178     1667   178     1667   175     1667   125     1668   125     1669   1269     1669   12	A CONTRACTOR OF THE PROPERTY O						1287		
1     1370     4217       1     1       1     1471     756       6206     756     756       1471     756     756       1662     385     385       867     867     178       867     867     178       864     5944     178       864     5944     477       865     477     477       866     2344     477       867     477     477       868     2364     2364       869     2364     2364       860     2364     2364       860     2364     2364       860     2364     2364       860     2364     2364       860     2364     2364       860     2364     125       861     125     2277       862     2227     2324       863     125     2227       864     125     2227       865     22     3284     125	CORNELL AVE				-	_	3310	812	
1     6206     756       1     1471     756       1     1062     385       867     867     178       867     178     178       868     2987     178       869     2987     178       869     2944     178       869     2944     204       869     294     234       869     294     236       869     234     477       869     234     236       869     236     236       869     236     236       869     236     237       869     236     237       869     236     237       869     236     237       869     236     237       869     238     125       860     238     125       860     238     125       860     238     125       860     238     125       860     238     125       860     238     125       860     238     125       860     238     125       860     238     125       860     238     125 <td>CURTISS ST</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1370</td> <td>4217</td> <td></td>	CURTISS ST						1370	4217	
1     1471     1471     1       1 <t< td=""><td>DOWNERS DR</td><td></td><td></td><td></td><td></td><td></td><td>6206</td><td>756</td><td></td></t<>	DOWNERS DR						6206	756	
1     1062     385       867     178       867     178       1062     385       867     178       1062     385       867     178       1062     385       1063     178       1064     1168       1064     1169       1065     1166       1066     1169       1067     1167       1068     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1069     1169       1169     1169       1169     1169       1169     1169       1169     1169       1169     1169       1169     1169       1169     1169	FOREST AVE						1471		
1062     385       857     857       867     178       867     178       178     178       867     178       178     178       864     594       1894     477       1894     477       1894     477       1894     477       1894     477       1894     477       1894     477       1894     477       1894     477       1894     4200       1895     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1896     4200       1897     4200       1896     4200       1896     4200       1896     4200       1897     4200       1897     4200       1897     4200       1897     4200       1897     4200       1897	VST								2593
867         867         178           2987         178         178           2987         178         178           5048         5048         178           5944         5944         179           6         6         477           7         477         477           8         6         477           9         73272         2394           10         4200         296           10         22         2227           10         22         2227           10         20         2227           10         20         22227           10         20         22           10         20         22           10         20         22           10         20         20           10         20         20           10         20         20           10         20         20           10         20         20           10         20         20           10         20         20           10         20           10         20	W AVE						1062	385	
6048       5048       178         6048       5044       178         6048       5944       173         7044       1657       477         8044       1657       477         8044       1657       477         8044       1657       477         8044       1657       477         8044       1657       477         8044       1657       477         8044       1657       477         8044       1657       477         8045       1667       477         8045       1667       470         8045       1667       167         8045       1667       167         8046       1667       167         8047       1667       167         8047       1667       1667         8047       1667       1667         8048       1667       1667         8049       1667       1667         8049       1667       1667         8049       1667       1667         8049       1667       1667         8049       1667       1667 <td>CT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>857</td> <td></td> <td></td>	CT						857		
5048       5048       6048       6048       6048       6048       6048       6048       6048       6048       6048       6044       6048	-ST						2987	178	
5048       5048       5944	D AVE								3394
5944       5944       7364       736       736       736       736       737       747 <t< td=""><td>CK AVE</td><td></td><td></td><td></td><td></td><td></td><td>5048</td><td></td><td></td></t<>	CK AVE						5048		
477       477         5       1657       477         6       2394       2394         7       4200       296         8       227       296         9       227       296         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       2       2         10       3       3         10       3       3         10       3       3         10       3       3         10       3       3         10       3 <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>5944</td> <td></td> <td></td>	•						5944		
1657     477       3272     477       2394     2394       4200     296       227     227       2     227       2     227       3284     125				*			3739		
IVE     1657     477       IVE     3272     477       -     2394     296       -     4200     296       DR     2     227       DR     3284     125	ST								2961
3272       2394     2394       4200     296       2     227       2     227       3284     125	AVE						1657	477	
2394       4200     296       2227     2227       3284     125	OTT AVE						3272		
2     2       2     2       3284     125							2394		
2 2 2 227 3284 125	TH ST						4200	296	
2 2 2 125	\VE						2227		
3284 125	OOD DR				2	2			3020
	ST						3284	125	
				-					

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

Page 6 of 9

CR.JT.&FLAN SIDEWALK SIDEWALK SIDEWALK SIDEWALK DETECTABLE DÉCOR PAVER AGG. SHOULD PKWY REST 1040 3790 50 223 7 155 450 75 120 32 200 334 86 <del>\$</del> 24 68 88 6 (NOL) 1381 27 90 106 143 28 80 9 31 26 5 45 45 75 69 8 89 DRIVE (SY) 22 26 ಬ o) တ ന WARNINGS (SF) 810 **4 4** 9 원 20 120 100 30 8 33 8 9 8 8" (SF) 100 245 50 495 6" (SF) 2055 125 610 50 670 900 5" (SF) 13560 825 1775 1915 1685 300 1785 1350 250 350 675 225 825 250 400 75 875 REMOVE (SF) 16225 2585 350 875 2640 1685 300 2395 1350 225 495 875 825 400 250 (NOL) 7 5 4 ∞ S 9 ω AUBREY TERRACE STREET NORTHCOTT AVE THORNWOOD DR HITCHCOCK AVE JANET ST GLENVIEW AVE HIGHLAND AVE CAROL ST CORNELL AVE DOWNERS DR PLYMOUTH ST MORTON AVE FRANKLIN ST FOREST AVE HERBERT ST SEELEY AVE **CURTISS ST** VIRGINIA ST LINCOLN ST HAVENS CT **BIRCH AVE BRYAN PL** OTIS AVE LEE AVE 40TH ST 41ST ST

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

STREET	SUPPLEMENT TEMP HMA WATER (UNIT) RAMP (SY)	TEMP HMA RAMP (SY)	ROOT PRUNE (EA)	SUPPLEMENT TEMP HMA ROOT PRUNE HMA DRIVE HMA DRIVE HMA DRIVE HCC DRIVE PCC DRIVE PCC DRIVE PCC DRIVE WATER (UNIT) RAMP (SY) (EA) REMOVE (SY) 8", (SY) 1	HMA DRIVE 3", (SY)	HMA DRIVE 8", (SY)	PCC DRIVE REMOVE (SY)	PCC DRIVE	PCC DRIVE 8", (SY)	SIGNAL LOOPS (LF)
40TH ST										
41ST ST				32		32				
AUBREY TERRACE				Commence of the control of the contr	AND THE RESIDENCE OF THE PROPERTY OF THE PROPE					
BIRCH AVE	-			52	52		53	53		
BRYAN PL	_			91	20	41	313	313		
CAROL ST					A TANAN AND A STATE OF THE STAT	The state of the s				
CORNELL AVE		ß					TANA A PROGRAMA ON A PROGRAMA	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
CURTISS ST		9								
DOWNERS DR				9/		76				
FOREST AVE										
FRANKLIN ST							10		10	204
GLENVIEW AVE							THE REAL PROPERTY AND ADDRESS OF THE PARTY AND			
HAVENS CT							TO ALLEAN OF STREET OF TA STREET			
HERBERT ST										
HIGHLAND AVE	-	44		46	46		46	46		
HITCHCOCK AVE		9		*						
JANET ST							NAME OF TAXABLE PARTY O			
LEE AVE										
LINCOLN ST				151	151		151	151		
MORTON AVE										
NORTHCOTT AVE										
OTIS AVE	ļ			77	77		144	144		Market State Control No. 7 - 1
PLYMOUTH ST		11								
SEELEY AVE										
THORNWOOD DR			_							
VIRGINIA ST										
	4	72	_	525	376	149	717	707	9	204

SCHEDULE OF QUANTITIES

Page 8 of 9

## SHORT TERM TEMP PAVE MARK WORK ZONE YEL, PAVT. MARK, WH. PAVT. MARK, WH. PAVT. MARK. WH. PAVT. W 284 4 48 63 96 63 100 435 114 46 22 8 9 100 390 490 390 50 3370 4063 100 80 23 83 53 30 8 47 141 PAVE MARK (LF) 200 114 314 AUBREY TERRACE STREET NORTHCOTT AVE THORNWOOD DR HITCHCOCK AVE JANET ST DOWNERS DR FOREST AVE FRANKLIN ST GLENVIEW AVE HIGHLAND AVE CORNELL AVE PLYMOUTH ST **MORTON AVE HERBERT ST** SEELEY AVE **CURTISS ST** LINCOLN ST VIRGINIA ST HAVENS CT **BIRCH AVE BRYAN PL** CAROL ST OTIS AVE LEE AVE 40TH ST 41ST ST

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

2015 RESURFACING (A) SCHEDULE OF QUANTITIES

STREET	YEL. PAVI. MARK LINË 12" (LF)	YEL. PAVT. MARK. WH. PAVT. MARK. PAVT. MARK. LINE 12" (LF) LINE 24" (LF) LET & SYM (SF)	PAVI. MARK. LET & SYM (SF)	EROSION BARRIER, SP (LF)
			***************************************	
40TH ST	-			
41ST ST		44		
AUBREY TERRACE				
BIRCH AVE		10		
BRYAN PL		4		
CAROL ST				THE STREET PARTY OF THE STREET
CORNELL AVE				009
CURTISS ST				
DOWNERS DR		139	72.8	
FOREST AVE				
FRANKLIN ST		38	36.4	
GLENVIEW AVE				
HAVENS CT				
HERBERT ST	•			
HIGHLAND AVE		25		
HITCHCOCK AVE		12		
JANET ST				
LEE AVE		16		The state of the s
INCOLN ST		48		
MORTON AVE				
NORTHCOTT AVE				
OTIS AVE		14		100 00 00 00 00 00 00 00 00 00 00 00 00
PLYMOUTH ST		All and a second		
SEELEY AVE				
IHORNWOOD DR	22			
VIRGINIA ST				
	22	390	109.2	009

SCHEDULE OF QUANTITIES

## **RETURN WITH BID**

	Count	y DuPage
	PROPOSAL Local Public Agenc	y Downers Grove
		г <u>15-00000-01-GM</u>
	Rout	e Various
Ï.,	Proposal of J.A. JOHNSON PAVING CO.	
	1025 E. ADDISON COURT; ARLINGTON HEIGHTS, IL 60005	THE REST OF THE PARTY OF THE PA
	for the improvement of the above section by the construction of Pavement removal and re	
;	level binder, hot-mix asphalt surface course, curb and gutter removal and replacement	
	and all related work	
<b>~</b>	a total distance of 32284.00 feet, of which a distance of 32284.00 feet, ( 6.	110 miles) are to be improved.
2.	The plans for the proposed work are those prepared by Village of Downers Grove	
	and approved by the Department of Transportation on	
3.	The specifications referred to herein are those prepared by the Department of Transporta "Standard Specifications for Road and Bridge Construction" and the "Supplemental Spec Provisions" thereto, adopted and in effect on the date of invitation for bids.	tion and designated as ifications and Recurring Special
4.	The undersigned agrees to accept, as part of the contract, the applicable Special Provision Sheet for Recurring Special Provisions" contained in this proposal.	ins indicated on the "Check
5.	The undersigned agrees to complete the work within working days or bunless additional time is granted in accordance with the specifications.	y 10/02/2015
6.	A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bid Conditions for Contract Proposals, will be required. Bid Bonds will be allowed as a propoproposal is either a bid bond if allowed, on Department form BLR 12230 or a proposal gui specifications, made payable to:	sal quaranty. Accompanying this
٠ .	Village of Downers Grove Treasurer of	
	The amount of the check is Bid Bond	( 5% ).
7.	In the event that one proposal guaranty check is intended to cover two or more proposals the sum of the proposal guaranties, which would be required for each individual proposal is placed in another proposal, it will be found in the proposal for. Section Number	the amount must be equal to If the proposal guaranty check
3.	The successful bidder at the time of execution of the contract will be required to deposit a amount of the award. When a contract bond is not required, the proposal guaranty check proposal is accepted and the undersigned fails to execute a contract and contract bond at that the Bid Bond or check shall be forfeited to the Awarding Authority.	will be held in lieu thereof if this
Э,	Each pay item should have a unit price and a total price. If no total price is shown or if the product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price be divided by the quantity in order to establish a unit price.	ere is a discrepancy between the e is omitted, the total price will
0.	A bid will be declared unacceptable if neither a unit price nor a total price is shown.	
	The undersigned submits herewith the schedule of prices on BLR 12200a covering the we contract.	ork to be performed under this
12.	The undersigned further agrees that if awarded the contract for the sections contained in t BLR 12200a, the work shall be in accordance with the requirements of each individual prospecified in the Schedule for Multiple Bids below.	the combinations on oposal for the multiple bid



## SCHEDULE OF PRICES

County <u>DuPage</u>

Local Public Agency Village of Downers Grove

Section 15-00000-01-GM

Route Various

Schedule for Multiple Bids

Combination Letter	Sections Included in Combinations	Total
and the state of t	:	ANT ARM BULLUTA

## Schedule for Single Bid

(For complete information covering these items, see plans and specifications)

Bidder's Proposal for making Entire Improvements 3497116,88
---

Item No.	Items	Unit	Quantity	Unit Price	Total
	Hot-Mix Asphalt Surface Course,			washing and the same of the sa	energia esta viva de la companya de
1	Mix D, N50	Ton	7065	77.00	544005,00
	Leveling Binder (Machine				
2	Method), N50	Ton	4121	77.00	317317.00
	Bituminous Materials (Prime				
	Coat)	LB	68118	0,0/	181.18
	Class D Patches, Type JV, 4"	s.Y.	19073	23,00	438679.00
	Class D Patches, 4" Special	S.Y.	414	33,00	13662.00
	Class D Patches, Type IV, 6"	S.Y.	1074	.33.50	35 979,00
7	Class D Patches, 6" Special	S.Y.	308	45.00	13860.00
_	Pavement Removal and Hot-Mix				
8	Asphalt Replacement, 8" Special	S.Y.	918	56,00	51408.00
	Pavement Removal and Portland				
	Cement Concrete Replacement,			4 4 41-2	
9	8" Special	S.Y.	364	100,00	38400.00
	Porous Granular Embankment,				
ΙŲ	Special	C.Y.	237	115.00	27055.00
تملد	Additional Hauling Surcharge,			1 10 44 13-02	4811
11	Non-Hazardous Special Waste	Load	4	600,00	3400.00
40	Combination Concrete Curb and Gutter Removal			- 4-1	million ( An
14	Combination Concrete Curb and	L.F.	4882	7.00	34174,00
্ৰ বণ্ড	Gutter, Type M-4.12			25.00	in a sell Am
10	Combination Concrete Curb and	L.F.	522	20,00	13050.00
4.4	Gutter, Type B-4.12	L.F.	2072	24.00	25776,00
1.4	Combination Concrete Curb and	b.F.	1074	27,00	JO116,00
1.5	Gutter, Type B-6.0	L.F.	20	20.00	17/20 190
1.4	Combination Concrete Curb and	<b> -</b>	50	30,00	1200.00
18	Gutter, Type B-6.12	L,F.	479	34.00	11496.00
1 14	Lewisser Libbs Run'is	<b>1</b> ,√,	478	27.00	11470,00

	CIRCUMSTANCE OF THE PARTY OF TH
	 497116.88
Bidder's Proposal for making Entil	

item	ltems	Unit	Quantity	Unit Price	Total
No.	<u> </u>				
سم نے	Combination Concrete Curb and			no de la companya dela companya dela companya dela companya de la	2 CAR
	Gutter, Type B-6.12 Reinforced	L,F.	142	25,00	3550,00
	Combination Concrete Curb and		4	22 42	ه ده ده تاسیس
	Gutter, Type B-4.18	L.F.	1860	30,00	55800,00
. 1	Combination Concrete Curb and				C./ - A -
	Gutter, Type B-6.18	LF.	745	34.00 360.00 550.00	23840.00
	Manhole to be Adjusted	EA.	45	360,00	16 200,00
		EA.	35	550,00	19250,00
	Manhole to be Adjusted With				The Particular American Institution (1) in the Particular Control of t
	New Type 1 Frame and Closed				
22	Lid	EA.	1	600,00	600,00
23	Manhole to be Reconstructed	EA.	1	1000,00	1000,00
24	Inlet to be Adjusted	EA,	24	300,00	7200,00
	Inlet to be Adjusted With New				
		EA.	5	650,00	3250,00
	4	EA.	1	700.00	700.00
	Inlet, Type A, 24" With Salvaged		<u> </u>	100,00	100,00
.3	Frame and Grate	EA.	1	1200.00	1200.00
	Inlet, Type A, 24" With New Type		T .	1300.00	12000
	1 Frame and Grate	EA.	1	1400.00	1400,00
	Manhole, Type A, 48" With New	EA.	!	(700,00	7 70,00
				4000,00	4000.00
	Type 1 Frame and Grate	EA,	1	27000,00	7000.00
	Storm Sewer, Type 1, Ductile Iron			150.00	3000,00
OUR PROPERTY AND ADDRESS OF THE PARTY OF THE	Pipe, 10"	L.F.	20	130.00	
	Inlet Filters	EA.	5	100,00	500,00
	Inlet Filters Cleaning	EA.	5	40.00	200.00
	Hot-Mix Asphalt Surface			4	
	Removal, 2.0"	S.Y.	60261	2,00	130522,00
	Hot-Mix Asphalt Surface			4 2	.00
34	Removal, 2.5"	S.Y.	7563	2,50	18907,50
	Hot-Mix Asphalt Surface			CONTRACTOR OF THE CONTRACTOR O	
	Removal, Variable Depth, 2.0" to				4 0.0.
35	4.5"	S.Y.	16710	3,00	50 130,00
	Mixture For Cracks, Joints and				
	Flangeways	Ton	43	350,00	15050,00
	Portland Cement Concrete	,			
	Sidewalk Removal	s.F.	16225	2,00	32450,00
	Portland Cement Concrete	Notes to	( <del>V fin in the control of the contr</del>		<i>37</i> /30,-
20	Sidewalk, 5"	S.F.	13560	5.50	74580,00
	Portland Cement Concrete	AJDE's	19984		77360300
20	Sidewalk, 6"	S.F.	2055	6.00	111720 m
១១		O,F,		6,00	12/330,00
المري	Portland Cement Concrete	ex m	4 100	רות די	2 Ul JAn
	Sidewalk, 8"	S.F.	495	7,00	3465,00 30780.00
41	Detectable Warnings	S.F.	810	38,00	307x0.0V
	Decorative Paver Driveway	[		8 m . com 11	1 5-70 Az
	Removal and Replacement	S.Y.	55	125.00	6875,00
	Aggregate Shoulders, Type B	Ton	1381	50,00	69050,00
CONCRETE CONTRACTOR OF THE PARTY OF THE PART	Parkway Restoration	S.Y.	3790	8,00	30320,00
45	Supplemental Watering	Unit	4	80,00	320,00
	Temporary Ramp, Hot-Mix				
				A	7 6 6 . 4 A
46	Asphalt	S.Y.	72	25.00	1800,00

Bidder's Proposal for making	Entire Improvements	2497116.88

ltem No.	Items	Unit	Quantity	Unit Price	Total
	Hot-Mix Asphalt Driveway		A Committee of the Comm	44 - 44 - 44 - 44 - 44 - 44 - 44 - 44	The section of the se
48	Removal	s.y.	525	1,00	525.00
	Hot-Mix Asphalt Driveway				
	Pavement, 3"	S:Y.	376	54.00	20304.00
	Hot-Mix Asphalt Driveway				
	Pavement, 8"	S.Y.	149	115,00	17135,00
	Portland Cement Concrete				
51	Driveway Removal	S.Y.	717	18.00	12906,00
	Portland Cement Concrete				
52	Driveway Pavement, 6"	S.Y.	707	58.00	41006,00
	Portland Cement Concrete			ſ	1 Ca 0 a
	Driveway Pavement, 8"	S.Y.	10	68.00	680,00 4692,00
54	Detector Loop, Type 1	1.F: }	204	23,00	4692.00
	Short Term Pavement Marking,	A A A			
55		L.F.	314	1.00	314,00
e-a	Temporary Pavement Marking,			· [. A -	
	Letters and Symbols	S.F.	141	4.00	564,00
	Work Zone Pavement Marking				
5/	Removal	S.F.	83	10.00	830.00
20	Thermoplastic Pavement Marking			et cu	20.41.12
	Line, 4" Yellow	L.F.	4063	0,70	2844.10
	Thermoplastic Pavement Marking			/1 <sup></sup> 7 -	#517°5 629
	Line, 4" White	L.F.	490	0.70	343,00
	Thermoplastic Pavement Marking			1 0 6	والمصطف المستر ومستحده
עָטַ	Line, 6" White	L,F,	435	1.20	532.00
D.A	Thermoplastic Pavement Marking Line, 12" White			£ 19 m	1000 On
Q.1	Thermoplastic Pavement Marking	L,F.	284	1.70	483.80
وم	Line, 12" Yellow			170	23.60
	Thermoplastic Pavement Marking	L,F,	22	1.70	37.40
	Line, 24" White		8.88	20	in the
	Thermoplastic Pavement	L.F.	390	3,50	1365,00
	Marking, Letters and Symbols	5.		2 02	5 M 60
<b>₩</b>	Perimeter Erosion Barrier,	S.F.	109.2	3,28	354.90
	Špecial	L.F.		10.00	1 Ames An
	Erosion, Sedimentation and Dust	L.F.	600	10,00	6000,00
	Control		ا بر	(mi m)	1 Ama Am
	Construction Staking	L.S. L.S.		5000.00	5000,00
	Traffic Control, Maintenance of	L.O.	<u> </u>	5000.00	0000,00
	Traffic	L.S.	·«	198000,00	198000,00
***	э х = = 3.1 Б *W*	· E \		110000,00	170000,00
······································					and the second s
					Mark Paul Annual I I I I I I I I I I I I I I I I I I I
				WANG TO THE PROPERTY OF THE PR	4
	- AAA				
					AAA SAA AAA AAA AAA AAAA AAAA AAAA AAA
	Charles The Control of the Control o				A
			·		A
	The state of the s			TYPE TO THE TOTAL	

## **CONTRACTOR CERTIFICATIONS**

County	DuPage
Local Public Agency	Downers Grove
Section Number	15-00000-01-GM
Route	Various

The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder.

- 1. Debt Deliquency. The bidder or contractor or subcontractor, respectively, certifies that it is not delinquent in the payment of any tax administered by the Department of Revenue unless the individual or other entity is contesting, in accordance with the procedures established by the appropriate revenue Act, its liability for the tax or the amount of tax. Making a false statement voids the contract and allows the Department to recover all amounts paid to the individual or entity under the contract in a civil action.
- 2. **Bid-Rigging or Bid Rotating.** The bidder or contractor or subcontractor, respectively, certifies that it is not barred from contracting with the Department by reason of a violation of either 720 ILCS 5/33E-3 or 720 ILCS 5/33E-4.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

- 3. Bribery. The bidder or contractor or subcontractor, respectively, certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois or any unit of local government, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent, or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm.
- 4. Interim Suspension or Suspension. The bidder or contractor or subcontractor, respectively, certifies that it is not currently under a suspension as defined in Subpart I of Title 44 Subtitle A Chapter III Part 6 of the Illinois Administrative Code. Furthermore, if suspended prior to completion of this work, the contract or contracts executed for the completion of this work may be cancelled.

	County	DuPage
SIGNATURES	Local Public Agency	Downers Grove
with a state of the state of th	Section Number	15-00000-01-GM
	Route	Various
(lf an Individual)		
Signature of Bidder	Private Control of the Control of th	
Business Address		
1	A THE STATE OF THE	
(If a partnership)		
Firm Name		
Signed By	<u>.</u>	×
Business Address		
-		
		eee.
Inset Names and Addressed of All Partners		
inject Marties and Wordlessen of Wil Latrifiels		
(If a corporation)		
Corporate Name	J.A. JOHNSON PAVING CO.	
<b></b> v	Dan all	
Signed By	Cillery.	p <del>aide</del> nt
Duginna åddass	1025 E. ADDISON COURT	<del>politik</del>
Business Address	ARLINGTON HEIGHTS, IL 600	05
•		
President	DALE A. JOHNSON	
Insert Names of Officers  Secretary	MICHAEL R. TARPEY	
	A STATE OF THE PARTY OF THE PAR	
Treasurer	MICHAEL R. TARPEY	
		non build state
NI A A		
Attest: Yuckelof a		
Segretary / TREASURER		



Bureau of Construction 2300 South Dirksen Parkway/Room 322 Springfield, Illinois 62764 PAGE 1A
Affidavit of Availability
For the Letting of 4.21.15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

### Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show NONE.

	1	2	3	4	5	
Contract Number	61A52 (RIDGELAND)	CON I-13-4166	CON I-11-4019	60P11	60Y62	
Contract With	IDOT	LORIG	LORIG	TODI	IDOT	
Estimated Completion Date	8/15	5/16	5/15	7/15	7/15	
Total Contract Price	2,028,000.00	660,000.00	161,000.00	1,368,000.00	1,673,000.00	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	1,005,000.00			1,368,000.00	1,673,000.00	4,046,000.00
Uncompleted Dollar Value if Firm is the Subcontractor		660,000.00	45,000.00			705,000.00
				Total Value of Al	l Work	4,751,000.00

#### Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work subcontracted to others will be listed on the reverse company. If no work is contracted, show NONE.	of this form. In a joint	venture, list only that	at portion of the work	to be done by your	iik	Accumulated Totals
Earthwork	3,000.00			10,000.00	20,000.00	33,000.00
Portland Cement Concrete Paving						0.00
HMA Plant Mix	501,000.00	608,000.00	45,000.00	942,000.00	742,000.00	2,838,000.00
HMA Paving						0.00
Clean & Seal Cracks/Joints	ŀ					0.00
Aggregate Bases & Surfaces				4,000.00	77,000.00	81,000.00
Highway,R.R. and Waterway Structures						0.00
Drainage						0.00
Electrical						0.00
Cover and Seal Coats						0.00
Concrete Construction						0.00
Landscaping						0.00
Fencing						0.00
Guardrail						0.00
Painting						0.00
Signing		-				0.00
Cold Milling, Planning & Rotomilling	82,000.00	18,000.00		167,000.00	124,000.00	391,000.00
Demolition						0.00
Pavement Markings (Paint)						0.00
Other Construction (List) - patching	6,000.00	34,000.00		53,000.00	423,000.00	516,000.00
RAILROAD INSURANCE						0.00
						0.00
Totals	592,000.00	660,000.00	45,000.00	1,176,000.00	1,386,000.00	3,859,000.00

Disclosure of this information is REQUIRED to accomplish the statutory purpose as outlined in the "Illinois Procurement Code". Failure to comply will result in non-issuance of an "Authorization To Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

PAGE 1B

For each contract described in Part I, list all the work you have subcontracted to others.

	1	2	3	4	5
Subcontractor	RULAS			HAWK	HAWK
Type of Work	CONCRETE			ELEC	ELEC
Subcontract Price	411,000.00			31,000.00	3,000.00
Amount Uncompleted	206,000.00			31,000.00	3,000.00
Subcontractor	WORK ZONE			RAI	HWY SFTY
Type of Work	TRAFF CONT			CONCRETE	TRAFF CONT
Subcontract Price	64,000.00			34,000.00	102,000.00
Amount Uncompleted	32,000.00			34,000.00	102,000.00
Subcontractor	NORRIDGE			MFD	MARK SPL
Type of Work	SEWER			SEWER	PVMT MARK
Subcontract Price	121,000.00			25,000.00	78,000.00
Amount Uncompleted	60,000.00			25,000.00	78,000.00
Subcontractor	SUPERIOR RD STRIPE			D2K	CSD
Type of Work	PVMT MARK			TRAFF & STRIPE	SPL WASTE
Subcontract Price	126,000.00	,		91,000.00	12,000.00
Amount Uncompleted	63,000.00			91,000.00	12,000.00
Subcontractor	TNT			TBD	ELITE
Type of Work	LNDSCPE			LNDSCPE	SAWING
Subcontract Price	19,000.00		-	7,000.00	92,000.00
Amount Uncompleted	9,000.00			7,000.00	92,000.00
Subcontractor	HOME TOWN			TBD	
Type of Work	ELEC			SEWER CLEAN	-
Subcontract Price	86,000.00			4,000.00	
Amount Uncompleted	43,000.00			4,000.00	
Subcontractor	C3			,	
Type of Work	LAYOUT				
Subcontract Price	18,000.00				
Amount Uncompleted	0.00				
Total Uncompleted	413,000.00	0.00	0.00	192,000.00	287,000.0

I, being duly sworn, do hereby declare this affidavit is a true and correct statement relating to ALL uncompleted contracts of the undersigned for Federal, State, County, City and private work, including ALL subcontract work, ALL pending low bids not yet awarded or rejected and ALL estimated completion dates

Subscribed and sworn to before me			
this day of	, 20	=	
		Type or Print Name DALE A. JOHNSON, PRESIDENT Officer or Director	Title
Notary Public		Signed	
My commission expires:			
<del>,</del>		Company J.A. JOHNSON PAVING CO	
(Notary Seal)		Address 1025 E. ADDISON COURT	
		ARLINGTON HEGHTS, IL 60005	`

Illinois Department of Transportation

PAGE 2A

Affidavit of Availability

For the Letting of

"Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

(Letting date)

Instructions: Complete this form by either typing or using black ink.

Bureau of Construction 2300 South Dirksen Parkway/Room 322 Springfield, Illinois 62764

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show NONE.

contracted, show NONE.	AWAKU PENDING	7	8	9	10	
Contract Number	60Y55					
Contract With	IDOT					
Estimated Completion Date	8/15					
Total Contract Price	5,481,000.00	-				Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	5,481,000.00	0.00	0.00	0.00	0.00	9,527,000.00
Uncompleted Dollar Value if Firm is the Subcontractor						705,000.00
		•		Total Value of All	Work	10,232,000.00

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work Subcontracted to others will be listed on the revers	e of this form. In a joir	awards pending to t nt venture, list only th	be completed with you hat portion of the wor	iur own torces. All w rk to be done by you	rark r	Accumulated
company. If no work is contracted, show NONE.						Totals
Earthwork	4,000.00					37,000.00
Portland Cement Concrete Paving						0.00
HMA Plant Mix	3,688,000.00					6,526,000.00
HMA Paving						0.00
Clean & Seal Cracks/Joints						0.00
Aggregate Bases & Surfaces						81,000.00
Highway,R.R. and Waterway Structures						0.00
Drainage						0.00
Electrical						0.00
Cover and Seal Coats						0.00
Concrete Construction						0.00
Landscaping						0.00
Fencing						0.00
Guardrail						0.00
Painting						0.00
Signing						0.00
Cold Milling, Planning & Rotomilling	679,000.00					1,070,000.00
Demolition						0.00
Pavement Markings (Paint)					. "	0.00
Other Construction (List) - patching	169,000.00					685,000.00
			•		. •	0.00
						0.00
Totals	4,540,000.00	0.00	0.00	0.00	0.00	8,399,000.00

Disclosure of this information is REQUIRED to accomplish the statutory purpose as outlined in the "Illinois Procurement Code". Failure to comply will result in non-issuance of an "Authorization To Bid." This form has been approved by the State Forms Management Center.

## Part III. Work Subcontracted to Others

PAGE 2B

For each contract described in Part I, list all the work you have subcontracted to others.

	6	7	8	9	10
Subcontractor	TBD				
Type of Work	TRAFF CONT				·
Subcontract Price	186,000.00				
Amount Uncompleted	186,000.00				
Subcontractor	TBD				
Type of Work	CONCRETE				
Subcontract Price	290,000.00				
Amount Uncompleted	290,000.00				٠.
Subcontractor	TBD				
Type of Work	SEWER				·
Subcontract Price	171,000.00				
Amount Uncompleted	171,000.00			-	
Subcontractor	TBD				
Type of Work	PVMT MARK				
Subcontract Price	153,000.00				
Amount Uncompleted	153,000.00				
Subcontractor	TBD				
Type of Work	ELECTRIC				
Subcontract Price	117,000.00		-		
Amount Uncompleted	117,000.00				
Subcontractor	TBD				
Type of Work	SPL WASTE				
Subcontract Price	6,000.00				
Amount Uncompleted	6,000.00				
Subcontractor	TBD				
Type of Work	LNDSCPE				
Subcontract Price	18,000.00				
Amount Uncompleted	18,000.00				
Total Uncompleted	941,000.00	0.00	0.00	0.00	0.00

I, being duly sworn, do hereby declare this affidavit is a true and correct statement relating to ALL uncompleted contracts of the undersigned for Federal, State, County, City and private work, including ALL subcontract work, ALL pending low bids not yet awarded or rejected and ALL estimated completion dates

Subscribed and sworn to before me		
this 215th April 2015.		
Ty,	pe or Print Name DALE A. JOHNSON, PRESIDENT	
	Officer or Director	Title
Notary-Public	Signed (186)	
My commission expires:		
	Company J.A. JOHNSON PAVING CO	
(Notary Sea) OFFICIAL SEAL	Address 1025 E. ADDISON COURT	
PATRICIA A VICERE	ARLINGTON HEIGHTS, IL 60005	
NOTARY PUBLIC - STATE OF ILLINOIS MY COMMISSION EXPIRES:04/26/17		



# Local Agency Proposal Bid Bond

RETURN WITH BID	County DuPage Local Agency Village of Downers Grove	<del></del>
***************************************	Jacob Agana, Village of Downers Grove	
PAPER BID BONI	Eccal Adency Village of Downers Crove	₹
PAPER BID BONI	Section 15-00000-01-GM	_
		_
WE J. A.Johnson Paving Company 1025 E	. Addison Court, Arlington Heights, IL 60005 as PRINCIPAL	L,
	erican Lane, Tower I, 18th shaumburg, IL 60196-1056 as SURETY.	
are held jointly, severally and firmly bound unto the above Local Agency (hereafter the amount specified in the proposal documents in effect on the date of invitation fo executors, administrators, successors, and assigns, jointly pay to the LA this sum t	or bids whichever is the lesser sum. We bind ourselves, our heirs,	or
WHEREAS THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH to through its awarding authority for the construction of the work designated as the at		ting
THEREFORE if the proposal is accepted and a contract awarded to the PRINC shall within fifteen (15) days after award enter into a formal contract, furnish surety of the required insurance coverage, all as provided in the "Standard Specifications Specifications, then this obligation shall become vold; otherwise it shall remain in fi	guaranteeing the faithful performance of the work, and furnish evider for Road and Bridge Construction* and applicable Supplemental	
IN THE EVENT the LA determines the PRINCIPAL has failed to enter into a for preceding paragraph, then the LA acting through its awarding authority shall immer with all court costs, all attorney fees, and any other expense of recovery.		er
IN TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have respective officers this 21st day of April,	caused this instrument to be signed by their2015	
Principa	ık	
I. A. Johnson Paving Company		
(Company Name)	(Company Name)	
By: Dalling Drank By:		
Dale A. Johnson President (TSignature and Title)	(Signature and Title)	
(If PRINCIPLE is a joint venture of two or more contractors, the company name	s, and authorized signatures of each contractor must be affixed.	
Surety	11 -1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	) V
Fidelity and Deposit Company of Maryland By:	Wall far sur	
(Name of Surety)	William Reidinger	
STATE OF Illinois		r e
COUNTY OF DuPage	e in and for said county,	\$***
	William Reidinger	$\frac{3}{2} = \frac{2}{3}$
to hereby certify that Dale A. Johnson and	s signing on behalf of PRINCIPAL & SURETY)	MAN A
who are each personally known to me to be the same persons whose names are s SURETY, appeared before me this day in person and acknowledged respectively, voluntary act for the uses and purposes therein set forth.	subscribed to the foregoing instrument on behalf of PRINCIPAL and	Commissio
Given under my hand and notarial seal this 21st	day of April, 2015	₹ 9 ₹
My commission expires June 27, 2016	Rebecca P. Alver	Expires
•	Rebecca R. Alves (Notary Public)	
ELECTRONIC BIL		₹ <u>8</u> 9
Electronic bid bond is allowed (box must be checked by LA if electronic bid bond, in lieu of completing the	e above section of the Proposal Bid Bond Form. By providing ng the identified electronic bid bond has been executed and ns of the bid bond as shown above. (If PRINCIPAL is a joint	2 3 :
the Principal and Surety are firmly bound unto the LA under the condition venture of two or more contractors, an electronic bid bond ID code, compontractor in the venture.)	•	
the Principal and Surety are firmly bound unto the LA under the condition venture of two or more contractors, an electronic bid bond ID code, comp		
the Principal and Surety are firmly bound unto the LA under the condition venture of two or more contractors, an electronic bid bond ID code, comp	(Company/Bidder Name)	

Bond Number: Bid Bond	
Obligee: Village of Downers Grove	

#### ZURICH AMERICAN INSURANCE COMPANY COLONIAL AMERICAN CASUALTY AND SURETY COMPANY FIDELITY AND DEPOSIT COMPANY OF MARYLAND POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That the ZURICH AMERICAN INSURANCE COMPANY, a corporation of the State of New York, the COLONIAL AMERICAN CASUALTY AND SURETY COMPANY, a corporation of the State of Maryland, and the FIDELITY AND DEPOSIT COMPANY OF MARYLAND a corporation of the State of Maryland (herein collectively called the "Companies"), by Geoffrey Delisio, Vice President, in pursuance of authority granted by Article V, Section 8, of the By-Laws of said Companies, which are set forth on the reverse side hereof and are hereby certified to be in full force and effect on the date hereof, do hereby nominate, constitute, and appoint William Reidinger

its true and lawful agent and Attorney-in-Fact, to make, execute, seal and deliver, for, and on its behalf as surety, and as its act and deed: any and all bonds and undertakings, and the execution of such bonds or undertakings in pursuance of these presents, shall be as binding upon said Companies, as fully and amply, to all intents and purposes, as if they had been duly executed and acknowledged by the regularly elected officers of the ZURICH AMERICAN INSURANCE COMPANY at its office in New York, New York., the regularly elected officers of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND at its office in Owings Mills, Maryland, in their own proper persons.

The said Vice President does hereby certify that the extract set forth on the reverse side hereof is a true copy of Article V, Section 8, of the By-Laws of said Companies, and is now in force.

IN WITNESS WHEREOF, the said Vice-President has hereunto subscribed his/her names and affixed the Corporate Seals of the said ZURICH AMERICAN INSURANCE COMPANY, COLONIAL AMERICAN CASUALTY AND SURETY COMPANY, and FIDELITY AND DEPOSIT COMPANY OF MARYLAND, this 17th day of May \_\_\_\_\_\_\_, A.D. 2012 \_.

ATTEST:

ZURICH AMERICAN INSURANCE COMPANY COLONIAL AMERICAN CASUALTY AND SURETY COMPANY FIDELITY AND DEPOSIT COMPANY OF MARYLAND







By. \_\_\_\_\_Burley

Assistant Secretary Gerald F. Haley Vice President Geoffrey Delisio

State of Maryland County of Baltimore

On this 17th day of May , A.D. 2012 , before the subscriber, a Notary Public of the State of Maryland, duly commissioned and qualified, Geoffrey Delisio, Vice President and Gerald F. Haley, Assistant Secretary of the Companies, to me personally known to be the individuals and officers described in and who executed the preceding instrument, and acknowledged the execution of same, and being by me duly sworn, deposeth and saith, that he/she is the said officer of the Company aforesaid, and that the seals affixed to the preceding instrument are the Corporate Seals of said Companies, and that the said Corporate Seals and the signature as such officer were duly affixed and subscribed to the said instrument by the authority and direction of the said Corporations.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal the day and year first above written.

Constance a. Dunn

Constance A. Dunn, Notary Public My Commission Expires: July 14, 2015



#### **EXTRACT FROM BY-LAWS OF THE COMPANIES**

"Article V, Section 8, <u>Attorneys-in-Fact</u>. The Chief Executive Officer, the President, or any Executive Vice President or Vice President may, by written instrument under the attested corporate seal, appoint attorneys-in-fact with authority to execute bonds, policies, recognizances, stipulations, undertakings, or other like instruments on behalf of the Company, and may authorize any officer or any such attorney-in-fact to affix the corporate seal thereto; and may with or without cause modify of revoke any such appointment or authority at any time."

#### **CERTIFICATE**

I, the undersigned, Vice President of the ZURICH AMERICAN INSURANCE COMPANY, the COLONIAL AMERICAN CASUALTY AND SURETY COMPANY, and the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, do hereby certify that the foregoing Power of Attorney is still in full force and effect on the date of this certificate; and I do further certify that Article V, Section 8, of the By-Laws of the Companies is still in force.

This Power of Attorney and Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of the ZURICH AMERICAN INSURANCE COMPANY at a meeting duly called and held on the 15th day of December 1998.

RESOLVED: "That the signature of the President or a Vice President and the attesting signature of a Secretary or an Assistant Secretary and the Seal of the Company may be affixed by facsimile on any Power of Attorney...Any such Power or any certificate thereof bearing such facsimile signature and seal shall be valid and binding on the Company."

This Power of Attorney and Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of the COLONIAL AMERICAN CASUALTY AND SURETY COMPANY at a meeting duly called and held on the 5th day of May, 1994, and the following resolution of the Board of Directors of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND at a meeting duly called and held on the 10th day of May, 1990.

RESOLVED: "That the facsimile or mechanically reproduced seal of the company and facsimile or mechanically reproduced signature of any Vice-President, Secretary, or Assistant Secretary of the Company, whether made heretofore or hereafter, wherever appearing upon a certified copy of any power of attorney issued by the Company, shall be valid and binding upon the Company with the same force and effect as though manually affixed.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seals of the said Companies, this \_21st \_\_day of \_\_April \_\_,2015







Thomas O. McClellan, Vice President

The o. michill



## Apprenticeship or Training Program Certification

Route Various Return with Bid County \_DuPage\_\_ Local Agency Downers Grove Section \_15-00000-01-GM\_ All contractors are required to complete the following certification: □ For this contract proposal or for all groups in this deliver and install proposal. For the following deliver and install groups in this material proposal: Illinois Department of Transportation policy, adopted in accordance with the provisions of the Illinois Highway Code, requires this contract to be awarded to the lowest responsive and responsible bidder. The award decision is subject to approval by the Department. In addition to all other responsibility factors, this contract or deliver and install proposal requires all bidders and all bidders' subcontractors to disclose participation in apprenticeship or training programs that are (1) approved by and registered with the United States Department of Labor's Bureau of Apprenticeship and Training, and (2) applicable to the work of the above indicated proposals or groups. Therefore, all bidders are required to complete the following certification: Ĺ Except as provided in paragraph IV below, the undersigned bidder certifies that it is a participant, either as an individual or as part of a group program, in an approved apprenticeship or training program applicable to each type of work or craft that the bidder will perform with its own employees. 11, The undersigned bidder further certifies for work to be performed by subcontract that each of its subcontractors submitted for approval either (A) is, at the time of such bid, participating in an approved, applicable apprenticeship or training program; or (B) will, prior to commencement of performance of work pursuant to this contract, establish participation in an approved apprenticeship or training program applicable to the work of the subcontract.

The undersigned bidder, by inclusion in the list in the space below, certifies the official name of each program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's employees. Types of work or craft that will be

subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or

SUBCONTRACTORS...A/EQUIPEMENT OPERATORS, B/TEAMSTERS, C/LABORERS, D/CEMENT MASONS, E/ELECTRICIANS

J.A. JOHNSON PAVING CO...A/EQUIPMENT OPERATORS, LOCAL 150, B/TEAMSTERS, LOCAL 731, C/LABORERS, CHICAGOLAND

craft job category for which there is no applicable apprenticeship or training program available.

111.

AND VICINITY DISTRICT COUNCIL

F/IRON WORKERS AND G/CARPENTERS

IV.	contract or deliver and install proposal solely by indiv	ubcontractor that shall perform all or part of the work of the ridual owners, partners or members and not by employees to ld be required, check the following box, and identify the c.
certifica and sha listed. Certifica and any applical	ation provision to be included in all approved subcontra all make certain that each type of work or craft job cate The Department at any time before or after award ma- ate of Registration issued by the United States Depart or all of its subcontractors. In order to fulfill the partic	ment of Labor evidencing such participation by the contractor cipation requirement, it shall not be necessary that any ake applications for apprenticeship, training or employment
Bidder:	J.A. JOHNSON PAVING CO.	By: Dule al
Addres	S', 1025 E. ADDISON COURT	(Signature) Title: DALE A. JOHNSON, PRESIDENT
	ARLINGTON HEIGHTS, IL 60005	



# Affidavit of Illinois Business Office

				Loc	al Public Section I	Agency Vumber	DuPage Downers G 15-00000-0 Various	irove 01-GM
State of	ILLINOIS	)			•			
County of	соок	):	55.					
<b>I</b> ,D/	ALE A. JOHNSON	of	ARLING	TON HE				ILLINOIS
heina firet d	(Name of Affian	oath, states as fo	llavies	(C	ty of Affiant)			(State of Affiant
1. That		PRESIDENT  officer or posi			_ of	J.A.	JOHNSON PAV	
2. That	have personal	knowledge of the		rein st	ated.			eri
3. That,	if selected und	er this proposal,		J.A. JOH	NSON PAVI			_ , will maintain a
huningen	office in the Ct	ate of Illinois whic	حما الثرييط		(bidd) t	•	OK	County, Illinois.
4. That const	this business of ruction contem	fice will serve as plated by this prop	the prima oosal.	ıry plad	e of emp	vided in	Section 30-2	cons employed in the 22(8) of the Illinois
This instrum	nent was ackno	wledged before m	e on	21ST	day of _		A. JOHNSON, PI (Print N	ame of Affiant)
(SEAL)		OFFICIAL S RICHARD J R NOTARY PUBLIC - STAT MY COMMISSION EXPI	ossi	S S			Zeel (Signature	Messi of Notary Public)

MOT 2015-6201 Page 160 of 161

# 2015 ROADWAY MAINTENANCE PROGRAM STREETS ESTIMATED TO BE RESURFACED STREET RESURFACING (PHASE I)

STREET	FROM	ТО		
40TH ST	W. OF MORTON	E. OF SEELEY		
41ST ST	SARATOGA AVE	MAIN ST		
AUBREY TERRACE	MAPLE AVE	S. CUL DE SAC		
BIRCH AVE	WASHINGTON ST	ELM ST		
BRYAN PL	PRAIRIE AVE	ROGERS ST		
CAROL ST	LACEY RD	LEE ST		
CORNELL AVE	S. OF CURTISS ST	GILBERT AVE		
CURTISS ST	BELMONT RD	CORNELL AVE		
DOWNERS DR	OGDEN AVE	HERBERT ST		
FOREST AVE	HAVENS CT	41ST ST		
FRANKLIN ST	MAIN ST	WASHINGTON ST		
GLENVIEW AVE	CURTISS ST	HITCHCOCK ST		
HAVENS CT	FOREST AVE	MAIN ST		
HERBERT ST	W. OF MORTON AVE	E. OF SEELEY AVE		
HIGHLAND AVE	ROGERS ST	PRAIRIE AVE		
HITCHCOCK AVE	BELMONT RD	CORNELL AVE		
JANET ST	LACEY RD	BELLE AIRE LN		
LEE AVE	OGDEN AVE	N. OF VIRGINIA ST		
LINCOLN ST	MAIN ST	WASHINGTON ST		
MORTON AVE	40TH ST	HERBERT ST		
NORTHCOTT AVE	JANET ST	40TH ST		
OTIS AVE	DOUGLAS RD	FAIRVIEW AVE		
PLYMOUTH ST	S. OF JEFFERSON AVE	MAPLE AVE		
SEELEY AVE	40TH ST	HERBERT ST		
THORNWOOD DR	PLYMOUTH RD	DUNHAM RD		
VIRGINIA ST	LEE ST	BELLE AIRE LN		

MOT 2015-6201 Page 161 of 161

# 2015-2019 Capital Project Sheet

Project # ST-004

## **Project Description**

## **Roadway Maintenance Program**

### Project summary, justification and alignment to Strategic Plan

Capital and Motor Fuel Tax funds are used for ongoing annual maintenance of the Village's 160 miles of streets. Projects are designed to utilize various processes such as crack seals, pavement seals and resurfacing with new asphalt. The funding listed as 'Other/Miscellaneous' is for asphalt purchased and rental of equipment, such as a grinder to be used by Public Works Streets Division for various patching operations during the year.

	0000	usus,					Future	
Cost Summary	New Maintenance Repl.	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	Future Years	TOTAL
Professional Services		75,000	80,000	80,000	85,000	85,000		405,000
Land Acquisition								-
Infrastructure	Χ	2,765,000	4,470,000	4,560,000	4,650,000	4,750,000		21,195,000
Building								-
Machinery/Equipment								-
Other/Miscellaneous	Χ	115,000	120,000	120,000	125,000	125,000		605,000
TOTAL COST		2,955,000	4,670,000	4,760,000	4,860,000	4,960,000	-	22,205,000
Funding Source(s)								
220-Capital Improvements Fund	•	1,825,000	3,540,000	3,630,000	3,730,000	3,830,000		16,555,000
102-MFT	•	1,130,000	1,130,000	1,130,000	1,130,000	1,130,000		5,650,000
	-							-
	•							-
TOTAL FUNDING SOURCE	S	2,955,000	4,670,000	4,760,000	4,860,000	4,960,000	-	22,205,000

Project status and completed work

Annual Program.

Grants (funded or applied for) related to the project.

Impact-annual operating expenses	FY 2015	FY 2016	FY 2017	FY 2018	FY 2019	Future Yrs	TOTAL
Projected Operating Expense Impact:							-

The maintenance scheduled will increase the life of the pavement. Deferral of work will significantly increase future maintenance costs.

#### Map/Pictures of Project



Program:

Priority Score

Α

Project Manager:

342

Department:

Scott Barr

Public Works