

VILLAGE OF DOWNERS GROVE
Report for the Village Council Meeting
7/7/2015

SUBJECT:	SUBMITTED BY:
Roadway Reconstruction, Resurfacing & Watermain Replacement Project; Maple, Wilcox, Florence and Burlington Avenues	Nan Newlon Director of Public Works

SYNOPSIS

A motion is requested to award a contract for the Maple Avenue Roadway Reconstruction to A Lamp Concrete Contractors, Inc. of Schaumburg, Illinois in the amount of \$1,729,127.73.

STRATEGIC PLAN ALIGNMENT

The goals for 2011 to 2018 include *Top Quality Infrastructure*.

FISCAL IMPACT

The FY15 budget includes a total amount of \$1,855,000 for this project in the following funds:

- \$1,095,000 in the Capital Projects Fund
- \$760,000 in the Water Fund.

RECOMMENDATION

Approval on the July 14, 2015 consent agenda.

BACKGROUND

This project is a reconstruction project for Maple Avenue as well as a maintenance project for the street, stormwater and water systems on Maple and nearby streets. The scope of this project includes:

Maple Avenue from Fairview to Cumnor:

- Roadway reconstruction (including new pavement and curb & gutter)
- Storm sewer replacement
- Water main replacement
- Driveway apron replacements

Florence from Burlington to Maple, and Wilcox Ave from Burlington to Maple:

- Street resurfacing
- Water main replacement

Burlington Ave from Fairview to Cumnor:

- Street resurfacing

A Call for Bids (CFB) was issued and published in accordance with the Village's Purchasing Policy. Four bids were received by the due date of June 17, 2015. A synopsis of the bids is as follows:

Contractor	Total Bid
A Lamp Concrete Contractors, Inc.	\$ 1,729,127.73
Archon Construction Co., Inc.	\$ 1,743,750.33
Austin Tyler Construction, Inc.	\$ 1,887,440.40
Swallow Construction Corp.	\$ 2,159,242.25

Staff recommends award of the bid contract to A Lamp Concrete Contractors, Inc. A Lamp has successfully completed subdivision reconstruction projects for the Village in 2012, 2013, and 2014 including the Valley View Subdivision, Concord Unit 2, Oak Grove Unit 3, Brook and Centre and is currently contracted by the Village on Orchard Brook East Roadway Reconstruction. A Lamp Concrete Contractors, Inc. has also satisfactorily completed various projects for other local municipalities, including road replacement and underground utilities for the communities of Bartlett, Bloomingdale, and Lombard.

ATTACHMENTS

Memo Dated June 15, 2015 Regarding Florence Avenue Project
Contract Document
Contractor Evaluations

Memorandum

To: Mayor & Council
From: David Fieldman, Village Manager
Re: Florence Avenue - Response to Resident Requests
Date: June 15, 2015

At least four residents on Florence Avenue have contacted the Village Council with concerns about the condition of the existing ditches, the erosion of the gravel shoulder, the concrete structure that exists near a driveway apron, safety issues and the general appearance of the street. These residents have requested that the Village address these concerns as part of the Maple Avenue Reconstruction Project. They have specifically requested that the Village construct curb and gutter along Florence Avenue.

This report:

- Summarizes the Project Scope
- Details the Project Budget, Schedule and Status
- Provides Information about the Recent Neighborhood Meeting
- Outlines the Existing Conditions on Florence Avenue
- Explains the Changes Made to the Plans Based on Resident Input
- Shows the Impacts to the Project of Adding Curb and Gutter, Widening the Pavement and Constructing Ribbon Curb

Changing the scope of the project to include the construction of curb and gutter along Florence Avenue would:

- Increase the project cost by \$220,000 or more
- Delay the project until next year
- Require the construction of a storm sewer system in the parkway
- Potentially require additional stormwater management improvements (Best Management Practices or BMPs)
- Require re-grading of the parkways (steep grades likely in certain areas)
- Require replacement of all driveway aprons

For additional information, see page 5.

Project Scope

The project is known as the Maple Avenue Reconstruction. This project consists of the following:

Maple Avenue from Fairview to Cumnor

- roadway reconstruction (including new pavement and curb & gutter)
- storm sewer replacement
- water main replacement
- driveway apron replacements

Florence from Burlington to Maple, and Wilcox Ave from Burlington to Maple

- street resurfacing
- water main replacement

Burlington Ave from Fairview to Cumnor

- street resurfacing

Construction will consist of installation of all storm sewer and water main first. After storm sewers and watermains are complete, existing curbs will be removed and replaced followed by removal of the existing road or milling of the asphalt surface. Once the excavation/surface removal is completed, the road will be installed/repaved, aggregate shoulders replaced, and then all parkways will be resodded.

Project Budget, Schedule and Status

The overall budget for this project is \$1,855,000. The current engineer's estimate is \$1,751,350.

Construction is scheduled to begin in July and conclude in October. The final engineering plans have been completed and a Call for Bids was issued on Wednesday, June 3rd. Bids are due on Wednesday, June 17th.

The Village Council will consider the award of the construction contract at the first or second Council meeting in July.

Neighborhood Meeting

The first neighborhood meeting was held on 4/29/15 at the Public Works Building. A meeting notice was mailed to 149 residents and businesses in and around the project area. A total of four residents attended the meeting, two who live within the project area. Staff presented a powerpoint presentation on the scope of the proposed improvements. One resident noted that an existing drainage issue near the intersection of Florence and Burlington and requested that curb and gutter be added to Florence Avenue with the project. A resident from Maple Avenue inquired about coordinating improvements he plans to make to his driveway. Subsequent

telephone calls staff have received include access for businesses during construction and repair of a collapsed sanitary sewer structure.

A second neighborhood meeting will be scheduled prior to the start of construction to provide information to residents and businesses about what to expect during construction.

Existing Conditions

Florence does not have curb and gutter and is drained with ditches and culverts. The ditches along this section of Florence are in good condition, with the exception of the most southern portion, on the east side of the street (shown in red below).



The stormwater runoff from the north and from the west drains to this portion of the ditch, before being collected and drained across the street and eventually to the east and south across the BNSF tracks. Because of the large amount of runoff, the stone shoulder along this section of the street has eroded and caused the pavement to be uneven.

Response to Resident Concerns

In response to resident concerns, the following changes were made to the construction plans:

- Construct a concrete shoulder along the south section of Florence,
- Work with the property owner to remove the concrete structure

- Extend the sidewalk on the east side of Florence where it connects with Burlington

To better stabilize this area the plans call for the construction of a concrete shoulder along this section of Florence, as part of the resurfacing project. The shoulder would extend from the apron of the most southern driveway to the end of the corner on Burlington. The proposed shoulder is shown in red on the photograph below. The sidewalk would also be extended as shown in blue, to match the crosswalk on the south side of Burlington. Both sidewalk extensions would include ADA compliant ramps.



Concern was also expressed about a concrete drainage structure that was constructed in the right-of-way (see photo below). This structure is associated with a private driveway culvert. Staff is evaluating the structure to determine if it poses a safety hazard and will work with the property owner if it is determined it needs to be removed.



Impact of Adding Curb & Gutter to the Project

If the project scope were changed to include the construction of curb and gutter along Florence, it would have the following likely impacts:

- Increase Project Cost by an Estimated \$220,000 - This is merely a conceptual estimate, though, and could change upon the preparation of an actual design.
- Construction of a Storm Sewer System in the Parkway - The existing conditions do not lend themselves well to the addition of curb & gutter. Most of the homes and yards are below the street level, and as such a redundant storm sewer system, with inlets in both the gutter line and in the parkways behind the curb, would likely need to be constructed.
- Potential Construction of Additional Stormwater Management Improvements - Until a detailed design is performed, it is difficult to determine whether or not any additional stormwater management improvements, such as detention or post-construction BMP's, would be required. Additional stormwater management improvements would add cost to the project, beyond the estimate above.
- Re-Grading of Parkways and Potential Reconstruction of Portions of Pavement - The road is not centered in the right-of-way and moves eastward as it goes from south to north. In addition, it is not a uniform width. With curb & gutter, relatively straight lines and grades need to be set, along with a uniform pavement width, which creates significantly more ancillary work, such as the complete re-grading and restoration of

the parkways. Depending on the final design, it could also require the reconstruction of portions of the pavement.

- Removal of Gravel Shoulders - The existing gravel "parking" areas would need to be removed.
- Replacement of Driveway Aprons - All driveway aprons would likely need to be replaced.
- Delay the Project until Next Year - This project is currently out to bid. If curb & gutter were added the Florence Avenue section would need to be removed from the project and bid with next year's watermain projects. An alternate approach would be to delay the entire project until next year.
- Additional Neighborhood Meeting - This significant change in project scope would likely require another public meeting since it's such a large scope change.

Impact of Widening the Street

Widening of Florence Ave. would increase the project cost and would delay at least this section of the project until next year.

The current right of way (ROW) width of Florence between Maple and Burlington is 66 feet and the street width is approximately 20 feet. The width of Florence Ave. from Maple to Chicago Ave. varies from 20 to 22 feet. The width of Florence Avenue south of the BNSF tracks is approximately 24 feet.

Between Maple and Burlington, the street is not centered within the ROW, and is offset to the east. If it were to be widened, it would make sense to widen to the west, and leave the east pavement line at its current location. Widened to 24', which would provide two 12 foot wide lanes, would require the addition of 4 feet of pavement, regrading and reconstructing the ditches on the west side of the street, and replacing the driveway aprons. The additional paving of 2800 square feet would also require the addition of stormwater detention and water quality features, which could possible be incorporated with the addition of over-sized storm sewers that would temporarily store water. This would need to be verified during the development of engineering plans.

Impact of Constructing Ribbon Curbs

Constructing ribbon curb along Florence Ave. would increase the project cost by an estimated \$160,000 or more and would delay at least this section of the project until next year.

Adding ribbon curb (or concrete shoulder) would likely necessitate the need for ditch grading, driveway apron and culvert replacement, and significantly more parkway restoration. Depending on the final design, it could require the reconstruction of portions of the pavement.

To replace the culverts, the ditches would likely need to get slightly deeper than they are currently. Unless the road is completely reconstructed in the center of the right-of-way, the space between the sidewalk and edge of pavement is tight in some locations, so grading

ditches at a 3:1 slope or less may be difficult. This would need to be further analyzed in a preliminary design to truly understand the impacts.

The project cost would increase by at least \$160,000. This is merely a conceptual estimate, though, and could change upon the preparation of an actual design.

It is likely that Florence would need to be removed from the project and bid with next year's watermain projects.

The additional paving may also require the addition of stormwater detention and water quality features.



CALL FOR BIDS – FIXED WORKS PROJECT

- I. Name of Company Bidding: A Lamp Concrete Contractors, Inc.
- II. Instructions and Specifications:
- A. Bid No.: ST-044
 - B. For: MAPLE AVENUE ROADWAY RECONSTRUCTION
 - C. Bid Opening Date/Time: WEDNESDAY, JUNE 17, 2015 @ 9:00AM
 - D. Pre-Bid Conference Date/Time: WEDNESDAY JUNE 10, 2015 @ 9:00AM (OPTIONAL)
 - E. Pre-Bid Conference Location: PUBLIC WORKS BUILDING, 5101 WALNUT AVE., DOWNERS GROVE, IL 60515
 - F. CONTRACT DOCUMENTS FOR PICKUP AT THE PUBLIC WORKS BUILDING, 5101 WALNUT AVE, DOWNERS GROVE, IL 60515
- III. Required of All Bidders:
- A. Bid Deposit: 5%
 - B. Letter of Capability of Acquiring Performance Bond: YES
- IV. Required of Awarded Contractor(s)
- A. Performance Bond or Letter of Credit: YES
 - B. Certificate of Insurance: YES

Legal Advertisement Published: WEDNESDAY, JUNE 3, 2015

This document comprises 82 pages

RETURN ORIGINAL BID IN SEALED ENVELOPE MARKED WITH THE BID NUMBER AS NOTED ABOVE TO:

NATHANIEL HAWK
 STAFF ENGINEER II
 VILLAGE OF DOWNERS GROVE
 5101 WALNUT AVENUE
 DOWNERS GROVE, IL 60515
 PHONE: 630/434-5467
 FAX: 630/434-5495
www.downers.us

Village of Downers Grove

CALL FOR BIDS – FIXED WORKS PROJECT**Bid No.:** ST-044

The VILLAGE OF DOWNERS GROVE will receive bids Monday thru Friday, 8:00 A.M. to 5:00 P.M. at the Public Works Building, 5101 Walnut Avenue, Downers Grove, IL 60515.

The Village Council reserves the right to accept or reject any and all bids, to waive technicalities and to accept or reject any item of any Bid.

The documents constituting component parts of this contract are the following:

- I. CALL FOR BIDS
- II. TERMS & CONDITIONS
- III. GENERAL PROVISIONS
- IV. SPECIAL PROVISIONS
- V. BID & CONTRACT FORM

All Bidders MUST submit the entire bid package, with one original Bid Form. Upon formal Award, the successful Bid will automatically convert to a Contract, and the successful Bidder will receive a copy of the executed contract upon formal award of the Bid with the Notice of Award.

DO NOT DETACH ANY PORTION OF THIS DOCUMENT. INVALIDATION COULD RESULT.

Village of Downers Grove

I. CALL FOR BIDS and INSTRUCTIONS TO BIDDERS**1. GENERAL**

- 1.1 Notice is hereby given that Village of Downers Grove will receive sealed bids up to:
WEDNESDAY, JUNE 17, 2015 @ 9:00AM.
 - 1.2 Defined Terms:
 - 1.2.1 Village – the Village of Downers Grove acting through its officers or agents.
 - 1.2.2 Contract Documents – this document plus any drawings issued therewith, any addenda and the Bidder's completed proposal, bonds and all required certifications.
 - 1.2.3 Bid – this document completed by an individual or entity and submitted to the Village.
 - 1.2.4 Bidder – the individual or entity who submits or intends to submit a bid proposal to the Village.
 - 1.2.5 Contractor – the individual or entity whose bid is selected by the Village and who enters into a contract with the Village.
 - 1.2.6 Work – the construction or service defined herein.
 - 1.2.7 Day – unless otherwise stated all references to day "Day" "Days", "day" or "days" shall refer to calendar days.
 - 1.2.8 Proposal Guaranty – the required bid deposit.
 - 1.3 Bids must be received at the Village by the time and date specified. Bids received after the specified time and date will not be accepted and will be returned unopened to the Bidder.
 - 1.4 Bids shall be sent to the Village of Downers Grove, ATTN: Nathaniel Hawk, in a sealed envelope marked "SEALED BID". The envelope shall be marked with the name of the project, date, and time set for receipt of Bids. The bid package may be submitted any time prior to the time set for receipt of Bids.
 - 1.5 All Bids must be submitted on the forms supplied by the Village and signed by a proper official of the company submitting Bid. Telephone, e-mail and fax Bids will not be accepted.
 - 1.6 Under penalty of perjury, the Bidder certifies by submitting this Bid that he has not acted in collusion with any other Bidder or potential Bidder.
- 2. BID PREPARATION**
- 2.1 It is the responsibility of the Bidder to carefully examine the Contract Documents and to be familiar with all of the requirements, stipulations, provisions, and conditions surrounding the proposed Work.

Village of Downers Grove

- 2.2 The Bidder shall inspect the site of the proposed Work in detail, investigate and become familiar with all the local conditions affecting the Work and become fully acquainted with the detailed requirements of the Work. Submitting a Bid shall be a conclusive assurance and warranty that the Bidder has made these examinations and that the Bidder understands all requirements for the performance of the Work. If the Bid is accepted, the Bidder will be responsible for all errors in the Bid resulting from his willing or neglectful failure to comply with these instructions. IN NO CASE WILL THE VILLAGE BE RESPONSIBLE FOR ANY COSTS, EXPENSES, LOSSES OR CHANGES IN ANTICIPATED MARGINS OF PROFIT RESULTING FROM THE WILLING OR NEGLECTFUL FAILURE OF THE BIDDER TO MAKE THESE EXAMINATIONS. THE VILLAGE WILL NOT BE RESPONSIBLE FOR ANY COSTS, EXPENSES, LOSSES OR CHANGES IN ANTICIPATED MARGINS OF PROFIT RESULTING FROM THE WILLING OR NEGLECTFUL FAILURE OF THE CONTRACTOR TO PROVIDE THE KNOWLEDGE, EXPERIENCE AND ABILITY TO PERFORM THE WORK REQUIRED BY THIS CONTRACT. No changes in the prices, quantities or contract provisions shall be made to accommodate the inadequacies of the Bidder, which might be discovered subsequent to award of contract. The Bidder shall take no advantage of any error or omission in the Contract Documents nor shall any error or omission in the Contract Documents serve as the basis for an adjustment of the amounts paid to the Bidder.
- 2.3 When the Contract Documents include information pertaining to subsurface explorations, borings, test pits, and other preliminary investigations, such information is included solely for the convenience of the Bidder. *The Village assumes no responsibility whatsoever with respect to the sufficiency of the information, and does not warrant, neither expressly nor by implication, that the conditions indicated represent those existing throughout the Work, or that unanticipated developments may not occur.*
- 2.4 Any information shown in the Contract Documents regarding the locations of underground utility facilities is included solely for the convenience of the Bidder. The Village assumes no responsibility whatsoever with respect to the sufficiency, accuracy or inadequacy of such information. It shall be the Bidder's responsibility to obtain detailed information from the respective utility companies relating to the location of their facilities and the work schedules of the utility companies for removing or adjusting them. Utilities whose facilities may be affected by the work include, but may not be limited to, the following: Nicor, ComEd, SBC, Comcast Cable, Downers Grove Sanitary District, and Village water, storm sewer, and street lighting systems.
- 2.5 No oral or telephone interpretations of specifications shall be binding upon the Village. All requests for interpretations or clarifications shall be made in writing and received by the Village at least five (5) business days prior to the date set for receipt of Bids or the pre-bid conference, if offered. The Village shall make all changes or interpretations of the Contract Documents in a written addendum and shall provide an addendum to any Bidder of record. Any and all changes to the Contract Documents are valid only if they are included by written addendum to all Bidders. Each Bidder must acknowledge receipt of any addenda by indicating same on the Bid Form. Each Bidder, by acknowledging receipt of any addenda, is responsible for the contents of the addenda and any changes to the Bid therein. Failure to acknowledge any addenda may cause the Bid to be rejected. The Village will not assume responsibility for receipt of any addenda. In all cases, it will be the Bidder's responsibility to obtain all addenda issued. Bidders will provide written acknowledgement of receipt of each addendum issued with the bid submission.

Village of Downers Grove

- 2.6 An estimate of the quantities of Work to be performed and the materials to be furnished is shown in the Bid Form. It is given as a basis for comparing the properly submitted Bids, and shall be used by the Village in awarding the Contract. The Village does not expressly warrant nor imply that the estimated quantities shown will correspond with those quantities required to perform the Work. No Bidder shall plead misunderstanding or deception because of such an estimate of quantities, or because of the character, location or other conditions pertaining to the Work. Payment shall be based on the actual quantities of work properly performed in accordance with the Contract, at the Contract unit prices specified. The Village reserves the right to increase, decrease or omit entirely, any or all items. No allowance will be made for any change in anticipated profits due to an increase or decrease in the original estimate of quantities.
- 2.7 The Bidder must submit his bid on the form furnished by the Village. The Bid shall be executed properly, and bids shall be made for all items indicated in the Bid Form. The Bidder shall indicate, in figures, a unit price or lump sum price for each of the separate items called for in the Bid Form. The Bidder shall show the products of the respective quantities and unit prices in the column provided for that purpose. The gross sum shown in the place indicated in the Bid Form shall be the summation of said products. All writing shall be with ink or typewriter, except the signature of the Bidder, which shall be written with ink.
- 2.8 In case of error in the extension of prices in the Bid, the hourly rate or unit price will govern. In case of discrepancy in the price between the written and numerical amounts, the written amount will govern.
- 2.9 All costs incurred in the preparation, submission, and/or presentation of any Bid including the Bidder's travel or personal expenses shall be the sole responsibility of the Bidder and will not be reimbursed by the Village.
- 2.10 The Bidder hereby affirms and states that the prices quoted herein constitute the total cost to the Village for all work involved in the respective items, as well as the materials to be furnished in accordance with the collective requirements of the Contract Documents. The Bidder also affirms that this cost includes all insurance, royalties, transportation charges, use of all tools and equipment, superintendence, overhead expense, profits and other work, services and conditions necessarily involved in the work to be done.
- 2.11 The Bidder shall complete and submit with the Bid an "Affidavit" (IDOT Form BC-57, or similar) listing all uncompleted contracts, including subcontract work; all pending low bids not yet awarded or rejected, and equipment available.
- 2.12 The Bidder shall complete and submit with the Bid a "Municipal Reference List" indicating other municipalities for which the Bidder has successfully performed similar work.
- 3. PRE-BID CONFERENCE**
- 3.1 A pre-bid conference may be offered to provide additional information, inspection or review of current facilities or equipment, and to provide an open forum for questions from Bidders. This pre-bid conference is not mandatory (unless stated "Mandatory" on the cover of this document), but attendance by Bidders is strongly advised as this will be the last opportunity to ask questions concerning the Bid.

Village of Downers Grove

3.2 Questions may be posed in writing to the Village (faxed and emailed questions are acceptable), but must be received by the Village prior to the scheduled time for the pre-bid conference. Questions received will be considered at the conference. An addendum may be issued as a result of the pre-bid conference. Such an addendum is subject to the provisions for issuance of an addendum as set forth in Section 2.5 above.

3.3 No Contract Documents will be issued after the pre-bid conference except to attendees.

4. BID SUBMISSION

4.1 An original copy of the sealed bid marked as indicated in Section 1 shall be submitted to the Village.

4.2 A bid deposit will be required, which shall not exceed ten percent (10%) of the estimated cost of the work to be furnished. Such bid deposit shall be in the form of a bid bond, certified check, cash or money order. Checks shall be drawn upon a bank of good standing payable to the order of the Village and said deposit shall be forfeited to the Village in the event the Bidder neglects or refuses to enter into a contract and bond when required, with approved sureties, to execute the Work or furnish the material for the price mentioned in his Bid and according to the plans and specifications in case the contract shall be awarded to him.

4.3 Bids shall be publicly opened at the hour and place indicated above.

5. BID MODIFICATION OR WITHDRAWAL

5.1 A Bid that is in the possession of the Village may be altered by a letter bearing the signature or name of the person authorized for submitting a Bid, provided that it is received prior to the time and date set for the bid opening. Telephone, email or verbal alterations of a Bid will not be accepted.

5.2 A Bid that is in the possession of the Village may be withdrawn by the Bidder, up to the time set for the bid opening, by a letter bearing the signature or name of the person authorized for submitting Bids. Bids may not be withdrawn after the bid opening and shall remain valid for a period of ninety (90) days from the date set for the bid opening, unless otherwise specified.

5.3 Any Bidder who does not submit a Bid is requested to return the enclosed Statement of "No Bid" postcard. Bidders not submitting Bids or "No Bid Statement" may otherwise be removed from the Village's bid mailing list.

6. BID REJECTION

6.1 Bids that contain omissions, erasures, alterations, additions not called for, conditional bids or alternate bids not called for, or irregularities of any kind, shall be rejected as informal or insufficient. Bids otherwise acceptable, which are not accompanied by the proper Proposal Guaranty, shall also be rejected as informal or insufficient. The Village reserves the right however, to reject any or all Bids and to waive such technical error as may be deemed best for the interest of the Village.

Village of Downers Grove

7. BIDDER COMPETENCY

- 7.1 No Bid will be accepted from or contract awarded to any person, firm or corporation that is in arrears or is in default upon any debt or contract. The Bidder, if requested, must present evidence to the Village of ability and possession of necessary facilities, and financial resources to comply with the terms of the Contract Documents. Evidence must be presented within three (3) business days.

8. BIDDER DISQUALIFICATION

- 8.1 Any one or more of the following causes may be considered as sufficient for the disqualification of a Bidder and the rejection of their Bid.

- 8.1.1 More than one Bid for the same Work from an individual, firm partnership, or corporation under the same or different names.
- 8.1.2 Evidence of collusion among Bidders.
- 8.1.3 Unbalanced Bids in which the prices for some items are substantially out of proportion to the prices for other items.
- 8.1.4 Failure to submit a unit price for each item of Work listed in the Bid Form.
- 8.1.5 Lack of competency as revealed by financial statement or experience questionnaire.
- 8.1.6 Unsatisfactory performance record as shown by past work, judged from the standpoint of workmanship and progress.
- 8.1.7 Uncompleted work which, in the judgment of the Village, might hinder or prevent the prompt completion of this Work.
- 8.1.8 Failure to submit a signed Bidder's Certificate stating the following:
- 8.1.8.1 That the Bidder is not barred from bidding on this Contract as a result of a violation of Sections 720 ILCS 5/33-E3 and 720 ILCS 5/33-E4 of the Illinois Compiled Statutes; and
- 8.1.8.2 The Bidder is not delinquent in the payment of any tax administered by the Illinois Department of Revenue; and
- 8.1.8.3 The Bidder will maintain the types and levels of insurance required by the terms of this contract; and
- 8.1.8.4 The Bidder will comply with the Illinois Prevailing Wage Act, 820 ILCS 130/1 *et seq.*

9. BASIS OF AWARD

- 9.1 The Village reserves the exclusive right to accept or reject any and all Bids or to waive sections, technicalities and irregularities, or to accept or reject any Bid or any item of any Bid.

Village of Downers Grove

10. AWARD OF CONTRACT

- 10.1 Unless the Village exercises its right to reject all Bids, the Contract will be awarded to that responsible Bidder whose Bid, conforming to the Contract Documents, will be most advantageous to the Village, price and other factors considered. (the credentials, financial information, bonding capacity, insurance protection, qualifications of the labor and management of the firm, past experience and ability to complete the project within time frame required - lowest responsible bidder)
- 10.2 Unless otherwise specified, if a Contract is not awarded within ninety (90) days after the opening of Bids, a Bidder may file a written request with the Village for the withdrawal of their Bid. The Village will have a maximum of ten (10) days after the receipt of such request to award the Contract or release the Bidder from further obligation by return of the Bidder's bid deposit. Any attempt or actual withdrawal or cancellation of a Bid by the awarded contractor who has been notified by the Village of the acceptance of said Bid shall be considered a breach of contract.

11. RETURN OF BID DEPOSIT

- 11.1 The bid deposit of all except the three (3) lowest responsive bidders on each contract will be returned within fifteen (15) days after the opening of Bids. The remaining bid deposits of each contractor will be returned within fifteen (15) days after the Village Council has awarded the contract and the required appurtenances to the contract have been received.

12. FAILURE TO ENTER INTO CONTRACT

- 12.1 Failure on the part of the successful Bidder to execute a Contract and provide acceptable bonds, as provided herein, within ten (10) days from the date of receipt of the Contract and Notice of Award from the Village, will be considered as just cause for the revocation of the award. The Bidder's bid security shall then be forfeited to the Village, not as a penalty but in payment of liquidated damages sustained as a result of such failure.
- 12.2 The Bidder shall not be allowed to claim lack of receipt where the Contract and Notice of Award was mailed by U.S. Postal Services certified mail to the business address listed in his Bid. In case the Village does not receive evidence of receipt within ten (10) days of the date of Notice of Award, the Village may revoke the award. The Bidder shall then forfeit the bid security to the Village, not as a penalty but in payment of liquidated damages sustained as the result of such failure to execute the Contract.
- 12.3 By submitting a Bid, the Bidder understands and agrees that, if his Bid is accepted, and he fails to enter into a contract forthwith, he shall be liable to the Village for any damages the Village may thereby suffer.

13. SECURITY FOR PERFORMANCE

- 13.1 The successful Bidder shall, within ten (10) days after acceptance of the Bidder's Bid by the Village, furnish a Performance Bond and a Materials and Labor Payment Bond acceptable to the Village in the full amount of the Bid. Said bonds shall guarantee the Bidder's performance under the Contract Documents and shall guarantee payment of all subcontractors and material suppliers. Any bond shall include a provision as will guarantee faithful performance of the Illinois Prevailing Wage Act, 820 ILCS 130/1 et seq.

Village of Downers Grove

14. TAX EXEMPTION

- 14.1 The Village is exempt from Illinois sales or use tax for direct purchases of materials and supplies. A copy of the Illinois Sales Tax Exemption Form will be issued upon request. The Village's federal identification number will also be provided to the selected Bidder.

15. RESERVED RIGHTS

- 15.1 The Village reserves the right to waive sections, irregularities, technicalities and informalities to this Contract and to accept any Bid and to reject any and all Bids and to disapprove of any and all subcontractors as may be in the best interest of the Village. Time and date requirements for receipt of Bids, however, will not be waived.

16. CATALOGS AND SHOP DRAWINGS

- 16.1 Each Bidder shall submit catalogs, descriptive literature, and detailed drawings, where applicable, to fully illustrate and describe the work or material he proposes to furnish.

17. TRADE NAMES AND SUBSTITUTIONS

- 17.1 Certain materials and equipment are specified by a manufacturer or trade name to establish standards or quality and performance and not for the purpose of limiting competition. Products of other manufacturers may be substituted, if, in the opinion of the Village, they are equal to those specified in quality, performance, design, and suitability for intended use. If the Bidder proposes to furnish an "equal", the proposed "equal" item must be so indicated in the written Bid. Where two or more items are specified, the selection among those specified is the Bidder's option, or he may submit his Bid on all such items. Detail specification sheets shall be provided by Bidder for all substituted items.

Village of Downers Grove

II. TERMS AND CONDITIONS**18. VILLAGE ORDINANCES**

18.1 The successful bidder, now the Contractor, will strictly comply with all ordinances of the Village of Downers Grove and laws of the State of Illinois.

19. USE OF VILLAGE'S NAME

19.1 The Contractor is specifically denied the right of using in any form or medium the name of the Village for public advertising unless the Village grants express permission.

20. HOURS OF WORK

20.1 The Contractor shall do no work between the hours of 7:00 p.m. and 7:00 a.m., nor on Saturdays, Sundays or legal holidays, unless otherwise approved in writing by the Village. However, such work may be performed at any time if necessary, for the proper care and protection of work already performed, or in case of an emergency. All after-hour work is still subject to the permission of the Village. Any work, including the starting and/or idling of vehicles or machinery, or a congregation of workers prior to starting work, which may cause any noise level that can be heard by adjacent residents, performed outside of these hours of work and not authorized by the Village shall be subject to a fine of \$250 per day, per violation.

21. PERMITS AND LICENSES

21.1 The Contractor shall obtain all necessary permits and licenses required to complete the Work. The cost of acquisition of all necessary permits, bonds, insurance and services as specified herein shall be considered INCLUDED IN THE TOTAL COST, and no additional compensation will be allowed the Contractor.

22. INSPECTION

22.1 The Village shall have a right to inspect, by its authorized representative, any material, components or workmanship as herein specified. Materials, components or workmanship that have been rejected by the Village as not in accordance with the terms of the contract specifications shall be replaced by the Contractor at no cost to the Village.

23. DELIVERIES

23.1 All materials shipped to the Village must be shipped F.O.B. designated location, Downers Grove, Illinois.

24. SPECIAL HANDLING

24.1 Prior to delivery of any product that is caustic, corrosive, flammable or dangerous to handle, the Contractor will provide written directions as to methods of handling such products, as well as the antidote or neutralizing material required for its first aid before delivery. Contractor shall also notify the Village and provide material safety data sheets for all substances used in connection with this Contract which are defined as toxic under the Illinois Toxic Substances Disclosure to Employees Act.

25. NONDISCRIMINATION

25.1 Contractor shall, as a party to a public contract:

25.1.1 Refrain from unlawful discrimination in employment and undertake affirmative action to

Village of Downers Grove

assure equality of employment opportunity and eliminate the effects of past discrimination;

25.1.2 By submission of this Bid, the Contractor certifies that he is an "equal opportunity employer" as defined by Section 2000(e) of Chapter 21, Title 42, U.S. Code Annotated and Executive Orders #11246 and #11375, which are incorporated herein by reference. The Equal Opportunity clause, Section 6.1 of the Rules and Regulations of the Department of Human Rights of the State of Illinois, is a material part of any contract awarded on the basis of this Bid.

25.2 It is unlawful to discriminate on the basis of race, color, sex, national origin, ancestry, age, marital status, physical or mental handicap or unfavorable discharge for military service. Contractor shall comply with standards set forth in Title VII of the Civil Rights Act of 1964, 42 U.S.C. Secs. 2000 et seq., The Human Rights Act of the State of Illinois, 775 ILCS 5/1-101 et. seq, and The Americans With Disabilities Act, 42 U.S.C. Secs. 12101 et. seq.

26. SEXUAL HARASSMENT POLICY

26.1 The bidder, as a party to a public contract, shall have a written sexual harassment policy that:

26.1.1 Notes the illegality of sexual harassment;

26.1.2 Sets forth the State law definition of sexual harassment;

26.1.3 Describes sexual harassment utilizing examples;

26.1.4 Describes the bidder's internal complaint process including penalties;

26.1.5 Describes the legal recourse, investigative and complaint process available through the Illinois Department of Human Rights and the Human Rights Commission and how to contact these entities; and

26.1.6 Describes the protection against retaliation afforded under the Illinois Human Rights Act.

27. EQUAL EMPLOYMENT OPPORTUNITY

27.1 In the event of the Contractor's non-compliance with the provisions of this Equal Employment Opportunity Clause, the Illinois Human Rights Act or the Rules and Regulations of the Illinois Department of Human Rights ("Department"), the Contractor may be declared ineligible for future contracts or subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations, and the contract may be canceled or voided in whole or in part, and such other sanctions or penalties may be imposed or remedies invoked as provided by statute or regulation. During the performance of this contract, the Contractor agrees as follows:

27.1.1 That it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, marital status, national origin or ancestry, age, physical or mental disability unrelated to ability, military status, order of protection status, sexual orientation, sexual identity, or an unfavorable discharge from military service; and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization.

Village of Downers Grove

- 27.1.2 That, if it hires additional employees in order to perform this Contract or any portion thereof, it will determine the availability (in accordance with the Department's Rules and Regulations) of minorities and women in the area(s) from which it may reasonably recruit and it will hire for each job classification for which employees are hired in such a way that minorities and women are not underutilized.
- 27.1.3 That, in all solicitations or advertisements for employees placed by it or on its behalf, it will state that all applicants will be afforded equal opportunity without discrimination because of race, color, religion, sex, marital status, national origin or ancestry, age, physical or mental disability unrelated to ability, military status, order of protection status, sexual orientation, or an unfavorable discharge from military services.
- 27.1.4 That it will send to each labor organization or representative of workers with which it has or is bound by a collective bargaining or other agreement or understanding, a notice advising such labor organization or representative of the Contractor's obligations under the Illinois Human Rights Act and the Department's Rules and Regulations. If any such labor organization or representative fails or refuses to cooperate with the Contractor in its efforts to comply with such Act and Rules and Regulations, the Contractor will promptly so notify the Department and the contracting agency and will recruit employees from other sources when necessary to fulfill its obligations thereunder.
- 27.1.5 That it will submit reports as required by the Department's Rules and Regulations, furnish all relevant information as may from time to time be requested by the Department or the contracting agency, and in all respects comply with the Illinois Human Rights Act and the Department's Rules and Regulations.
- 27.1.6 That it will permit access to all relevant books, records, accounts and work sites by personnel of the contracting agency and the Department for purpose of investigation to ascertain compliance with the Illinois Human Rights Act and the Department's Rules and Regulations.
- 27.1.7 That it will include verbatim or by reference the provisions of this clause in every subcontract it awards under which any portion of the contract obligations are undertaken or assumed, so that such provisions will be binding upon such subcontractor. In the same manner as with other provisions of this Contract, the Contractor will be liable for compliance with applicable provisions of this clause by such subcontractors; and further it will promptly notify the contracting agency and the Department in the event any subcontractor fails or refuses to comply therewith. In addition, the Contractor will not utilize any subcontractor declared by the Illinois Human Rights Commission to be ineligible for contracts or subcontracts with the State of Illinois or any of its political subdivision or municipal corporations.

28. DRUG FREE WORK PLACE

28.1 Bidder, as a party to a public contract, certifies and agrees that it will provide a drug free workplace by:

28.1.1 Publishing a statement:

- (1) Notifying employees that the unlawful manufacture, distribution, dispensation, possession

Village of Downers Grove

or use of a controlled substance, including cannabis, is prohibited in the Village's or Contractor's workplace.

(2) Specifying the actions that will be taken against employees for violations of such prohibition.

(3) Notifying the employee that, as a condition of employment on such contract or grant, the employee will:

(A) abide by the terms of the statement; and

(B) notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.

28.1.2 Establishing a drug free awareness program to inform employee's about:

(1) the dangers of drug abuse in the workplace;

(2) the Village's or Contractor's policy of maintaining a drug free workplace;

(3) any available drug counseling, rehabilitation and employee assistance programs;

(4) the penalties that may be imposed upon employees for drug violations.

28.1.3 Providing a copy of the statement required by subparagraph 11.1 to each employee engaged in the performance of the contract or grant and to post the statement in a prominent place in the workplace.

28.1.4 Notifying the contracting or granting agency within ten (10) days after receiving notice under part (3)(B) of paragraph 11.1 above from an employee or otherwise receiving actual notice of such conviction.

28.1.5 Imposing a sanction on, or requiring the satisfactory participation in a drug abuse assistance or rehabilitation program by any employee who is so convicted as required by section 5 of the Drug Free Workplace Act.

28.1.6 Assisting employees in selecting a course of action in the event drug counseling, treatment and rehabilitation is required and indicating that a trained referral team is in place.

28.1.7 Making a good faith effort to continue to maintain a drug free workplace through implementation of the Drug Free Workplace Act.

29. SUBSTANCE ABUSE PREVENTION ON PUBLIC WORKS PROJECTS ACT

29.1 In the event this is a public works project as defined under the Prevailing Wage Act, 820 ILCS 130/2, Contractor agrees to comply with the Substance Abuse Prevention on Public Works Projects Act, 820 ILCS 265/1 *et seq.*, and further agrees that all of its subcontractors shall comply with such Act. As required by the Act, Contractor agrees that it will file with the Village prior to commencing work its written substance abuse prevention program and/or that of its subcontractor(s) which meet or exceed the requirements of the Act.

30. PREVAILING WAGE ACT

30.1 Contractor agrees to comply with the Illinois Prevailing Wage Act, 820 ILCS 130/1 *et seq.*, for all work completed under this Contract. Contractor agrees to pay the prevailing wage and require that all of its subcontractors pay prevailing wage to any laborers, workers or mechanics who perform work pursuant to this Contract or related subcontract. For applicable rates, go to the State of Illinois – Department of Labor website (www.state.il.us/agency/idol/rates/rates.HTM) and use the

Village of Downers Grove

most current DuPage County rate. The Department revises the prevailing wage rates and the Contractor or subcontractor has an obligation to check the Department's website for revisions to prevailing wage rates throughout the duration of this Contract.

- 30.2 Contractor and each subcontractor shall keep or cause to be kept accurate records of all laborers, mechanics and other workers employed by them on the public works project, which records must include each worker's name, address, telephone number when available, social security number, classification, hourly wage paid (including itemized hourly cash and fringe benefits paid in each pay period), number of hours worked each day, and the starting and ending times of work each day. These records shall be open to inspection at all reasonable hours by any representative of the Village or the Illinois Department of Labor and must be preserved for five (5) years from the date of the last payment on the public work.
- 30.3 Since this is a contract for a public works project, as defined in 820 ILCS 130/2, Contractor agrees to post at the job site in an easily accessible place, the prevailing wages for each craft or type of worker or mechanic needed to execute the contract or work to be performed.
- 30.4 Because this is a public works project as defined under the Prevailing Wage Act, 820 ILCS 130/2, any and all contractors and subcontractors shall submit certified payroll records to the Village no later than the tenth (10th) day of each calendar month for the immediately preceding month in which construction on a public works project has occurred. **WITHOUT THIS PAPERWORK, NO INVOICE SHALL BE PAID BY THE VILLAGE.** Contractors and subcontractors must also submit a statement affirming that the records are true and accurate, that the wages paid to each worker are not less than the prevailing rate, and that the contractor and subcontractor are aware that filing false records is a Class A misdemeanor. The records must include the name, address, telephone number, social security number, job classification, hours of work, hourly rate, and start and end time of work each day for every worker employed on the public work. The Village reserves the right to check the pay stubs of the workers on the job. The Village further cautions that payment for any services rendered pursuant to this Contract may be predicated upon receipt of said records.
- 30.5 In the event that this is a construction project where Motor Fuel tax monies or state grant monies are used in the construction, maintenance and extension of municipal streets, traffic control signals, street lighting systems, storm sewers, pedestrian subways or overhead crossings, sidewalks and off-street parking facilities, and the like, the Village will require an Apprenticeship and Training Certification, attached after the Bidder's Certification.
- 30.6 Any bond furnished as security for performance shall include a provision as will guarantee faithful performance of the Illinois Prevailing Wage Act, 820 ILCS 130/1 et seq.

31. PATRIOT ACT COMPLIANCE

- 31.1 The Contractor represents and warrants to the Village that neither it nor any of its principals, shareholders, members, partners, or affiliates, as applicable, is a person or entity named as a Specially Designated National and Blocked Person (as defined in Presidential Executive Order 13224) and that it is not acting, directly or indirectly, for or on behalf of a Specially Designated National and Blocked Person. The Contractor further represents and warrants to the Village that the it and its principals, shareholders, members, partners, or affiliates, as applicable are not, directly or indirectly, engaged in, and are not facilitating, the transactions contemplated by this Contract on behalf of any person or entity named as a Specially Designated National and Blocked Person. The

Village of Downers Grove

Contractor hereby agrees to defend, indemnify and hold harmless the Village, and its elected or appointed officers, employees, agents, representatives, engineers and attorneys, from and against any and all claims, damages, losses, risks, liabilities and expenses (including reasonable attorney's fees and costs) arising from or related to any breach of the foregoing representations and warranties.

32. INSURANCE REQUIREMENTS

32.1 Prior to starting the Work, Contractor and any Subcontractors shall procure, maintain and pay for such insurance as will protect against claims for bodily injury or death, or for damage to property, including loss of use, which may arise out of operations by the Contractor or Subcontractor or any Sub-Sub Contractor or by anyone employed by any of them, or by anyone for whose acts any of them may be liable. Such insurance shall not be less than the greater of coverages and limits of liability specified below or any coverages and limits of liability specified in the Contract Documents or coverages and limits required by law unless otherwise agreed to by the Village.

Workers Compensation	\$500,000	Statutory
Employers Liability	\$1,000,000	Each Accident
	\$1,000,000	Disease Policy Limit
	\$1,000,000	Disease Each Employee
Comprehensive General Liability	\$2,000,000	Each Occurrence
	\$2,000,000	Aggregate
		<i>(Applicable on a Per Project Basis)</i>
Commercial Automobile Liability	\$1,000,000	Each Accident
Professional Errors & Omissions	\$2,000,000	Each Claim
(pursuant to section.9 below)	\$2,000,000	Annual Aggregate
Umbrella Liability	\$ 5,000,000	

32.2 Comprehensive General Liability Insurance required under this paragraph shall be written on an occurrence form and shall include coverage for Products/Completed Operations, Personal Injury with Employment Exclusion (if any) deleted, Blanket XCU and Blanket Contractual Liability insurance applicable to defense and indemnity obligations and other contractual indemnity assumed under the Contract Documents. The limit must be on a "Per Project Basis".

32.3 Commercial Automobile Liability Insurance required under this paragraph shall include coverage for all owned, hired and non-owned automobiles.

32.4 Workers Compensation coverage shall include a waiver of subrogation against the Village.

32.5 Comprehensive General Liability, Employers Liability and Commercial Automobile Liability Insurance may be arranged under single policies for full minimum limits required, or by a

Village of Downers Grove

combination of underlying policies with the balance provided by Umbrella and/or Excess Liability policies.

- 32.6 Contractor and all Subcontractors shall have their respective Comprehensive General Liability (including products/completed operations coverage), Employers Liability, Commercial Automobile Liability, and Umbrella/Excess Liability policies endorsed to add the "Village of Downers, its officers, officials, employees and volunteers" as "additional insureds" with respect to liability arising out of operations performed; claims for bodily injury or death brought against the Village by any Contractor or Subcontractor employees, or the employees of Subcontractor's subcontractors of any tier, however caused, related to the performance of operations under the Contract Documents. Such insurance afforded to the Village shall be endorsed to provide that the insurance provided under each policy shall be *Primary and Non-Contributory*.
- 32.7 Contractor and all Subcontractors shall maintain in effect all insurance coverages required by the Contract Documents at their sole expense and with insurance carriers licensed to do business in the State of Illinois and having a current A. M. Best rating of no less than A- VIII. In the event that the Contractor or any Subcontractor fails to procure or maintain any insurance required by the Contract Documents, the Village may, at its option, purchase such coverage and deduct the cost thereof from any monies due to the Contractor or Subcontractor, or withhold funds in an amount sufficient to protect the Village, or terminate this Contract pursuant to its terms.
- 32.8 All insurance policies shall contain a provision that coverages and limits afforded hereunder shall not be canceled, materially changed, non-renewed or restrictive modifications added, without thirty (30) days prior written notice to the Village. Renewal certificates shall be provided to the Village not less than five (5) days prior to the expiration date of any of the required policies. All Certificates of Insurance shall be in a form acceptable to the Village and shall provide satisfactory evidence of compliance with all insurance requirements. The Village shall not be obligated to review such certificates or other evidence of insurance, or to advise Contractor or Subcontractor of any deficiencies in such documents, and receipt thereof shall not relieve the Contractor or Subcontractor from, nor be deemed a waiver of the right to enforce the terms of the obligations hereunder. The Village shall have the right to examine any policy required and evidenced on the Certificate of Insurance.
- 32.9 If the Work under the Contract Documents includes design, consultation, or any other professional services, Contractor or the Subcontractor shall procure, maintain, and pay for Professional Errors and Omissions insurance with limits of not less than \$2,000,000 per claim and \$2,000,000 annual aggregate. If such insurance is written on a claim made basis, the retrospective date shall be prior to the start of the Work under the Contract Documents. Contractor and all Subcontractors agree to maintain such coverage for three (3) years after final acceptance of the Project by the Village or such longer period as the Contract Documents may require. Renewal policies during this period shall maintain the same retroactive date.
- 32.10 Any deductibles or self-insured retentions shall be the sole responsibility of the Insured. At the option of the Village, either: the insurer shall reduce or eliminate such deductibles or self-insured retentions as respects the Village, its officers, officials, employees and volunteers; or the Contractor shall procure a bond guaranteeing payment of losses and related investigations, claim administration and defense expenses.

Village of Downers Grove

33. INDEMNITY AND HOLD HARMLESS AGREEMENT

- 33.1 To the fullest extent permitted by law, the Contractor shall indemnify, keep and save harmless the Village and its agents, officers, and employees, against all injuries, deaths, strikes, losses, damages, claims, suits, liabilities, judgments, costs and expenses, which may arise directly or indirectly from any negligence or from the reckless or willful misconduct of the Contractor, its employees, or its subcontractors.
- 33.2 The Contractor shall at its own expense, appear, defend and pay all charges of attorneys and all costs and other expenses arising therefrom or incurred in connection therewith, and, if any judgment shall be rendered against the Village in any such action, the Contractor shall, at its own expense, satisfy and discharge the same. This agreement shall not be construed as requiring the Contractor to indemnify the Village for its own negligence. The Contractor shall indemnify, keep and save harmless the Village only where a loss was caused by the negligent, willful or reckless acts or omissions of the Contractor, its employees, or its subcontractors.

34. SUBLETTING OF CONTRACT

- 34.1 No contract awarded by the Village shall be assigned or any part subcontracted without the written consent of the Village. In no case shall such consent relieve the Contractor from his obligation or change the terms of this Contract.

All approved subcontracts shall contain language which incorporates the terms and conditions of this Contract.

35. TERMINATION OF CONTRACT

- 35.1 The Village reserves the right to terminate the whole or any part of this Contract, upon written notice to the Contractor, for any reason.
- 35.2 The Village further reserves the right to terminate the whole or any part of this Contract, upon written notice to the Contractor, in the event of default by the Contractor. Default is defined as failure of the Contractor to perform any of the provisions of this Contract or failure to make sufficient progress so as to endanger performance of this Contract in accordance with its terms. In the event that the Contractor fails to cure the default upon notice, and the Village declares default and termination, the Village may procure, upon such terms and in such manner as it may deem appropriate, supplies or services similar to those so terminated. The Village may also contact the issuer of the Performance Bond to complete the Work. The Contractor shall be liable for any excess costs for such similar supplies or services. Any such excess costs incurred by the Village may be set-off against any monies due and owing by the Village to the Contractor.

36. BILLING AND PAYMENT PROCEDURES

- 36.1 Payment will be made upon receipt of an invoice referencing Village purchase order number. Once an invoice and receipt of materials or service have been verified, the invoice will be processed for payment in accordance with the Village's payment schedule. The Village will comply with the Local Government Prompt Payment Act, 50 ILCS 505/1 et seq., in that any bill approved for payment must be paid or the payment issued to the Contractor within 60 days of receipt of a proper bill or invoice. If payment is not issued to the Contractor within this 60 day period, an interest penalty of 1.0% of any amount approved and unpaid shall be added for each month or fraction thereof after the end of this 60 day period, until final payment is made.

Village of Downers Grove

- 36.2 The Village shall review each bill or invoice in a timely manner after its receipt. If the Village determines that the bill or invoice contains a defect making it unable to process the payment request, the Village shall notify the Contractor as soon as possible after discovering the defect pursuant to rules promulgated under 50 ILCS 505/1 et seq. The notice shall identify the defect and any additional information necessary to correct it.
- 36.3 As this Contract is for work defined as a "fixed public work" project under the Illinois Prevailing Wage Act, 820 ILCS 130/2, any contractor or subcontractor is required to submit certified payroll records along with the invoice. No invoice shall be paid without said records.
- 36.4 Please send all invoices to the attention of: Village of Downers Grove, Accounts Payable, 801 Burlington, Downers Grove, IL 60515.
- 37. COMPLIANCE WITH OSHA STANDARDS**
- 37.1 Equipment supplied to the Village must comply with all requirements and standards as specified by the Occupational Safety and Health Act. All guards and protectors as well as appropriate markings will be in place before delivery. Items not meeting any OSHA specifications will be refused.
- 38. CERCLA INDEMNIFICATION**
- 38.1 The Contractor shall, to the maximum extent permitted by law, indemnify, defend, and hold harmless the Village, its officers, employees, agents, and attorneys from and against any and all liability, including without limitation, costs of response, removal, remediation, investigation, property damage, personal injury, damage to natural resources, health assessments, health settlements, attorneys' fees, and other related transaction costs arising under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980, 42 U.S.C.A. Sec. 9601, et seq., as amended, and all other applicable statutes, regulations, ordinances, and under common law for any release or threatened release of the waste material collected by the Contractor, both before and after its disposal.
- 38.2 If the Contractor encounters any waste material governed by the above Act, it shall immediately notify the Village and stop working in the area until the above requirements can be met.
- 39. COPYRIGHT or PATENT INFRINGEMENT**
- 39.1 The Contractor agrees to indemnify, defend, and hold harmless the Village against any suit, claim, or proceeding brought against the Village for alleged use of any equipment, systems, or services provided by the Contractor that constitutes a misuse of any proprietary or trade secret information or an infringement of any patent or copyright.
- 40. BUY AMERICA**
- 40.1 The Contractor agrees to comply with 49 U.S.C.5323(j), the Federal Transportation Administration's (FTA) Buy America regulations at 49 C.F.R. Part 661, and any amendments thereto, and any implementing guidance issued by the FTA, with respect to this Contract, when financed by Federal funds (through a grant agreement or cooperative agreement).
- 40.2 As a condition of responsiveness, the Contractor agrees to submit with its Bid submission, an executed Buy America Certificate, attached hereto.

Village of Downers Grove

41. CAMPAIGN DISCLOSURE

- 41.1 Any contractor, proposer, bidder or vendor who responds by submitting a bid or proposal to the Village of Downers Grove shall be required to submit with its bid submission, an executed Campaign Disclosure Certificate, attached hereto.
- 41.2 The Campaign Disclosure Certificate is required pursuant to the Village of Downers Grove Council Policy on Ethical Standards and is applicable to those campaign contributions made to any member of the Village Council.
- 41.3 Said Campaign Disclosure Certificate requires any individual or entity bidding to disclose campaign contributions, as defined in Section 9-1.4 of the Election Code (10 ILCS 5/9-1.4), made to current members of the Village Council within the five (5) year period preceding the date of the bid or proposal release.
- 41.4 By signing the bid documents, contractor/proposer/bidder/vendor agrees to refrain from making any campaign contributions as defined in Section 9-1.4 of the Election Code (10 ILCS 5/9-1.4) to any Village Council member and any challengers seeking to serve as a member of the Downers Grove Village Council.

42. GUARANTEE PERIOD

- 42.1 The Contractor shall guarantee all work and provide a maintenance bond for the full amount of the contract, covering a minimum period of one (1) year after approval and acceptance of the Work. The bond shall be in such form as the Village may prescribe, unless otherwise noted in the Specifications, and shall be submitted before receiving final payment. If longer guarantee periods are required, they will be noted in the Special Provisions for this project.

43. SUCCESSORS AND ASSIGNS

- 43.1 The terms of this Contract will be binding upon and inure to the benefit of the parties and their respective successors and assigns; provided, however, that neither party will assign this Contract in whole or in part without the prior written approval of the other. The Contractor will provide a list of key staff, titles, responsibilities, and contact information to include all expected subcontractors.

44. WAIVER OF BREACH OF CONTRACT

- 44.1 The waiver by one party of any breach of this Contract or the failure of one party to enforce at any time, or for any period of time, any of the provisions hereof will be limited to the particular instance and will not operate or be deemed to waive any future breaches of this Contract and will not be construed to be a waiver of any provision except for the particular instance.

45. CHANGE ORDERS

- 45.1 The contract price is a "not-to-exceed" cost. At any time additional work is necessary or requested, and the not-to-exceed price is increased thereby, all parties must agree to any change, addition or price increase in writing.
- 45.2 Change orders for public works projects which authorize an increase in the contract price that is 50% or more of the original contract price or that authorize or necessitate any increase in the price of a subcontract under the contract that is 50% or more of the original subcontract price must be resubmitted for bidding in the same manner by which the original contract was bid. (50 ILCS 525/1)

Village of Downers Grove

46. SEVERABILITY OF INVALID PROVISIONS

- 46.1 If any provisions of this Contract are held to contravene or be invalid under the laws of any state, country or jurisdiction, contravention will not invalidate the entire Contract, but it will be construed as if not containing the invalid provision and the rights or obligations of the parties will be construed and enforced accordingly.

47. GOVERNING LAW

- 47.1 This Contract will be governed by and construed in accordance with the laws of the State of Illinois. Venue is proper only in the County of DuPage for state cases or the Northern District of Illinois for federal cases.

48. NOTICE

- 48.1 Any notice will be in writing and will be deemed to be effectively served when deposited in the mail with sufficient first class postage affixed, and addressed to the party at the party's place of business. Notices shall be addressed to the Village as follows:

**Village Manager
Village of Downers Grove
801 Burlington Ave.
Downers Grove, IL 60515**

And to the Contractor as designated on the Contract Form.

49. AMENDMENT

- 49.1 This Contract will not be subject to amendment unless made in writing and signed by all parties.

50. COOPERATION WITH FOIA COMPLIANCE

- 50.1 Contractor acknowledges that the Freedom of Information Act may apply to public records in possession of the Contractor or a subcontractor. Contractor and all of its subcontractors shall cooperate with the Village in its efforts to comply with the Freedom of Information Act. 5 ILCS 140/1 et.seq.

51. EMPLOYMENT OF ILLINOIS WORKERS ON PUBLIC WORKS ACT

- 51.1 If the work contemplated by this Contract is funded or financed in whole or in part with State Funds or funds administered by the State, Contractor agrees to comply with the terms of the Employment of Illinois Workers on Public Works Act by employing at least 90% Illinois laborers on the project. 30 ILCS 570/1 et seq. Contractor agrees further to require compliance with this Act by all of its subcontractors.

Village of Downers Grove

III. GENERAL PROVISIONS**1. STANDARD SPECIFICATIONS**

1.1 The following standards shall govern the construction of the proposed improvements:

1.1.1 Standard Specifications for Water and Sewer Main Construction in Illinois, Seventh Edition, 2014 (the Water & Sewer Specs.); and

1.1.2 Standard Specifications for Road and Bridge Construction as adopted by the Illinois Department of Transportation, January 1, 2012; along with Supplemental Specifications and Recurring Special Provisions (collectively the "SSRBC") as adopted by the Illinois Department of Transportation, January 1, 2015; and

1.1.3 Water Distribution Specifications, Village of Downers Grove, Illinois, revised March, 2006; and

1.1.4 Standard Detail Drawings, Village of Downers Grove, Illinois revised May, 2014.

1.2 These Contract Documents shall take precedence whenever there are conflicts in the wording or statements made by the above specifications and these Contract Documents.

1.3 Unless otherwise referenced herein, Division I of the Water and Sewer Specs and Section 102 and Articles 104.02, 104.03, 104.07, 107.02, 107.27, 107.35, 108.10, 108.11, and 108.12 of the Standard Specifications are hereby suspended.

2. COOPERATION OF CONTRACTOR

2.1 The Contractor will be supplied with a minimum of 2 sets of approved plans and contract assemblies including Special Provisions, one set of which the Contractor shall keep available on the work site at all times. The Contractor shall give the work site constant attention necessary to facilitate the progress thereof, and shall cooperate with the Village in every way possible.

2.2 The Contractor shall have on the work site at all times, as the Contractor's agent, a competent English-speaking representative capable of reading and thoroughly understanding the Contract Documents, and thoroughly experienced in the type of work being performed. The representative shall also be capable of receiving instruction from the Village, and shall have full authority to promptly respond to such instruction. He shall be capable of supplying such materials, equipment, tools, labor and incidentals as may be required. The Contractor shall not replace him without prior written notification to the Village.

3. LEGAL REGULATIONS AND RESPONSIBILITY TO THE PUBLIC

3.1 Section 107 of the SSRBC shall govern the Contractor's legal regulations and responsibility to the public, with the following additions:

3.1.1 PROJECT SAFETY. Add the following to Article 107.28:

3.1.1.1 The Contractor shall conduct his work in such a manner as to provide an environment consistent with the safety, health and well being of those engaged in the completion of the work specified in this contract.

Village of Downers Grove

- 3.1.1.2 The Contractor shall comply with all State and Federal Safety Regulations as outlined in the latest revisions of the Federal Construction Safety Standards (Series 1926) and with applicable provisions regulations of the Occupation Safety and Health Administration and (OSHA) Standards of the Williams-Stelger Occupational Health Safety Act of 1970 (Revised). SPECIAL ATTENTION SHALL BE PAID TO COMPLIANCE WITH OSHA'S SUBPART P – EXCAVATIONS STANDARD.
- 3.1.1.3 The Contractor and Village shall each be responsible for their own respective agents and employees.
- 3.1.1.4 The Contractor shall, prior to performing any work, request information from the Village regarding any existing confined spaces owned by the Village that may be entered in the course of the work, and shall obtain all required confined space entry permits prior to entering any confined spaces. Contractor shall follow all current laws and regulations with regard to confined space entry. Contractor shall maintain and, upon request, provide full documentation of compliance with the appropriate confined space permits for each separate confined space entered on the project.
- 3.1.2 **BACKING PRECAUTIONS.** Pursuant to Sections 14-139(b) and 14-171.1 of the Downers Grove Municipal Code, any motor vehicle which has an obstructed view to the rear and is to be operated at any time in reverse gear on the public streets of the Village by the Contractor or any subcontractor shall either be equipped with a reverse signal alarm (backup alarm) audible above and distinguishable from the surrounding noise level, or shall provide an observer to signal that it is safe to back up.
- 3.1.3 **OVERWEIGHT, OVERWIDTH AND OVERHEIGHT PERMITS.** The Village has and supports an overweight truck enforcement program. Contractors are required to comply with weight requirements and safety requirements as established by Illinois Law or Village Ordinance, for vehicles, vehicle operators and specialty equipment. In some instances, specialty equipment for road repairs or construction projects requires the movement of overweight, overwidth, or overheight loads utilizing a Village roadway. Such movement will require obtaining a permit from the Village Police Department's Traffic Supervisor.
- 3.1.4 **BARRICADES AND WARNING SIGNS.** The Contractor shall provide the Village with a telephone number of a person or company who is available 24 hours per day, seven days per week, to erect additional barricades or signs. If the Village or his representative deems it necessary for the Public's safety to erect additional barricades or signs during normal working hours, the Contractor will furnish the necessary barricades or signs, and have them in place within 30 minutes. If, after normal working hours, the requested signs are not in place within three hours after the request is made, the Village reserves the right to have the barricades and signs erected. The cost of erecting the barricades and signs shall be deducted by the Village from any payments due the Contractor.

Village of Downers Grove

4. PROSECUTION AND PROGRESS

- 4.1 Section 108 of the SSRBC shall govern the prosecution and progress of the work, with the following additions:
- 4.1.1 The Contractor shall schedule his work such that all improvements shall be complete by **October 30, 2015**. The completion date will remain binding throughout the duration of the Contract unless revised in writing by the Village.
 - 4.1.2 The total duration of disturbance for work related to means of public egress through the project site or access to private property (e.g. removal and replacement of curb and gutters, sidewalks, driveway entrances, etc.) must not exceed ten (10) calendar days. The Contractor may use high-early strength concrete, meeting all specifications herein, **at his own expense** to help meet this requirement.
 - 4.1.3 The Contractor shall also make special note of the following work schedule requirements:
 - 4.1.3.1.1 After installation of HMA base course on Maple Avenue, the contractor will have two weeks to grind butt joints, prep, and install surface course throughout the entire project.
 - 4.1.3.1.2 Please take note of SP-17 on sod restoration that states prior to sod installation the contractor shall backfill and grade all parkways and keep them weed free and protect against erosion.
 - 4.1.4 Should the Contractor fail to complete the work on or before the specified completion dates set forth in Sections 4.1.1, 4.1.2 or within such extended time as may be allowed, the Contractor shall be liable for liquidated damages in accordance with the applicable sections of Article 108.09 of the SSRBC.
 - 4.1.5 Prior to commencing construction, a meeting will be held with the Contractor and the Village. Any questions concerning procedures, general conditions, special provisions, plans or specific items related to the project shall be answered and clarified. No Pre-Construction meeting shall be scheduled until submittals, performance bonds, and certificates of insurance are delivered to, and approved by, the Village.
 - 4.1.6 Weekly progress meetings may be required by the Village. If required, the Contractor shall have a capable person, such as a site superintendent or project manager, attend such meetings and be prepared to report on the prosecution of the Work according to the progress schedule. The Village reserves the right to require adjustments to scheduling of work.

5. MEASUREMENT AND PAYMENT

- 5.1 Section 109 of the SSRBC shall govern measurement and payment, with the following additions:
- 5.1.1 Modifies Article 109.07 - Partial payments will be made per Section 34 of Part II of this document (Billing and Payment Procedures.)
 - 5.1.2 The Village will require that partial and final affidavits for all labor, materials and equipment used on the Project, be submitted with the partial and final payment requests. Such waivers

Village of Downers Grove

shall indicate that charges for all labor, materials and equipment used on the project have been paid. Partial waivers from suppliers and subcontractors may be submitted after the first payment to the Contractor, and before the subsequent payment to that which they apply. However, partial waivers from the Contractor must accompany the invoice of the payment to which it applies. All final waivers, from all suppliers and subcontractors **MUST** accompany the Contractor's invoice upon submittal for final payment. A sworn statement by the Contractor shall accompany full waivers. Such requirement for full waivers is solely for the benefit of the Village and shall not be construed to benefit any other person. Partial payment for work done shall in no way imply acceptance of the work to that date.

Village of Downers Grove

IV. SPECIAL PROVISIONS

The following Special Provisions shall modify, supercede, or supplement the Standard Specifications referred to in Section III - General Provisions.

Where any section, subsection, paragraph, or subparagraph of the Standard Specifications is *supplemented* by any of the following paragraphs, the provisions of such section, subsection, paragraph, or subparagraph shall remain in effect. The Special Provisions shall govern in addition to the particular Standard Specification so supplemented, and not in lieu thereof.

Where any section, subsection, paragraph, or subparagraph of the Standard Specifications is *amended, voided, or superceded* by any of the following paragraphs, any provision of such section, subsection, paragraph, or subparagraph standing unaffected, shall remain in effect. The Special Provisions shall govern in lieu of any particular provision of the Standard Specification so amended, voided, or superceded, and not in addition to the portion changed.

SP-1: SCOPE OF WORK

The Maple Avenue Roadway Reconstruction Project shall generally consist of the following:

- Removal of exiting storm pipes, structures, culverts, and other collateral items
- Construction of storm sewer system including approximately 600 linear feet of 12" and 15" storm sewer and storm sewer structures (MHs and CBs) ranging in diameter from 2' to 5'.
- Reconstruction of approximately 1,265 linear feet of HMA roadways in a residential subdivision.
- Resurfacing of approximately 6,220 square yards of HMA roadways.
- Construction of approximately 2,815 linear feet of 8" D.I.P. water main.
- Installation of 54 residential water services and 2 commercial water services.
- All other collateral work such as driveway replacements, aggregate shoulder replacement, sidewalk and sodding.

SP-2: GENERAL CONSTRUCTION REQUIREMENTS

The following general requirements are intended to govern the overall priority for the performance of the work described in this contract. As general requirements, they are not intended to dictate to the Contractor the precise method by which these tasks shall be performed.

No more than three hundred linear feet (300 LF) of pavement may be open-cut and closed to use by the motoring public, and access to all individual drives within the current work zone must be restored at the end of each workday, unless a Village-approved phasing plan shows otherwise.

For the phasing of construction for this project the contractor is to follow the phasing shown in the plan set. The contractor will not be allowed to proceed to another phase without the approval of the Engineer. **The contractor will receive no additional compensation for constructing the project in phases.**

The awarded Contractor shall schedule his work such that all improvements shall be installed by October 30, 2015. Failure to complete the work on time will result in assessment of liquidated damages in accordance with the applicable sections of Article 108.09 of the Standard Specifications.

The Contractor shall maintain traffic flow on ALL STREETS during the day in accordance with the

Village of Downers Grove

applicable special provision. Adequate signing and flagging is of particular importance for safe travel of all residents.

SP-3: PRECONSTRUCTION VIDEOTAPING

This work shall consist of furnishing all materials and labor required to perform a videotape survey of the construction limits, adjacent right-of-way, and adjacent structures bordering the work. This shall include, but not be limited to, existing buildings, garages, pavements, curb and gutter, sidewalks, fences, trees and landscaping. Two (2) copies of the videotape shall be furnished to the Village in DVD format. Videotaping shall be performed by a reputable company meeting the approval of the Village, in the presence of a representative of the Village, and shall be performed prior to the commencement of construction. The videotape survey shall serve as a basis for establishing damage that has occurred as a result of construction operations.

Basis of Payment: This work will be paid for at the contract **LUMP SUM** price for **PRECONSTRUCTION VIDEOTAPING**, which price shall be payment in full for the work as specified herein.

SP-4: CONSTRUCTION STAKING AND RECORD DRAWINGS

Description: Section 5-7 of the Water and Sewer Specs shall be replaced in its entirety by the following:

The Contractor shall furnish and place all construction layout stakes for this project. Competent personnel with suitable equipment shall conduct this work, supervised by a licensed Illinois Land Surveyor. The Contractor shall be responsible for having the finished work conform substantially to the lines, grades, elevations and dimensions shown on the plans.

The Contractor shall provide adequate control points to construct the individual Project elements, and shall provide the Engineer with adequate control in close proximity to check the compliance of the elements constructed.

The Contractor shall record all field notes in standard survey field notebooks and those books shall become the property of the Village at the completion of the Project. All notes shall be neat, orderly and in an accepted format.

Prior to final payment and within 28 calendar days of substantial completion, as determined in section III.4.1.1, the Contractor shall provide the Village with record drawings showing the elevations of all constructed storm and sanitary sewer manholes, catch basins, inlets, clean-outs, and any other structures defined by the Engineer as part of the project, including all rim elevations, and invert elevations of all pipes. Rim elevation of all curb structures shall be taken at the flowline of the gutter. Significant changes to the design plans shall also be depicted. Red-lined plans or electronically-generated as-built plans are acceptable. Digital copies of as-built drawings must also be provided (TIF files or approved equal), along with two full-sized paper copies. All work related to generating the as-built drawings shall be supervised by a licensed Illinois Land Surveyor.

Basis of Payment: This work will be paid for at the contract **LUMP SUM** price for **CONSTRUCTION STAKING AND RECORD DRAWINGS**, which price shall be payment in full for the work as specified herein.

Village of Downers Grove


SP-5: TREE PROTECTION

Municipal Codes regarding trees, including tree protection requirements for public parkway trees, are located in Chapter 24 of the Downers Grove Municipal Code. Specifically, Municipal Codes 24-7 and 24-8 detail the public parkway tree protection sizes and fines for violations. The Village Forester shall approve all tree protection measures and any deviations. All tree protection measures and any deviations shall be noted in the contract specifications and on approved project plan sheets and permits using the guidelines listed below.

Tree protection shall include avoiding damage to the above ground tree branches and trunk, and the below ground root system and surrounding soil. Tree crowns and trunks shall not suffer any branch or bark loss. Roots shall be protected from compaction, storage of materials, severing, regrading of the parkway or excavation unless specifically noted on the project plan sheets.

The Critical Root Zone, or CRZ, is the area immediately surrounding a tree that must be protected from damage. In a municipal parkway setting with utilities and paved or concrete surfaces, the size of the CRZ has been adjusted to form a rectangle around the parkway tree trunk with minimum dimensions listed in the following table. The depth of the CRZ extends to 4 feet below the natural ground surface level.

<u>Parkway Tree diameter at 4.5'</u>	<u>Width street to property (min. curb to sidewalk)</u>	<u>Length along street street(minimum)</u>	<u>Depth</u>
0 – 12.0 inches	10.0 feet	10 feet	4 feet
12.1 – 24.0 inches	10.0 feet	20 feet	4 feet
24.1 or more inches	10.0 feet	30 feet	4 feet



For projects that involve excavations of less than one (1) foot in depth in the parkway or street and are replacing structures in the same location, fencing of the public parkway trees shall not be required. Example projects include, but are not limited to, street pavement resurfacing, curb removal/replacement, driveway removal/replacement, or sidewalk removal/repairs or new sidewalk installations. Contractors shall be mindful of the CRZ dimensions and potential for fines if any parkway trees suffer any unauthorized damage as determined by the Village Forester.

Village of Downers Grove

For projects that involve excavations of one (1) foot or more in depth in the parkway or street or both, fencing of the public parkway trees shall be required. Example projects include, but are not limited to, watermain replacements with new roundway keystops and domestic service box installations, sanitary line replacements and new service connections, new or replacement natural gas services, new or replacement phone or fiber optic lines, or new or replacement storm sewers, or projects that widen roads which in turn decreases the parkway soil volume around public parkway trees.

Projects that require fencing (listed above) shall fence the public parkway trees with six (6) foot high chain link construction fence secured to metal posts driven in the ground which are spaced no further than ten (10) feet apart. The dimensions of the fence shall depend on the tree diameter size and shall follow the table listed for the CRZ above, or as large as practical dependent on driveways and other field conditions. The fenced rectangle shall have three (3) sides with the opening facing the adjacent residences for easy access for mowing or tree care. Under no circumstances shall any items be stored within the fence. All fencing shall be maintained daily in an upright good condition. The size and location of all fencing shall be shown on the project plan sheets.

To avoid damage to the CRZ, utilities must be augered underneath the public parkway trees. Excavation pits for augering equipment are to be outside the fenced area and are to be shown on the project plan sheets.

Excavation pits for roundway keystops and domestic service boxes are to be as small as practical with excavation occurring in a direction away from the adjacent public parkway tree.

In cases when severing of roots within a portion of the CRZ may be unavoidable (ex. sidewalk installation, curb replacement, water or sanitary service replacement), subject to the approval of the Village Forester, sharp clean cuts shall be made on root ends to promote wound closure and root regeneration. Root pruning and excavation activities shall occur such that the smallest volume of soil and roots is disturbed, and the locations shall be shown on the project plan sheets.

In addition to fines and citations that may be assessed for violations of any Chapter 24 of the Municipal Code (such as not maintaining fencing around the CRZ or unauthorized removal of protected trees), the contractor may be subject to the following provisions:

- issuance of an invoice for the value or partial value of the tree lost due to damage to either the above ground or below ground portions of the parkway tree, or unauthorized tree removal.
- costs of repairs, such as pruning or cabling, or costs for removal of the damaged parkway tree along with the stump if the tree cannot remain in the right-of-way.
- fines of \$500 for the 1st offense; \$1,000 for the 2nd offense; \$2,500 for the 3rd and subsequent offenses.
- each day during which a violation continues shall be construed as a separate and distinct offense.

The value or partial value of the tree lost shall be determined by the Village Forester using the most current edition of the Guide for Plant Appraisal (prepared by the Council of Tree & Landscape Appraisers and the International Society of Arboriculture) and the most current edition of the Species Ratings & Appraisal Factors for Illinois (prepared by the Illinois Arborist Association). The total cost determined for the damage shall be deducted from the payments made to the Contractor for the project. Should the Village hire another Contractor or tree service to complete pruning work, these costs shall also be deducted from the payments made to the Contractor.

Village of Downers Grove

Basis of Payment: This work shall be paid for at the contract unit price per **FOOT** for **TREE PROTECTION**, which price shall be payment in full for the work as specified herein, except tree removal as defined by the standard specifications, which will be paid for separately.

SP-6: ACCESS AND WATER SHUT-OFF NOTIFICATION

If access to a driveway will be blocked, or water will be turned off, the Contractor shall give that resident or business proper written notification at least 24 hours in advance. The Contractor must provide them the opportunity to remove their cars from the drive or make other arrangements, and prepare for any shutdown of the water system. Samples of written notices shall be submitted to the Engineer for approval.

In addition, the Contractor shall be responsible for notifying the resident or business verbally on the morning of any driveway closure, to ensure awareness of the lack of access.

SP-7: TRAFFIC CONTROL, MAINTENANCE OF TRAFFIC, DETOURS

This item shall include the furnishing, installing, maintaining, relocating and removing of all traffic control devices and personnel used for the purpose of regulating, warning, or directing traffic during the construction of this project. All traffic control devices used on this project shall conform to the Standard Specifications for Traffic Control Devices and the Illinois Manual on Uniform Traffic Control Devices. No waiving of these requirements will be allowed without prior written approval of the Engineer.

The Contractor shall protect all workers engaged in the project, and shall provide for safe and convenient public travel by providing adequate traffic control under all circumstances. Such circumstances may include, but not be limited to work performed along the route under construction, road closures for construction operations of any type, or when any section of the road is opened to traffic prior to completion of all work. The Contractor shall ensure that the work zone in question is properly signed, barricaded and otherwise marked.

The Contractor will be responsible for the proper location, installation, and arrangement of all traffic control devices during the period of construction. All open excavations shall be protected by Type I barricades equipped with bi-directional flashing lights at each end of the excavation, as well as at 50-foot intervals between ends for excavations greater than 50 feet in length and weighted down by **two sandbags per each barricade**. All street closures shall be protected by Type III barricades equipped with bi-directional flashing lights and weighted down by **eight sandbags per each barricade**.

The Contractor shall plan his work so that there will be no open holes during non-working hours and that all barricades have been removed from the pavement during non-working hours.

In the event that one direction of travel must be closed, the Contractor has the option of setting up a detour route or using flaggers (minimum of two). The Engineer shall approve proper signing and barricading of the detour route and lane closures, and shall issue written authorization prior to closure.

The Contractor shall maintain his operations in a manner such that traffic flow shall not be substantially impeded during the construction of the proposed improvements. Where traffic must cross open trenches during a given work day, the Contractor shall provide steel plates at street intersections and driveways. Prior to the end of a given work day, the pavement surface shall be temporarily restored. No open excavation may be left overnight or on the weekend without the express written permission of the Engineer.

As the condition and location of the work changes, the Contractor shall maintain all traffic control devices

Village of Downers Grove

and personnel engaged in traffic control, in a manner that will accommodate the changing particulars of the work at any given time. Advance warnings, detour and directional information and other controls or directions necessary for safe passage of traffic around the work site shall be reviewed and changed, if necessary, to meet the needs of the situation. Signage erected, but not necessary or proper for the situation ahead shall be covered or taken down. Barricading and signage shall be monitored on a daily basis to ensure that it meets the requirements for work zone safety for the conditions of the particular work being performed.

The Contractor shall provide a name and phone number for a responsible party capable of providing emergency service, 24 hours per day, for the duration of the Project.

Basis of Payment: This work shall be paid for at the contract **LUMP SUM** price for **TRAFFIC CONTROL, MAINTENANCE OF TRAFFIC, DETOURS**, which price shall be payment in full for the installation and maintenance of proper traffic control to protect the work and the public for the duration of the Project.

SP-8: STREET SWEEPING

All roadway surfaces shall be kept free of dirt, mud, dust and debris of any kind throughout every phase of the Project. Dirt, mud, dust and debris of any kind shall be removed from the roadway surface to the satisfaction of the Engineer by any one or combination of the following: approved mechanical sweeping equipment, manual labor, or other approved techniques.

Whenever ordered by the Engineer, especially for locations subject to a particularly high volume of traffic, the Contractor shall mechanically sweep the work site.

Basis of Payment: This work will be paid for at the contract unit price per **EACH** for **STREET SWEEPING**, which price shall be payment in full for the work as specified herein.

SP-9: EROSION AND SEDIMENTATION CONTROL

Description: Throughout each and every phase of the project, all downstream ditches and storm sewers shall be protected from the run-off of roadway surfaces, excavations, and other construction activities generating the movement of dirt, mud, dust and debris. This work shall consist of constructing temporary erosion and sedimentation control systems as shown on the plans or as directed by the Engineer. The work shall be placed by methods and with materials in accordance with Sections 280, 1080 and 1081 of the Standard Specifications, except as amended herein.

All downstream ditches shall be protected from erosion and sedimentation by the installation of silt fence or ditch checks; straw bales shall not be used. Piles of excavated material are not allowed to be stored onsite. Storm sewer inlet structures or manholes shall be protected by temporary placement of filter baskets, or solid lids, as authorized in the field by the Engineer.

Erosion and sedimentation control measures as indicated in the Erosion Control Plan, or as directed by the Engineer shall be installed on the project site prior to beginning any construction activities which will potentially create conditions subject to erosion. Erosion control devices shall be in place and approved by the Engineer as to proper placement and installation prior to beginning other work. Erosion control protection for Contractor equipment storage sites, plant sites, and other sites shall be installed by the Contractor and approved by the Engineer prior to beginning construction activities at each site. All erosion and sedimentation control items must reference and be in accordance with the SWPPP standards and documentation. All contractors will be required to sign

Village of Downers Grove

a document acknowledging this procedure. Any specific work done by each Contractor must comply with any SWPPP regulations. If erosion control items are needed to be replaced or repaired due to construction activities of each Contractor following the installation of initial erosion and sediment control items, these items shall be incidental to each Contractors' overall contract work.

Silt Fence Installation. Placement and maintenance of silt fence at areas designated by the Engineer. The work shall be placed by methods and materials in accordance with Sections 280 and 1080 of the Standard Specifications, except as amended herein.

Silt Fence Removal. Removal and disposal of silt fence immediately prior to final restoration work.

Inlet Filter Baskets. Installation, maintenance and removal (after final stabilization) of inlet filter baskets as depicted on the plans.

Silt Dike. Installation and maintenance of ditch checks as depicted on the plans and as designated by the Engineer.

Silt Dike Removal. Removal and disposal of ditch checks immediately prior to final restoration work.

Concrete Washout. This shall be INCIDENTAL to the project and must follow all SWPPP requirements.

Basis of Payment: This work shall be paid for at the contract unit price per EACH for INLET FILTER BASKETS, per EACH for SILT DIKE, per EACH for SILT DIKE REMOVAL, per FOOT for SILT FENCE INSTALLATION, and per FOOT for SILT FENCE REMOVAL.

SP-10: TEMPORARY BITUMINOUS PATCH

This item shall be used at locations where water main installation is not complete, but the trench must be patched due to weather, high vehicular traffic concentrations, or the direction of the Engineer. In these locations, three (3) inches of 'Asphalt Cold Patch', placed and compacted in one lift, shall be placed on the compacted CA-6 sub-base. This pavement shall be placed against a prepared saw-cut pavement. The surface of the finished patch shall be even with the existing finished pavement. Areas of pavement to be opened after November 15th shall be done so only with the approval of the Engineer. The maximum width paid for this item, shall be the maximum pavement replacement width permitted by the Standard Specifications for Water and Sewer Construction in Illinois, or as otherwise directed by the Engineer.

Basis of Payment: This work shall be paid for at the contract unit price per TON for TEMPORARY BITUMINOUS PATCH, which price shall include all labor, material, and equipment necessary for furnishing, placing, maintaining, removing and disposing of the asphalt patching material surface used in the construction of temporary road surfaces. This item shall also include the maintenance of the temporary pavement.

SP-11 : EXCAVATION, SPECIAL

This work shall consist of the excavation, removal and disposal of all pavement, sub-base and subgrade materials as required to meet the lines and subgrades to the depth of all proposed items including but not limited to proposed roadways, curb and gutter, ditching, roadway shoulders, driveway aprons, concrete sidewalks, and asphalt pathways in accordance with Section 202 and Section 440 of the Standard Specifications and as specified herein. Any other earthwork shown on the plans in the

Village of Downers Grove

roadway or parkway but not specifically called out shall be INCIDENTAL. Piles of excavated material are not allowed to be stored onsite.

This item shall include all full depth straight joints that shall be sawn at the ends and all edges of portions to be removed.

Method of Measurement: This work will not be measured for payment. Payment will be based on Contract Quantities. By submission of a bid, Contractor agrees on Contract Quantity.

The removal and disposal of unsuitable materials (undercut) to allow POROUS GRANULAR EMBANKMENT SPECIAL to be installed below proposed sub-base granular as necessary and as directed by the Engineer will be paid for separately at the contract unit price per CUBIC YARD of REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL.

Basis of Payment: This work shall be paid for at the contract unit price per CUBIC YARD for EXCAVATION, SPECIAL, which shall include all labor, materials and equipment necessary to do the work.

SP-12: REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL

Subgrade preparation shall include the removal of unsuitable surface conditions including pavement materials, vegetation, high organic content topsoil, root matter and other deleterious conditions which may be encountered. The subgrade soils (including soils in the conduit trenches) shall be proof-rolled and the soils compacted to a minimum of 95% compaction based on the standard proctor, AASHTO T-99 or ASTM D-698, within 1.0 foot of the surface. Proof-rolling and compaction will not be paid for separately, but will be considered as an incidental expense.

When proof-rolling reveals unstable soil conditions, these soils shall be removed. Removal and disposal of all surplus, unstable and unsuitable materials and organic waste below the design sub-grade shall be performed in such a manner that public or private property will not be damaged or endangered. Removal and Disposal of Unsuitable Material shall conform to applicable portions of Section 202 of the IDOT Standard Specifications. The quantity is provided for estimated purposes only, and adjustments to unit prices will not be allowed based on actual quantities.

Basis of Payment: This work shall be paid for at the contract unit price per CUBIC YARD for REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL, and shall include all labor, equipment and materials necessary to perform the work as specified.

SP-13: POROUS GRANULAR EMBANKMENT, SUB-GRADE

This work shall consist of placing and compacting porous granular material installed on geotextile fabric to the lines and grades shown on the plans or as directed by the Engineer in accordance with the applicable portions of Section 207 of the IDOT Standard Specifications. The material shall be used as a bridging layer over soft, unstable or loose soil areas and for placement under water.

The geotextile fabric shall be in accordance with the specifications contained in Article 1080.02 of the IDOT Standard Specifications. The PGE material shall conform to Article 1004.05 of the IDOT Standard Specifications except the gradation shall be as follows:

1. Crushed Stone, Crushed Blast Furnace Slag, and Crushed Concrete

Village of Downers Grove

Sieve Size	Percent Passing
*6"	97 ± 03
*4"	90 ± 10
2"	45 ± 25
#200	5 ± 5

2. Gravel, Crushed Gravel and Pit Run Gravel

Sieve Size	Percent Passing
*6"	97 ± 03
*4"	90 ± 10
2"	45 ± 25
#4	30 ± 20
#200	5 ± 5

*For undercut greater than eighteen inches (18"), the percent passing the 6" sieve may be 90 ± 10, and the 4" sieve requirements eliminated.

The porous granular material shall be placed in one lift when the total thickness to be placed is 6" or less or as directed by the Engineer. Each lift of the porous granular material shall be rolled with a vibratory roller meeting the requirements of Article 1101.01 of the IDOT Standard Specifications to obtain the desired keying or interlock and compaction. The Engineer shall verify that adequate keying has been obtained.

A 3" nominal thickness top lift of capping aggregate having a gradation of CA-6 will be required when Sub-base Granular Material is not specified in the contract and Porous Granular Embankment, Sub-Grade will be used under the pavement and shoulders. Capping aggregate will not be required when embankment meeting the requirements of Section 207 of the Standard Specifications or granular sub-base is placed on top of the porous granular material.

Unnecessary construction equipment for the completion of the replacement material will not be allowed on the undercut areas until compaction of the recommended thickness of the porous granular sub-grade.

Full-depth sub-grade undercut should occur at limits determined by the Engineer. A transition slope to the full depth of undercut shall be made outside of the undercut limits at a taper of 1 foot longitudinal per 1 inch depth below the proposed sub-grade or bottom of the proposed aggregate sub-grade when included in the contract.

This work shall be measured for payment in accordance with Article 207.04 of the IDOT Standard Specifications. When specified on the contract, the theoretical elevation of the bottom of the aggregate sub-grade shall be used to determine the upper limit of Porous Granular Embankment, Sub-Grade. The volume will be computed by method of average end areas.

Village of Downers Grove

Basis of Payment: This work will be paid for at the contract unit price per **CUBIC YARD** for **POROUS GRANULAR EMBANKMENT, SUB-GRADE**, which price shall include all equipment, labor and materials required to complete this work as specified, including capping aggregate.

PGE shall be used as field conditions warrant at the time of construction. No adjustment in unit price will be allowed for an increase or decrease in quantities from the estimated quantities.

SP-14: TRENCH BACKFILL

Description: All trenches and excavations beneath pavements and driveways, as shown on plans or as directed by the Engineer in the field, will require Case III **SELECTED GRANULAR BACKFILL** meeting the gradation of Type A of Sec. 20-5.03 of the Water and Sewer Specs.

Trench Backfill, CA-6 shall meet the requirements of Section 1004 of the SSRBC, gradation to be "CA-6", except that GR-7 gravel will not be allowed. Select Granular Backfill, CA-6 should be used when under or within 2' of paved areas or structures, and shall extend from 1' above the pipe to at least 9" below the street surface.

Backfill shall be compacted by vibrating plate or other mechanical compacting device in a manner consistent with the Standard Specifications, to ensure that no future settlement occurs.

Backfilling Method 2 as listed in Article 550.07 of the SSRBC will not be allowed.

Backfilling Method 3 as listed in Article 550.07 of the SSRBC will only be allowed with prior approval from the Engineer.

All backfilling shall be done in accordance with Section 20-4.06 of the Water and Sewer Specs. Specifically, all trenches and excavations other than those shown on the plans or designated by the Engineer to receive **SELECTED GRANULAR BACKFILL, CA-6** shall be backfilled by any acceptable method which will not dislodge or damage the pipe, or cause bridging action in the trench. Spoil material may be used as backfill in turf areas. In turf areas, **SELECTED GRANULAR BACKFILL, CA-11** shall be used to a height of one (1) foot above the top of the storm sewer pipe, and the balance of the backfill may be approved excavated material.

Placement of SELECTED GRANULAR BACKFILL, CA-11, as Granular bedding, Haunching, and Initial Backfill, as defined in the Water and Sewer Specs., shall be considered incidental to the contract price for pipe installation.

Payment shall be made only for the placement of SELECTED GRANULAR BACKFILL, CA-6, as Final Backfill, as defined in the Water and Sewer Specs. Backfill of approved excavated material shall be considered incidental to the contract price.

Where granular bedding as encasement material is not specified, selected excavation material free from clods or stones shall be used between the bottom of the trench and a point six inches above the top of the pipe.

Selected granular backfill shall be furnished for backfilling to the full width of the trench. It will be measured in cubic yards in place, except that the quantity for which payment will be made shall not exceed the volume of the trench as computed by using the maximum width of trench permitted by the SSRBC Any selected granular material required in excess of the maximum quantity herein specified shall be furnished by the Contractor at his own expense.

Village of Downers Grove

This item also includes the disposal of the surplus excavated material that is replaced by selected granular backfill. Any material meeting the aforementioned gradation that has been excavated from the trenches may be used for backfilling the trenches. However, no compensation will be allowed as selected granular backfill for the portion of the trench backfilled with excavated material.

Basis of Payment: This work will be paid for at the contract unit price per **CUBIC YARD** for

TRENCH BACKFILL

which price shall be payment in full for the work as specified herein and as measured in place.

SP-15: EXPLORATORY TRENCH, SPECIAL

This item shall consist of excavating an area for the purpose of locating existing utilities within the construction limits of the proposed improvement. This work shall be performed as directed by the Engineer. A nominal quantity of exploratory excavation has been included in the schedule of prices for the purpose of establishing a unit price for this item of work.

After the excavation has been inspected, it shall be backfilled as directed by the Engineer. If it is located in a paved area (existing or proposed), the excavation shall be backfilled with Trench Backfill as specified herein. Otherwise, the excavation shall be backfilled with excavated material compacted to the satisfaction of the Engineer. Any excess material shall be disposed of in accordance with Article 202.03 of the IDOT Standard Specifications.

Trench Backfill will not be measured for payment.

This work will be paid for at the contract unit price per **EACH** for **EXPLORATORY TRENCH, SPECIAL**, measured as specified, which price shall include excavation, backfill and legal disposal of excess material.

SP-16: PARKWAY RESTORATION, SPECIAL

This item shall be done in accordance with the applicable portions of Sec. 252 of the Standard Specifications and the following provisions.

As contract work progresses through the Village, parkway restoration work shall commence in a timely manner in areas where permanent placement of new curb and gutter, driveways, sidewalks, etc., has been completed. Under no circumstances shall the Contractor prolong final grading, shaping and sod placement so that the entire project can be permanently restored at the same time.

This work shall consist of the excavation, topsoiling and sodding of the entire parkway between the back of curb and the right-of-way and adjacent to all curbs, sidewalks and driveways removed and replaced during the course of construction or as directed by the Engineer. Restoration will also be performed on areas disturbed by storm sewer or culvert construction.

All topsoil to be used for parkway restoration shall be obtained from outside the limits of this improvement, transported to the site and placed at required locations to a minimum depth of 4". All materials shall meet the requirements of Art. 1081.05 of the Standard Specifications. All placement of topsoil shall meet the requirements of Sec. 211 of the Standard Specifications.

Village of Downers Grove

All sod shall meet the requirements of Art. 1081.03 of the Standard Specifications. All placement of sod shall meet the requirements of Sec. 252 of the Standard Specifications.

For that period prior to full parkway restoration, the Contractor shall backfill and grade all disturbed areas so as to insure the safety of the general public. Parkways shall be left in a safe, clean and usable condition conducive to foot traffic and to the satisfaction of the Village. The Contractor shall protect these unfinished areas against erosion and work to keep them weed free.

Basis of Payment: This work will be paid for at the contract unit price per **SQUARE YARD** for **PARKWAY RESTORATION, SPECIAL**, which price shall be payment in full for any excavation and grading necessary, the furnishing, transporting and placement of all topsoil and sod and the full watering of sod. Unless otherwise directed by the Engineer restoration of disturbed parkways outside the limits of improvement will not be paid for separately but shall be considered incidental to the contract.

Supplemental watering shall be paid for at the contract unit price per unit for **SUPPLEMENTAL WATERING**.

SP-17: AGGREGATE FOR TEMPORARY ACCESS

This work shall consist of construction and maintenance of an aggregate surface course for abutting properties as part of construction operations, per the applicable portions of Article 107.09 of the SSRBC except as amended herein.

Coarse aggregate shall meet the gradation for CA-6, and meet the requirements of Article 1004.04 of the SSRBC.

The temporary aggregate shall be used as ramping between the new aggregate base and all side streets, abutting properties, and crosswalks where vehicle and pedestrian traffic is to be maintained. Removal and disposal of the temporary aggregate shall be considered incidental to this item. The Engineer may require that some or all of the temporary aggregate be reused within the project limits.

When temporary access is no longer required, the aggregate placed for its construction and maintenance shall be removed and utilized in the permanent construction or otherwise disposed of as specified in Article 202.03 of the SSRBC. The Engineer reserves the right to determine suitability for utilization of reclaimed asphalt pavement used in the construction of temporary access in the permanent construction.

This work will be measured in place in tons. The contractor shall submit the load ticket to the Engineer at the work site when the truck arrives.

This work will be paid for at the contract unit price per **TON** for **AGGREGATE FOR TEMPORARY ACCESS**, which price shall include all costs of furnishing, placing, maintaining, removing and reusing, and removing and disposing of aggregate used in the construction of temporary access.

SP-18: REMOVAL OF EXISTING PAVEMENT AND APPURTENANCES

This work shall be performed in accordance with Section 440 of the Standard Specifications with the following alterations.

Removal of existing pavement will not be paid for as a separate item. Removal of all existing pavement, except for driveways and sidewalks, is included in the item EXCAVATION, SPECIAL. See special

Village of Downers Grove

provision twelve (SP-11).

Special attention is drawn to the typical existing sections shown on the plans. These sections indicate the limits of payment for this item. No additional compensation for pavement removal shall be allowed without written direction from the Engineer prior to the commencement of any additional work.

Description. Add the following: Sidewalk and any pavement removal prior to replacement shall be made to the depth of the new structure. All removed material shall be hauled from the work site the same day as its removal.

Section 440.07 Method of Measurement.

Delete section (c).

Basis of Payment. Add the following: All required saw cutting shall be included in the unit prices for the various items of work. The contract unit prices for **SIDEWALK REMOVAL** and **DRIVEWAY PAVEMENT REMOVAL** shall include removing and disposing of the entire sidewalk or driveway structure including excavation to the depth of the new structure.

SP-19: AGGREGATE BASE COURSE, TYPE B

This work shall consist of furnishing and placing sub-base granular material on a prepared subgrade.

Materials shall meet the requirements of Article 1004.04 of the IDOT Standard Specifications except as modified herein. The course aggregate used for this material shall be crushed gravel, crushed stone or crushed concrete shall have a gradation of CA-6 and shall have a quality of Class D or better. **Recycled on-site materials may be allowed with approval from the Engineer. The contractor shall provide documentation stating the recycled material meets CA-6 gradation and the contractor shall provide all material characteristics (e.g. Modified Proctor) needed for testing of compaction.**

Construction requirements shall meet the requirements of Section 311 of the IDOT Standard Specifications.

Basis of Payment: Sub-base granular material shall be measured in place and the area computed in square yards and shall be paid for at the contract price per square yard for **AGGREGATE BASE COURSE, TYPE B (THICKNESS SPECIFIED)** of the thickness shown on the drawings. Said price shall include the cost of furnishing, placing and compacting the sub-base granular material. Sub-base granular material under concrete curbs and concrete curb and gutters will be considered incidental to the concrete curb or concrete curb and gutter item.

SP-20: COMBINATION CURB AND GUTTER

This work shall consist of the placement of P.C.C. Curb or Curb and Gutter, of the type, size and location shown on the plans. All P.C.C. Curb and Gutter shall be placed by methods and materials as specified in Articles 606 and 1020 of the SSRBC, except as amended herein.

Placement of P.C.C. Combination Curb and Gutter shall include the following:

- a) The use of Class SI Portland cement concrete, 6.05 cwt/cy mix, with 6% air entrainment, 3" slump;
- b) The saw cutting of 2 inch deep joints at not more than 15-foot intervals, within 24 hours after

Village of Downers Grove

- being placed;
- c) The placement of 2 dowel bars into the gutter portion of existing concrete curb, and at expansion joints, in accordance with the detail shown on the plans;
 - d) The placement of 3/4 inch pre-molded expansion joint filler perpendicular to the centerline of the roadway for the full depth of the curb and gutter, where abutting existing concrete curb and gutter, at 10 feet either side of a utility structure, at construction joints at the ends of pours, at not more than 90 foot intervals;
 - e) The proper curing of all concrete work utilizing the methods and materials outlined in Articles 424 and 1022.01 of the SSRBC (Type 2 membrane curing with red dye is preferred);
 - f) The backfilling of all curb work with materials approved by the Engineer.

At locations shown on the plans or where directed by the Engineer the contractor will use High-early strength concrete. The desired concrete mix shall have a minimum compressive strength of 3,000 psi at 24 hours. Mix design shall be submitted to the Engineer for review and approval.

Basis for Payment: This work shall be paid for at the contract unit price per **FOOT** for **COMBINATION CONCRETE CURB AND GUTTER**, of the type specified, which price shall include all excavation, 6" aggregate base and for the work as specified herein.

SP-21: DRIVEWAYS

This work shall consist of the installation of new HMA and PCC driveways at locations shown on the plans.

The driveways shall be constructed as shown in the details and as specified herein:

The subgrade shall be prepared at all locations, and the slopes adjacent to the driveways shall be shaped accordingly. The maximum grade for the side slopes shall not exceed 33 percent.

PCC Driveways: The base course shall consist of 6 inches of Type CA-6 aggregate base, measured after placement and compaction. The surface course shall consist of 6 inches of Class PV Portland Cement Concrete. The Driveway shall be placed by methods and materials outlined in Articles 423 and 1020.04 of the Standard Specifications.

All concrete work shall be properly cured utilizing the materials and methods outlined in Section 1022 of the Standard Specifications; except that Type II curing compound with red dye shall be used.

HMA Driveways: The asphalt shall be placed upon a minimum of 6 inches of Type CA-6 aggregate base course, and shall consist of 3 inches of compacted HMA Surface Course. The asphalt shall also be placed by methods and materials outlined in Articles 406 and 1009 of the Standard Specifications.

BRICK PAVER Driveways and Edging: This item shall consist of removing, securely storing and reinstalling the existing brick pavers at the locations shown on the plans and as directed by the Engineer. This work shall be performed in accordance with the details in the plans. Any excavation, aggregate sub-base, edge restraints, or sand required will be included in the cost. Work shall be in accordance with the applicable portions of Section 351 of the Standard Specifications. The existing pavers/flag stones shall be salvaged and stored at a location that will prevent them from being damaged or lost. If existing bricks are damaged during excavation or the quantity is not enough to construct the proposed driveway, the Contractor will be required to furnish brick of the same size, shape, color and texture as the existing material.

Village of Downers Grove

The Contractor shall document the existing paver pattern prior to removal to ensure that the pattern of the reinstalled pavers matches the existing pattern as much as practical.

Basis of Payment: This work will be paid for at the unit price per **SQUARE YARD** for **P.C.C. DRIVEWAY PAVEMENT, SPECIAL**, of the thickness specified, **HOT-MIX ASPHALT DRIVEWAY PAVEMENT, SPECIAL**, and **BRICK PAVER DRIVEWAY REMOVE AND REINSTALL**, which price shall be payment in full for the work as specified herein.

All **POROUS GRANULAR EMBANKMENT** required to establish driveway elevations and sizes will not be paid for separately but shall be included in the cost of the driveway replacement.

SP-22: P.C.C. SIDEWALK, 5 INCH

This work shall consist of installation of new P.C.C. sidewalk as indicated by location or shown on the plans. All P.C.C. sidewalks shall be removed and replaced by methods and with materials in accordance with Articles 424 and 1020.04 of the SSRBC, except as amended herein.

Excavation for new sidewalk shall be performed with a Gradall. Operating a Gradall on the parkways will not be allowed. All excavation shall be made from the street unless otherwise approved by the Engineer. Excavation work utilizing a skid steer loader shall not be allowed.

Placement of sidewalk shall include the following:

- a) Any necessary excavation, clearing, and proper disposal of excavated materials, removal and disposal of all obstructions such as fences, walls, foundations and buildings;
- b) The placement and compaction of four inches (4") of Subbase Granular material, Type B, CA 6 with the methods and with materials in accordance with Section 311 and of Article 1004.04 of the SSRBC;
- c) The set up of form work such that the maximum running slope of the finished walk does not exceed 5 percent (1:20) or not to exceed the general grade established for the roadway, and the cross slope is not more than 2 percent (1:50).
- d) The placement of five inch (5") thick, Class SI Portland Cement Concrete, 5.65 cwt/cy mix, with 5-8% air entrainment, 2"-4" slump, and six inch (6") thickness through or in residential driveways or where subject to vehicular traffic, to the width specified on the plans or as directed by the Engineer;
- e) The tooling of contraction joints, 3/4-inch radius and 1 inch deep, 5 feet on center;
- f) The placement of 1/2 inch thick premoulded expansion joints at 50 foot intervals on center, or abutting existing concrete sidewalk, or at the end of a pour;
- g) The adjustment to proper grade of all utility structures encountered;
- h) For sidewalks passing over newly constructed utility trenches, three equally spaced epoxy coated No. 4 reinforcing bars shall be centered over all utility trenches. Bars shall extend a minimum of 5 feet (1.5 m) beyond the walls of the utility trench. Reinforcement shall be incidental to the cost of the pay item.
- i) The replacement of all traffic control devices or parking meters removed;
- j) The proper curing of all concrete work utilizing methods and materials outlined in Articles 424 and 1022.01 of the SSRBC, (Type III membrane curing compound white pigmented);
- k) The complete restoration of abutting asphalt driveways damaged as a result of installation, or where new sidewalk surface is more than 1/2 inch higher or lower than the original grade of the asphalt drive. Restoration shall consist of a minimum of one foot either side of the

Village of Downers Grove

- sidewalk; with a minimum of three inch (3") thick Hot-Mix Asphalt Surface, Mixture C, N50 (IL 9.5) surface course; and restoration of gravel drives with similar HMA restoration.
- l) Installation of ADA compliant ramps for curbed and non-curbed streets.

Except for damaged parkway areas due to rutting or not designated by the Engineer, restoration will be paid for in accordance with the specification PARKWAY RESTORATION, SPECIAL.

When sidewalks are closed to pedestrians a minimum of two barricades (one on either side of the work zone) shall be used.

Basis for Payment: This work shall be paid for at the contract unit price per **SQUARE FOOT** for **P.C.C. SIDEWALK, 5-INCH**, which price shall be payment in full for the work as specified herein.

SP-23: DETECTABLE WARNINGS

This work shall consist of the installation of new detectable warning material as shown in the plans. All detectable warnings shall be placed by methods and with materials in accordance with Article 424 and 424.09 of the SSRBC.

Each Detectable Warning shall consist of brick red 2' x 5' panels inserted into wet concrete. Detectable Warning shall be Access-Tile Cast-In-Place Replaceable or approved equivalent.

Basis of Payment: This work shall be paid for at the contract unit price per **SQUARE FOOT** for **DETECTABLE WARNINGS**, which price shall include all material, labor, and equipment necessary to complete this item.

SP-24: DRAINAGE STRUCTURE REMOVAL

This work shall consist of all labor, equipment and material required to remove and properly dispose of all manholes, inlets or catch basins in accordance with Section 605 of the Standard Specifications. The work will include plugging the existing pipe with brick and mortar and backfilling with sand.

Basis of Payment: This work shall be paid for at the contract unit price per **EACH** for **DRAINAGE STRUCTURE TO BE REMOVED**, which price shall be payment in full for the work as specified herein.

SP-25: STORM SEWER REMOVAL

At all locations shown on the plans where the existing sewer system is to be removed the existing pipe will be removed and properly disposed of. At locations shown on the plans, the removal of non-conflicting storm and sanitary sewers shall be removed and backfilled with trench backfill, CA-6, which backfill shall be paid for as **TRENCH BACKFILL, SPECIAL**.

Basis of Payment: This work shall be paid for at the contract unit price per **FOOT** of **STORM SEWER REMOVAL (SIZE SPECIFIED)** and will include plugging the existing sewer with brick and mortar and backfilling with trench backfill.

SP-26: STORM SEWER

Description: This item shall consist of the construction of Storm Sewer. Storm sewer shall be constructed with new Reinforced Concrete Pipe (RCP) per the SSRBC (AASHTO M315), and Ductile Iron Pipe with gasket (DIP), AWWA C -1 Class 52 with SuperCoat interior lining, asphalt exterior coating, and rubber-

Village of Downers Grove

gasketed joints AWWA C – 111 of the diameter shown, or Polyvinyl Chloride (PVC) Pipe SDR 26 with gasketed, bell and spigot, push on type joints conforming to ASTM D3212 of the diameter shown on the Drawings.

The pipe shall be placed so that the entire length of the pipe will have full bearing. No blocking of any kind shall be used to adjust the pipe to grade except when used with concrete encasement.

Laying of sewer pipe shall be accomplished to line and grade in the trench only after it has been de-watered and the foundation and/or bedding has been prepared. Mud, silt, gravel, and other foreign material shall be kept out of the pipe and off the jointing surface.

All pipe laid shall be retained in position so as to maintain alignment and joint closure until sufficient backfill has been completed to adequately hold the pipe in place. All pipes shall be laid to conform to be prescribed line and grade shown on the Plans.

The sewer pipe, unless otherwise approved by the Engineer, shall be laid up grade from point of connection on the existing sewer or from a designated starting point. The sewer pipe shall be installed with the bell end forward or upgrade, unless approved otherwise. When pipe laying is not in progress, the forward end of the pipe shall be kept tightly closed with an approved temporary plug.

If deemed necessary by the Engineer, all pipe and manholes shall pass an ex-filtration test in accordance with ASTM C-969-02 prior to acceptance. All testing shall be done under supervision of the Engineer, who shall be notified 48 hours prior to testing.

The following specific items shall be considered incidental to storm sewer pipe construction and their costs shall be merged into the contract unit price per **FOOT** of the storm sewer pipe.

1. Removal of all surplus trench excavation from site.
2. Excavation for and placement of bedding material.
3. Support of trenches, including any necessary bracing or shoring.
4. De-watering of trench or excavation.
5. Placement and compaction of backfill by vibratory plate or other approved mechanical device.
6. Coring into existing drainage structures where connections are called for on the plans.
7. Sawcutting of pavement and/or curb and gutter.

Basis of Payment: This work shall be paid for at the contract unit price per **FOOT** for:

STORM SEWERS (CLASS, MATERIAL, SIZE SPECIFIED),

which price shall include all labor, material, and equipment and incidental work herein specified, except **TRENCH BACKFILL** used as Final Backfill as defined by the Standard Specifications, which will be paid for separately.

SP-27: SANITARY SERVICE RECONNECTION

This work shall consist of the reconnection of existing sanitary services disturbed during the installation of the proposed water main. A service shall be considered whenever the water main passes less than eighteen inches above or any distance below the service.

Village of Downers Grove

The existing service pipe shall be cut one and one-half foot beyond the walls of the water main trench in a manner that provides a neat and smooth joint. The reconnection of the new and existing pipes shall be made with PVC pipe grade SDR 26, ASTM D2241, 160 psi pressure pipe, or better with push-on bell and spigot type with rubber ring seal gasket ASTM D3139. Non-shear couplings (couplings with stainless steel shear ring) shall be used to connect pipes of dissimilar material or size – FLEX-SEAL Adjustable Repair Couplings. The excavation shall be backfilled with **TRENCH BACKFILL** to a point one foot above the top of the sanitary service. Backfill shall be placed in lifts and firmly compacted such that no future settlement occurs. **NO RECONNECTION SHALL BE BACKFILLED UNTIL INSPECTED AND APPROVED BY A REPRESENTATIVE OF THE DOWNERS GROVE SANITARY DISTRICT. (630-969-0664)**

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **SANITARY SERVICE RECONNECTION**, which price shall be payment in full for all work as specified herein, except that **TRENCH BACKFILL** used as Final Backfill as defined by the Standard Specifications, shall be paid for separately.

SP-28: STEEL CASING PIPE, (SIZE)

This work shall consist of the auguring or open cut of casing pipe as specified and the installation of water main pipe through it. Water main pipe materials and installation shall comply with all requirements of the DUCTILE IRON WATER MAIN, 8" special provisions of this document.

The casing pipe shall be a new welded steel pipe, capable of withstanding a minimum force of 35,000 PSI, and shall meet the requirements of ASTM-139, Grade B. The following table shall determine the diameter size and wall thickness of the casing pipe:

CASING PIPE

Diameter Size of Water main Pipe	Diameter Size of Casing Pipe	Minimum Wall Thickness
6"	12"	0.250"
8"	16"	0.282"
12"	20"	0.344"

The auger length shall be as shown on the plans, or as directed by the Engineer in the field, and/or shall conform to the following IEPA standards:

- a) Where the horizontal separation between the water main and any storm or sanitary sewer is less than ten feet and the bottom of the water main is less than eighteen inches above the top of the sewer; or
- b) Where the water main crosses less than eighteen inches above or any distance below a sewer.

For condition (a), the casing pipe shall extend the entire length of the above described proximity and for condition (b), the casing shall be installed for a distance of no less than ten feet to either side of the sewer. For the purpose of this special provision, open-ended ditch culverts shall not be considered a sewer.

Village of Downers Grove

The auguring of the casing pipe shall be a continuous operation. All joints in the casing shall be welded. Care shall be exercised when auguring to prevent the loss of soil which will create voids outside of the casing.

Power sealer #4810 casing spacers or approved equal shall be used when installing the water main within the casing pipe. Skids shall be securely banded to the water main at frequent intervals such that the pipe is uniformly supported within the casing. Prior to backfilling, the ends of the casing pipe shall be sealed with brick and mortar.

The auger pit shall be large enough to accommodate all equipment; however, this pit shall not be larger than twice the allowable trench width by twice the casing pipe length. The pit shall be protected at all times such that safe working conditions are assured and no hazard is presented to motorists or pedestrians.

Basis of Payment: The work shall be paid for at the contract unit price per FOOT for STEEL CASING PIPE (SIZE), which shall include all labor, materials, and necessary equipment to complete the work in place.

SP-29: MANHOLES, CATCH BASINS, AND INLETS (SIZE AND TYPE SPECIFIED)

This work shall consist of the installation of precast concrete drainage structures with a cast-in, clamp-on type flexible boot meeting ASTM C923 requirements, of the size and type shown on the plans or specified by the Engineer. Included in the contract unit price shall be all excavation, removal and disposal of existing storm structures, bedding, supplying and compacting of backfill materials. Backfill materials for new structures shall be CA-6 aggregate mechanically compacted. Unless otherwise specified, all manholes, catch basins, and inlets and shall be their respective Type A design with cast-in-place, clamp-on type, flexible rubber boot(s).

All structures in excess of four feet in depth shall be equipped with cast iron steps meeting the standards of ASTM A48.

Precast sections shall conform with ASTM C 478 and shall be substantially free from fractures, large or deep cracks and surface roughness. Slabs shall be sound and free from gravel pockets. Joints between precast sections shall be designed for rubber gaskets or bituminous mastic material.

Adequate foundation for all structures shall be obtained by removal and replacement of unsuitable materials with well graded granular material; or by tightening with coarse ballast rock, or by such other means as provided for foundation preparation of the connected sewers.

Precast base sections shall be placed on a well graded granular bedding of not less than two (2) inches in thickness. The bedding course shall be firmly tamped and made smooth and level to assure uniform contact and support of the precast element.

All lift holes shall be completely filled with mortar to ensure water tightness.

Castings shall be set in mortar or bituminous mastic beds. The adjustment of the casting to the required final grade shall be made with precast concrete adjusting rings. Maximum adjustment with rings shall be twelve inches (12"). Brick, concrete block, or wooden shims will not be permitted. Pre-cast concrete adjusting rings shall be set in mortar or bituminous mastic beds.

In pavements, frames shall be heavy duty Type 1 with either Type B closed lids or Type 11 frame and grates.

Village of Downers Grove

This work will be paid for at the contract unit price per EACH for **MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME CLOSED LID; CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME OPEN LID; CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 11 FRAME AND GRATE; CATCH BASINS, TYPE A, 5'-DIAMETER, TYPE 1 FRAME OPEN LID**, which price shall include all material, labor, and equipment necessary to complete the work.

SP-30: STRUCTURES TO BE ADJUSTED

Although the cost of adjusting and/or reconstructing structures per this specification will be paid for under this contract, the contractor shall be aware that many of the structures are not the property of the Village of Downers Grove, and that such work may require inspections and/or permits from other governmental agencies.

A. DRAINAGE AND UTILITY STRUCTURES

This work shall consist of the removal and disposal of the existing frame and lid/grate; installation of the applicable new frame and lid/grate; all labor, equipment and material required to adjust or reconstruct manholes, catch basins and inlets, and valve vaults in accordance with Section 602 of the SSRBC. This item will include all excavation, concrete and trench backfill.

B. SANITARY MANHOLES

This method shall be used for all manholes which will have less than seven and one-half (7 ½") inches of adjustment between the top of the cone and the bottom of the frame when set at finished grade. To raise the frame, adjustment shall be made using precast reinforced concrete rings. Concrete blocks or bricks shall not be used. The spaces between the cone, rings and frame shall be completely sealed with preformed bituminous mastic (Easy Stik or approved equal). Mortar shall not be used. To lower the frame, existing adjustments shall be removed and the space between the frame and the cone shall be removed and the space between the frame and the cone shall be completely sealed with preformed bituminous mastic gasket. If the manhole would have seven and one-half (7 ½") inches or more of adjustments when set at the finished grade or if the frame must be lowered by more than the amount of existing adjustment, the manhole shall be reconstructed. Refer to Downers Grove Sanitary District specifications for manhole reconstruction. The Downers Grove Sanitary District shall be notified of manholes to be adjusted prior to beginning construction. Once completed, no such adjustment shall be backfilled without inspection by the Downers Grove Sanitary District.

This work shall be paid for at the contract unit price per EACH for **DRAINAGE & UTILITY STRUCTURE TO BE ADJUSTED**.

SP-31: LINE STOP EXISTING MAIN

This item shall consist of installing a temporary line stop in the existing watermain that are under pressure. Prior to installing the line stop, the Contractor shall verify the actual diameter of the main at the point where the line stop will be installed. Split sleeves, fittings, and rubber glands shall conform to AWWA C110 and bolts and set screws shall be stainless steel or corrosion resistant materials.

Basis of Payment. This work will be paid for at the contract unit price per EACH for **LINE STOP EXISTING MAIN (SIZE SPECIFIED)**, which will include all excavation, backfill, tapping equipment, fittings, split sleeves, rubber glands and any joint accessories for a complete line stop installation.

Village of Downers Grove

SP-32: TEMPORARY SURFACE OVER TRENCH - AGGREGATE (CA-6)

This work shall consist of construction, maintenance, and removal of an aggregate surface course for temporary roads and approaches as specified in Section 107.09 of the SSRBC.

Aggregate surface shall be constructed in accordance with the applicable portions of Section 402 of the SSRBC, except that the equipment required for the work will be as directed by the Engineer.

Maintenance shall consist of placing and compacting additional aggregate of the same type and gradation as the surface aggregate.

Aggregate used for temporary access shall be of CA-6 gradation and shall meet the requirements of Section 1004.04 of SSRBC, except the use of crushed concrete and slag will not be allowed. The top portion of the temporary aggregate surface will be capped with four inches (4") of **bituminous grindings** to assist with dust control.

When the use of the aggregate for temporary roads and approaches is discontinued, the surface aggregate placed in its construction and maintenance shall be removed and either utilized in the permanent construction or otherwise disposed of as specified in Section 202.03.

Basis of Payment: This work shall be paid for at the contract unit price per **SQUARE YARD** for **TEMPORARY SURFACE OVER TRENCH – AGGREGATE (CA-6), DEPTH SPECIFIED**, which price shall include all the labor, material, and equipment necessary for furnishing, placing, maintaining, removing and disposing of the aggregate surface or the bituminous patching material surface with aggregate sub-base, used in the construction of temporary road and drive approach surfaces. These items shall also include the maintenance of the temporary pavement.

SP-33: CLASS D PATCH, 6", SPECIAL

Description: This work shall consist of pavement patching by methods and with materials in accordance with Sec. 442 of the Standard Specifications, except as amended herein.

The Contractor shall not use equipment of excessive size or weight that causes damage to existing pavement or appurtenances. Any damage done to the existing pavement or appurtenances that are to remain in place shall be repaired or removed and replaced by the contractor at his/her own expense, as directed by the Engineer.

Pavement patching shall include the saw cutting of existing pavement, transportation and disposal of all pavement, sub-base and subgrade materials to depth not less than six inches (6") in accordance with Sections 202, 205 and 440 of the Standard Specifications where marked in the field by the Engineer. Pavement patches shall vary in area but minimum width shall be measured at four feet (4').

Where applicable the existing subbase shall be leveled and compacted. Where remaining base is existing HMA, PCC or brick, the bottom of each prepared hole shall be free of all loose material and a bituminous prime shall be applied to the bottom prior to replacement of HMA patches.

The hot-mix asphalt material shall conform to the requirements for Hot-Mix Asphalt Binder Course, IL-19.0, N50.

Village of Downers Grove

Paragraph 5 of Article 442.11 of the SSRBC is deleted and is replaced by: **No additional compensation will be made for repairing subbase damage or for material adhering to removed pavement.**

Add the following to Article 442.08 of the SSRBC.

All Class D patches shall be 6" inches thick.

Method of Measurement: Pavement removal and replacement shall be measured for payment in place and the area computed in square yards. Patches shall be classified as CL D, 8".

Basis of Payment: This work will be paid for at the contract unit price per **SQUARE YARD** for **CLASS D PATCH, 6" SPECIAL**, which price shall be payment in full for the work as specified herein.

SP-34: CONNECT EXISTING STORM SEWER TO PROPOSED DRAINAGE STRUCTURE, (SIZE SPECIFIED)

This work shall consist of the connection of existing storm sewer to proposed manholes, catch basins or inlets. Removed or extended pipes shall be replaced with new pipe of the same size and type and connected to the proposed structure. Connections to existing pipes shall be made using a band seal, concrete collar or other approved method.

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **CONNECT EXISTING STORM SEWER TO PROPOSED DRAINAGE STRUCTURE (SIZE SPECIFIED)**.

SP-35: DUCTILE IRON WATER MAIN PIPE (TYPE & SIZE SPECIFIED)

Water main pipe materials shall meet all of the requirements of the following standards:

Ductile Iron Pipe (DIP) - ANSI/AWWA - C151/A21.51,
ANSI Class 52
Cement Lined ANSI/AWWA - C104/A21.4

The coupling of these water main pipes shall meet the requirements of the following standards:

Ductile Iron Pipe (DIP) - Compression (push-on) rubber gasket
joints in accordance with ANSI/AWWA C111/A21.11.

Ductile Iron Pipe (DIP) - Locking rubber gasket
joints in accordance with ANSI/AWWA C111/A21.11.

Unless otherwise shown on plans or directed by the Engineer, all ductile iron water main pipes shall be installed without granular or concrete cradles. Although bell holes may not be required, the trench bottom shall be excavated and shaped such that the pipe is uniformly supported over its entire length.

The pipe shall be installed so that the entire length of pipe shall have full bearing. No blocking shall be used to adjust the pipe to grade except in conjunction with concrete thrust blocking or encasements.

Laying of water main pipe shall be accomplished to line and grade in the trench only after it has been completely de-watered and the bedding is free of mud, loose silt, or gravel. All foreign material shall be kept

Village of Downers Grove

out of the pipe.

All pipe laid shall be retained in position such to maintain joint closure, alignment, and grade until sufficient backfill has been completed to adequately hold the pipe in place.

At the end of each work day, the end of installed water main pipe shall be protected and the excavation backfilled. No excavation or trench shall be left open overnight. The following specific items shall be considered incidental to water main pipe installation and their costs shall be considered incidental to the contract unit price for water main pipe:

1. Removal of all surplus trench excavation from site;
2. Excavation for and placement of granular bedding and encasement material when shown on the plans and/or ordered by the Engineer;
3. Support of trenches, including any necessary bracing or shoring;
4. De-watering of trenches or any excavation; and
5. Adjustment to horizontal and vertical alignment due to utility conflicts.

Basis of Payment: This work will be paid for at the contract unit price per **FOOT** for **DUCTILE IRON WATER MAIN PIPE (TYPE & SIZE SPECIFIED) OR DUCTILE IRON WATER MAIN PIPE (TYPE & SIZE SPECIFIED), AUGERED** unit prices shall include all labor, material, and equipment necessary for excavation, bedding, installing, augering and coupling the water main pipe and all incidental work specified herein, except that **TRENCH BACKFILL** used as Final Backfill as defined by the Standard Specifications, will be paid for separately.

SP-36: POLYETHYLENE ENCASEMENT

This work shall consist of encasing the entire length of water main to be installed under this contract. All new ductile iron water mains shall be encased in a polyethylene tube, according to the materials and methods outlined in ANSI/AWWA C105/A21.5-93.

Method A shall be utilized in placing the encasement material. High-density, cross-laminated polyethylene film conforming to ASTM D1248-89 shall be used.

Basis of Payment: Polyethylene Encasement shall be considered **INCIDENTAL** to Ductile Iron Water Main Pipe installation, and no additional compensation will be allowed the Contractor.

SP-37: WATER MAIN FITTINGS

Fittings shall be cast iron or ductile iron conforming to ANSI/AWWA C110/A21.10 or ANSI/AWWA C153/A21.53. The joints shall be either mechanical or push-on conforming to ANSI/AWWA-C111/A21.11 for rubber-gasket joints.

All nuts and bolts used for jointing of sections, including valves and hydrants, shall be stainless steel, Grade 304 bolts, and Grade 316 nuts.

All mechanical thrust restraints installed shall be "Meg-A-Lug" or "Meg-A-Lug"-type restraint systems. (Solid Precast Concrete thrust blocks may be placed in addition to mechanical thrust restraints in select locations as described elsewhere in these provisions).

Village of Downers Grove

Basis of Payment: Water Main Fittings shall be considered **INCIDENTAL** to Ductile Iron Water Main Pipe installation, and no additional compensation will be allowed the Contractor.

SP-38: WATER SERVICE REPLACEMENT

Description: All 1-1/2 inch or 2 inch services requiring replacement shall be replaced from the main to the B-box and shall include a new B-box and Roundway.

For those service lines unable to meet the required clearances from sanitary or storm sewers, casing pipe shall be installed around the service line to the limits called for by the Water and Sewer Specs. Service line encasement shall be installed from the auger pits, and shall not entail open cutting an existing street pavement not otherwise disturbed in the process of installing the replacement water main.

The new water service shall be encased whenever the horizontal and vertical separation of the new service from existing storm or sanitary sewers or services cannot be maintained. The new service shall be encased on each side of the crossing until the perpendicular distance from the end of the casing to the storm sewer or sanitary sewer or service is at least ten feet. Casing pipe shall consist of a minimum 4 inch diameter PVC SDR-26 Pipe. Encasement of water services shall be incidental to the price of the water service replacement.

The Engineer reserves the right to require the replacement of additional services; however, services replaced due to damage caused by the Contractor's operations shall not be paid for under this or any other item.

The service line shall be of one (1) inch, one and one-half (1 1/2) inch, or two (2) inch type K (soft) copper tubing as noted on plans or directed by Engineer. All copper connections shall be made with flared joints or compression-type joints. All water service lines shall have a minimum five (5) foot of cover. The water service shall have no splices.

The corporation stop shall be Ford FB-600 or approved equal and shall be installed by tapping the water main with an approved tapping machine. The tap shall be made in the upper third of the main, as close to a 45-degree angle as is practical. The tap shall be made through a full circle stainless steel tapping clamp of the correct size depending on diameter of water main and size of new service tap. The roundway key stop shall be Ford B44, with a buffalo style size 100E (6') or 94E (5') service box. Only cast iron buffalo style boxes and lids will be allowed. The roundway key stop and buffalo box shall be located within the parkway area seven (7) feet from the property line or as close to that distance as possible from the property line, unless directed otherwise by the Engineer. The cover of the buffalo box shall have the word "WATER" cast thereon. The Contractor shall record the location of each buffalo box in relation to the nearest corner lot line, and the tap in relation to the nearest fire hydrant. Two copies of this record shall be filed with the Village prior to final inspection and final payment. No buffalo box shall be located in a driveway or in the sidewalk without the approval of the Engineer.

No splices of any kind will be allowed in the water service line from the corporation stop to the roundway key stop. There shall be no splice from the roundway key stop to the water service meter unless specifically authorized by the Village.

Prior to final inspection, the Contractor shall see that all water appurtenances are adjusted to grade and clearly visible.

Village of Downers Grove

All Materials and Methods used shall comply with the above specifications.

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **WATER SERVICE, (SIZE), SHORT OPEN CUT, WATER SERVICE, (SIZE), LONG PUSHED**, which price shall include all excavation, materials, augering, PVC-SDR-26 Casing Pipe and backfilling necessary to complete this item. Restoration, pavement or driveway replacement, topsoil, and sodding, will be paid for separately.

However, it is expected that all services shall be augered under street pavements not otherwise disturbed by the installation of the main or encumbered by the separation requirements from storm and sanitary sewers.

SP-39: THRUST RESTRAINT

Formed concrete thrust restraints may be required at fire hydrants, plugs, caps, and tees in addition to the wedge action retainer glands at fittings, upon the specific direction of the Engineer. 4000 PSI Portland cement concrete shall be used. The use of wood blocking, concrete blocks, stakes or clamps will not be allowed.

Basis of Payment: Thrust restraints shall be considered **INCIDENTAL** to Ductile Iron Water Main Pipe installation, and no additional compensation will be allowed the Contractor.

SP-40: WATER SYSTEM SHUTDOWN

All existing valves shall be turned and operated by the Village's Water Division Personnel. When the Contractor desires the shutdown of an existing water main for the purpose of connection or abandonment, he shall give the Water Division and Engineer at least 24 hours notice. The Water Division will advise the Contractor of their availability and then schedule the work. (630.434.5460)

SP-41: VALVES

Water main valves shall meet all of the requirements of the following standards as reissued and published on or before the date of this contract:

- Rubber-Seated Butterfly Valves - AWWA C504
- Resilient-Seated Gate Valves - AWWA C509
- Resilient-Seated Gate Valves for Pressure - AWWA 6500
- Side Tapping or Pressure Insertion - AWWA C509

All valves shall have the name, monogram, or initials of the manufacturer cast thereon. The Contractor shall submit to the Engineer the Manufacturer's specifications for the valves he intends to use on this project. All valves shall contain factory installed Grade 316 stainless steel nuts and Grade 304 bolts. All valves shall be furnished with mechanical joints conforming to ANSI/ANWA- C111/A21.11.

Valves for water mains twelve inches in diameter or larger shall be Resilient-Seated gate valves and installed in a six foot diameter Type A vault with a standard cone section. Valves for water main ten inches in diameter or less shall be Resilient-Seated gate valves and installed in a five foot diameter Type A vault with a standard cone section.

Pressure side-tapping Resilient-Seated gate valves shall be installed in a Type A vault with an offset cone section unless otherwise noted. A six foot diameter vault shall be used for tapping mains ten inches in diameter or larger, five foot diameter vault when tapping mains eight inches in diameter or less. Pressure insertion

Village of Downers Grove

Resilient-Seated gate valves shall be installed in a Type A vault with a standard cone, four foot in diameter for mains eight inches in diameter or less, five foot diameter vault for mains ten inches in diameter or larger.

All vaults shall be equipped with a Type 1 frame and lid with the word "WATER" cast in the lid. The pick holes shall be of the large size per IDOT Standard 604001. All lift holes and holes around the water main shall be completely sealed with mortar inside and out. All joints between vault sections and between adjustment rings shall be completely sealed with mastic only, as directed by the Engineer.

Gate Valves, 3" diameter or larger, used to reconnect 3" or larger water services shall be paid for as valves and not as water service reconnection devices.

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **RESILIENT-SEATED GATE VALVE (SIZE SPECIFIED) IN (SIZE SPECIFIED) VAULT**, which price shall include all excavation, bedding, backfill, blocking, and tapping sleeve or anchor clamps where applicable. Restoration, where **TRENCH BACKFILL** is used in lieu of excavated materials, pavement replacement, and parkway restoration will be paid for separately.

SP-42: FIRE HYDRANT WITH AUXILIARY VALVE

Fire hydrants shall be Waterous Pacer Model WB-67, with a five and a quarter inch (5 1/4") valve opening, two, two and one-half inch (2 1/2") hose nozzles, and one, four and one-half inch (4 1/2") pumper nuts. All connecting pipe bottom flanges shall be mechanical joints. All hydrants shall be painted with two coats of polyurethane high gloss enamel, #31-ISI OSHA Yellow.

Each hydrant shall incorporate a six-inch (6") auxiliary valve and box. All auxiliary valves shall be located a minimum of thirty inches (30") and a maximum of thirty-six inches (36") from the hydrant. Connection of the hydrant and auxiliary valve assembly shall be made with a six-inch (6") diameter ductile iron water main. The installation of the fire hydrants and auxiliary valves shall be in accordance with the attached hydrant details. All auxiliary valves shall incorporate lacing rods from valve to tee.

Hydrants shall be set plumb, with the nozzle and steamer connection facing the roadway. The steamer connection shall be set not less than eighteen inches (18") nor more than twenty-four inches (24") above finished grade.

All new fire hydrants shall be covered or labeled as being out of service, until such time as the new main is brought into service.

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **FIRE HYDRANT WITH AUXILIARY VALVE**, which price shall include all excavation, backfill and compaction, the hydrant, auxiliary valve and box, all six-inch DIWM pipe up to the main line tee, and all fittings.

SP-43 FIRE HYDRANT REMOVAL

Description: This work shall consist of the disconnection and removal of existing hydrants that will no longer be in service because of this contract. Included in this item is the removal of the auxiliary valve and connecting water main, and securely plugging the hydrant tee. All removed hydrants and appurtenances, regardless of condition, shall be delivered to the Public Works yard, at 5101 Walnut Avenue, Downers Grove, IL 60515. **The Contractor MAY NOT REMOVE any fire hydrant without the specific permission of the Engineer.**

Village of Downers Grove

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **FIRE HYDRANT REMOVAL**, which price shall include all excavation, backfilling, materials and transportation necessary to complete this item.

SP-44: CONNECTION TO EXISTING WATER MAIN

The Village of Downers Grove Water Division personnel shall turn off existing Village valves necessary to perform cut-in connections. Cut-in connections shall be performed only after pressure testing, leakage testing and disinfecting of the new water main has been performed and accepted by the Village. Cut-in connections will be performed under the supervision of Water Division personnel.

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **CONNECTION TO EXISTING WATER MAIN, (NON PRESSURE) (SIZE)**, which price shall include all labor, materials, and equipment necessary to do the work.

SP-45: PRESSURE TESTING

Upon completion of the proposed water main and prior to the connection of all service lines, the water main shall be subjected to a hydrostatic pressure of 150 PSI gauged, based on the elevation of the lowest point in the line or section under test. The test shall be corrected to the elevation of the test gauge for both pressure and leakage for a period of not less than two (2) hours. Any cracked or defective pipefitting, valves, hydrants found shall be removed and replaced with satisfactory materials and the test repeated until test results are satisfactory. Joints showing visible leaks shall be made watertight. The Engineer or his representative shall witness the pressure test. Allowable leakage shall be as follows:

<u>MAIN SIZE</u>	<u>ALLOWABLE LEAKAGE</u>
12"	1.10 gal. /hr./1000 ft. of water main
10"	0.92 gal. /hr./1000 ft. of water main
8"	0.74 gal. /hr./1000 ft. of water main
6"	0.55 gal. /hr./1000 ft. of water main

Basis of Payment: This work is considered **INCIDENTAL** to the installation of the water main pipe, and no additional compensation will be given for any required re-testing.

SP-46: CHLORINATION

Upon completion of all water mains and after the results of the hydrostatic test are satisfactory, but prior to the connection of all service lines, the water main shall be thoroughly flushed and chlorinated. The liquid-chlorine-gas-mixture method of procedure shall be as follows:

- A.) Prior to chlorinating, all dirt and foreign material shall be removed from the main, or any valved section, by a thorough flushing through the hydrants, or by other approved methods.
- B.) A chlorine gas-water mixture shall be applied by means of a solution-feed chlorinating device,

Village of Downers Grove

or if approved by the Engineer, the gas shall be fed directly from a chlorine cylinder equipped for diffusion of the gas within the pipes.

C.) The preferable point of application of the chlorinating agent shall be through a corporation stop inserted near the horizontal axis of the pipe at the beginning of the pipe line extension of any valve section to be placed in service. The water injector for delivering the gas-water mixture into the pipe shall be supplied by a tap on the pressure side of a valve controlling the flow into the pipe to be chlorinated.

D.) Water from the pressure side of the valve or other source of supply shall be controlled to flow very slowly into the newly laid pipeline during the application of chlorine. The rate of chlorine gas-water mixture flow shall be in such proportion to the rate of water entering the pipe that the chlorine dose applied to the water entering the newly laid pipe shall have a chlorine residual of not less than 50 PPM. It shall be left in contact with the main for at least twenty-four (24) hours with a 25-PPM chlorine residual remaining after the contact period.

E.) Following the chlorinating, all treated water shall be thoroughly flushed from the new section of main. Samples shall be collected for bacteriological analysis on two (2) successive days, under the supervision of the Water Division Representative. All samples shall be taken from various points on the new portion of the system, from a copper whip tapped into the new section of water main. The samples taken shall be given to the Water Division Representative for testing. The new section of main shall not be placed into service until the Water Division grants approval.

F.) A representative of the Water Division shall witness chlorinating of the water main.

Basis of Payment: This work is considered **INCIDENTAL** to the installation of the water main pipe, and no additional compensation will be given for repeating any part of the chlorinating procedure, should the residual level of chlorine fail to meet the requirements.

SP-47 ABANDONMENT OF EXISTING WATER MAIN

Description: After final inspection of the new main, and upon notice from the Engineer, the Contractor shall abandon in-place, the existing water main system that has been replaced by the work performed in this contract.

The exposed ends of all disconnected water main pipes shall be plugged with either a minimum of six inches of concrete, eight inches of brick and mortar, or mechanically capped where specified. A Representative of the Water Department shall witness the abandonment.

Abandoned valves shall be closed and the respective valve boxes broken down to a minimum of three feet below grade. Valve vaults shall be broken down to a minimum of three feet below grade, backfilled and compacted to grade. Any valve deemed salvageable by the Engineer shall be removed and transported to the Village's Public Works Building. Water main stubs shall then be plugged or capped in the manner described above.

Basis of Payment: This work shall be paid for at the contract **LUMP SUM** for **ABANDONMENT OF EXISTING WATER MAIN**, which price shall include all costs for exposing, cutting and plugging of main, removal of valves and filling of vault. Pavement restoration, parkway restoration, and fire hydrant removal

Village of Downers Grove

shall be paid for separately.

SP-48: LEAK DETECTION

Upon completion of the proposed water mains and services, but prior to the placement of any asphalt or concrete roadways, the water main shall be leak tested.

The work to be done shall include furnishing of all labor, material, transportation, tools, and supplies necessary to acoustically survey the installed water mains and service connections. The Contractor shall be responsible for and shall provide personnel qualified to conduct waterline locating activities during the course of the leak detection survey.

The contractor shall listen on all hydrants, valves, and when necessary b-boxes with sensitive sound intensifying instruments to determine areas of leakage. When a leak is discovered, the contractor shall conduct further investigations using an Electronic Leak Correlator to pinpoint the leaks for repairs.

Any cracked or defective pipefitting, valves, hydrants or services found shall be removed and replaced at no additional cost to the Village with satisfactory materials and the test repeated until test results are satisfactory. Upon completion of the leak survey a final report shall be submitted indicating the following, at a minimum:

- 1) A description of the area surveyed including lineal feet of the system surveyed;
- 2) A summary list of leaks including a description of the type of leak (main line, service line, valve or hydrant) and the location of the leak.
- 3) Individual leak detection reports incorporating a diagram of the area surveyed for the suspect leak, as well as information relative to the date and time the leak was detected, the address/location of the leak and the number and type of connection points used.
- 4) A summary list of leak repairs completed including a description of the type of leak (main line, service line, valve or hydrant), the location of the leak and the date and time the leak repair was completed.

Basis of Payment: This work will be paid for at the contract **LUMP SUM** price for **LEAK DETECTION**, which price shall be payment in full for the work as specified herein, and no additional compensation will be given for any required re-testing.

SP-49 AGGREGATE SHOULDERS, TYPE B, 4"

Description: This item shall be done in accordance with Sec. 481 of the SSRBC and shall consist of the construction of approximate two (2) foot wide, four (4) inch deep shoulders or as directed by the Engineer in the area designated by the Engineer.

Unless otherwise directed by the Engineer, existing shoulders with elevations that are too high to accept the proposed aggregate shoulder shall be scraped or excavated as necessary prior to placement of new aggregate. This provision shall also apply to existing shoulders that contain too much vegetation or topsoil. Unnecessary damage or debris outside the designated shoulder area shall be removed and repaired and will not be paid for separately but shall be considered incidental to the cost of Aggregate Shoulders, Type B.

The contractor shall install the aggregate shoulders such that the surface of the shoulder shall be one eighth

Village of Downers Grove

inch (1/8") below the line of the cross slope of the finished road surface as it extends through the shoulder. The contractor will be required to place a straight-edged tool on the finished surface of the road and extend it at least 2' beyond the edge of pavement to ensure the aggregate shoulder is not placed above the line created by the road cross-slope. Installation of the aggregate shoulder in this manner may require hand placement and compaction, of which all labor and material required shall be included in the unit price for this item.

Basis of Payment: This work will be paid for at the contract unit price per **SQUARE YARD** for **AGGREGATE SHOULDERS, TYPE B**, which price shall be payment in full for the work as specified herein.

SP-50: IEPA CLEAN CONSTRUCTION OR DEMOLITION DEBRIS

If construction activities will result in removal and disposal of excavation spoils, per Illinois Public Act 96-1416 and the Illinois Environmental Protection Agency, soil sampling and analysis, along with certification from a licensed professional engineer (PE) or licensed professional geologist (PG) that the soil is uncontaminated, will be required prior to clean construction and demolition debris (CCDD) facility acceptance. However, if the subject property has never been used for industrial or commercial purposes, and is not adjacent to Potentially Impacted Properties (PIP's), then the site owner or operator may certify that the soil is uncontaminated by use of IEPA form LPC-662.

To facilitate meeting the above requirements, the Village will supply a signed LPC-663 or LPC-662 form. Neither the LPC-663/662, nor the report shall be considered a guarantee that excavated material shall meet the requirements of Illinois Public Act 96-1416, and the Contractor shall be responsible for satisfactory removal and disposal of all material as specified herein. No additional environmental testing of the existing on-site material may be performed without prior written permission from the Engineer. In the event that Contractor performs any additional testing without the written permission of the Engineer, Contractor will be required to properly and legally dispose of all material from the project site, regardless of its suitability for disposal in a CCDD facility, at his own expense, without any additional payment for testing, hauling and disposal as specified below.

The Village anticipates that one or more of the following CCDD facilities will accept material from this project:

- Reliable Lyons CCDD, 4226 Lawndale Ave, Lyons, IL 60534
- Hanson Material Service, 125 N Independence Blvd Romeoville, IL 60446
- Bluff City Materials, 1245 Gifford Rd, Elgin, IL 60120
- Vulcan Materials, 5500 Joliet Rd, McCook, IL 60525
- Heartland Recycling Aurora CCDD, Mettel Rd, Aurora, IL 60505

Contractor shall consult with these facilities prior to submitting a bid for this project. Contractor shall base his bid on hauling all CCDD generated by this project to these facilities. No additional compensation will be allowed for hauling to any other facilities, for any reason, unless none of the above listed facilities will accept the material. If an alternate facility was approved by the Village prior to bid submittal, and that facility will no longer accept the material, the facilities listed above shall be used by the Contractor at no additional cost to the Village, unless none of the above facilities will accept the material. In the case where neither any of the above listed facilities, nor a pre-approved alternate facility, will accept the material, the Village and Contractor shall attempt to locate an alternate facility, unless the material is classified as unsuitable for disposal in a CCDD facility, in which case it shall be hauled to a landfill and paid for as specified below. Should the Contractor

Village of Downers Grove

wish to haul material to an alternate facility, the name, location and contact information for the proposed facility shall be submitted to the Village for evaluation, a minimum of five (5) calendar days prior to submission of a bid. Any costs associated with additional sampling, analysis, and/or reporting to meet the acceptance requirements of the alternate facility shall be borne by the bidding Contractor and included within the Contractor's bid. By submitting a bid, Contractor agrees that at least one (1) of the above listed facilities, or an alternate facility approved by the Village in writing prior to the submission of the bid, will accept the material and shall be used for disposal of all CCDD from this project, unless otherwise determined to be non-hazardous special waste as specified below. In the event that the Contractor needs to alter the CCDD facility used for placement of excavated material, the Contractor shall notify the Engineer no later than three (3) days in advance of the planned alteration. In no event shall material be hauled to an alternate facility without the written permission of the Engineer.

Construction Requirements: The Contractor shall be responsible for satisfactory removal and disposal of all waste material, asphalt, concrete, stone, dirt, and debris generated or discovered in the course of the work. Removal and disposal of excavation items being disposed of at a clean construction and demolition debris (CCDD) facility shall meet the requirements of Public Act 96-1416. This work shall be incidental and shall not be paid for separately, with the exception of the **ADDITIONAL HAULING SURCHARGE, NON-HAZARDOUS SPECIAL WASTE** as specified below.

The temporary storing of excavated materials within the public right-of-way or project limits shall not be allowed unless approved by the Engineer. It shall be the Contractor's responsibility to find an approved dumpsite for debris and any excavated materials. The Village will not provide one.

The Contractor shall employ a licensed testing firm, as approved by Engineer, to screen each truck-load of material on-site, using a PID or FID field screen or other acceptable method. The PID shall be calibrated on a daily basis. The Contractor shall enter all truck-loads leaving the site into an on-site screening log including, but not limited to, project name, date, time, weather conditions, name of screener, hauling company, truck number, screening method, background PID reading, calibrated PID reading, truck/bucket PID reading, and description of materials screened. Each day prior to the first truck leaving the site, Engineer and Contractor's testing consultant shall agree on the allowable PID reading in accordance with the receiving CCDD facility procedures (typically 0.0 or daily background levels). The receiving CCDD facility may be consulted daily, or periodically, as needed to verify that the appropriate value is being used. If said screen indicates levels that will be unacceptable for disposal at the CCDD facility, the material shall be quarantined on-site for further evaluation. If material is rejected at the CCDD facility, it shall be returned to the project site and quarantined for further evaluation. No additional compensation shall be allowed for returning a rejected load back to the project site, or any other additional hauling, loading, unloading, etc, as may be required. Should it be determined by the Village or Village's agent that the material is not suitable for disposal in a CCDD facility, the Contractor shall be responsible for properly disposing of the material at an acceptable landfill, and providing the Village with all of the proper paperwork to document the material disposal with the IEPA. This work shall be paid for as specified below. If a truck-load is rejected by a CCDD facility after leaving the project site, and said truck-load is not identified in the on-site screening log, the Contractor shall still be required to properly dispose of the material and provide the Village with the necessary documentation, but shall not be additionally compensated as specified below.

All additional work to satisfy these requirements shall be the responsibility of the Contractor. All costs associated with meeting these requirements shall be paid for as specified herein. These costs shall include but

Village of Downers Grove

are not limited to all required testing, lab analysis, and certification by a licensed professional engineer (PE) or licensed professional geologist (PG), if required, in addition to the cost of additional hauling, dump fees, etc. Payment for this work shall be in addition to payment for EARTH EXCAVATION per the contract unit price. No adjustment to the contract unit price will be allowed due to changes to quantities based on actual field conditions.

Basis of Payment: This work shall be paid for at the contract unit price per **LOAD** for **ADDITIONAL HAULING SURCHARGE, NON-HAZARDOUS SPECIAL WASTE**, which price shall be payment in full for the work as specified herein.

SP-51 CONFLICT MANHOLE (SIZE, TYPE, FRAME)

Description: This work shall consist of constructing a storm sewer manhole together with frames and the conflict manhole detail on the Drawings and as specified herein.

Construction Requirements: Drainage structures shall be precast reinforced concrete in accordance with Article 602.07 of the Standard Specifications. The section of sanitary sewer to pass through the conflict manhole shall be encased in ductile iron or steel casing (coated on both interior and exterior) with spacers. The casing for the sanitary sewer running through the conflict manhole shall be installed in two pieces and tack welded back together. The casing pipe shall be wrapped with "Canusa" pipe wrap and the casing ends shall be sealed with brick and mortar. Manholes shall be provided with epoxy-coated cast iron steps on 16" centers from frame to invert.

Basis of Payment: This work shall be paid for at the contract unit price per **EACH** for:

CONFLICT MANHOLE (SIZE, TYPE, FRAME),

Unit prices shall include all sewer pipe, casing pipe, couplings, frame and lids, backfilling, sand cushion, flat slab tops and all labor, material and equipment necessary to complete work.

SP-52: CONCRETE SUPPORT FOR UTILITY CROSSING

This work shall consist of the placement of class X concrete for supporting proposed storm sewer or watermain pipe 24" and greater in diameter above existing sanitary sewers with less than three feet of vertical clearance. The concrete supports shall be constructed per the detail "SPECIAL CONDUIT CROSSING FOR STORM SEWER OR WATERMAIN 24-INCH OR LARGER."

Basis of Payment: This work will be paid for at the contract unit price **EACH** for **CONCRETE SUPPORT FOR UTILITY CROSSING**, which includes all work specified herein.

SP-53 PORTLAND CEMENT CONCRETE SHOULDER

Description: This work shall consist of the placement of PCC shoulder in accordance with the applicable parts of Sec. 606 of the SSRBC, except as amended herein.

Placement of the shoulder shall include the excavation for and placement of 4" CA-6 aggregate bedding. This work shall be considered incidental to the construction of the shoulder. The aggregate bedding shall extend 6" beyond the vertical faces of the PCC shoulder.

Village of Downers Grove

Placement of the shoulder shall include the placement of three-quarter inch (3/4") premolded expansion joint filler along the back of shoulder, for the full depth of the shoulder, where abutting existing concrete.

Transverse expansion joints with 3/4" joint filler shall be constructed at five feet (5') either side of utility structures, and at no more than ninety foot (90') intervals. All expansion joints shall include the placement of two (2) three-quarter inch (3/4") dowel bars with pinched stop caps as specified on detail sheet. Two (2) three quarter inch (3/4") dowel bars shall also be placed at all construction joints as specified on detail sheet and shall be drilled into existing (curb and) gutter a minimum of six inches (6").

New shoulder shall be backfilled with existing excavated earth.

Transverse contraction joints shall be constructed at no more than fifteen foot (15') intervals.

When the shoulder is placed adjacent to concrete pavement or base, it shall be tied along the longitudinal construction joint with No. 6 (3/4") bars at 24" centers in accordance with the applicable portions of Article 420.05 of the SSRBC.

All voids existing between newly placed shoulder and the adjacent roadway pavement shall be filled with Class SI concrete, prior to bituminous surface placement, to a point 3 inches below finish grade. This work shall be considered incidental. Earth excavation and haul off shall be considered incidental to the construction of the shoulder and aggregate bedding.

Placement of the shoulder shall include the application of membrane curing compound, Type III, in accordance with Articles 1020.13 and 1022.01 of the SSRBC unless otherwise directed by the Engineer.

If placement of the gutter takes place prior to April 15, or after October 15, the curb and gutter shall be properly cured and that followed by the application of protective coat in accordance with Article 420.18 of the SSRBC.

Basis of Payment: This work will be paid for at the contract unit price per FOOT for

PORTLAND CEMENT CONCRETE SHOULDER

which price shall be payment in full for the work as specified herein.

Village of Downers Grove

Pollution Prevention Plan

Village of Downers Grove

SITE DESCRIPTION			
Project Name and Location: (Latitude, Longitude, or Address)	Maple Avenue Roadway Reconstruction 41° 46' 04"N, 87° 59' 33"W	Owner Name and Address:	Village of Downers Grove Public Works Department 5101 Walnut Ave. Downers Grove, IL 60515
Description: (Purpose and Types of Soil Disturbing Activities)	The proposed improvements are along the following streets: Maple Avenue, Wilcox Ave, Florence Ave, Burlington Ave. The project is located in the Village of Downers Grove, DuPage County, Illinois.		
<p>The following summarizes the improvements as part of the project:</p> <ul style="list-style-type: none"> • Removal of exiting storm pipes, structures, culverts, and other collateral items • Construction of storm sewer system including approximately 600 linear feet of 12" and 15" storm sewer and storm sewer structures (MHs and CBs) ranging in diameter from 2' to 5'. • Installation of approximately 2,830 linear feet 8" ductile iron water main. • Reconstruction of approximately 1,265 linear feet of HMA roadways in a residential subdivision. • Resurfacing of approximately 6,220 square yards of HMA roadways. • Construction of approximately 2,815 linear feet of 8" D.I.P. water main. • Installation of 54 residential water services and 2 commercial water services. • All other collateral work such as driveway replacements, aggregate shoulder replacement, sidewalk and sodding. 			
Runoff Coefficient:	0.60 – Residential/Commercial		
Site Area:	Area of disturbance = 1.57 acres Tributary area to project = 42 acres		
Sequence of Major Activities			
<p>The order of activities will be as follows:</p> <ol style="list-style-type: none"> 1. Video Tape Project Limits 2. Tree Fence and Traffic Control 3. Sediment & Erosion Control 4. Exploratory Trenches and utility adjustments 5. Demolition and installation of proposed storm sewer and water main 6. Roadway removal Maple Avenue 7. Construct new Maple Avenue Roadway 		<ol style="list-style-type: none"> 8. Install new sidewalk and replace disturbed sidewalk 9. Replace disturbed driveway aprons 10. Pavement patching up to surface course 11. Grading and parkway restoration 12. Install surface course 	
Name of Receiving Waters:	East Branch of the DuPage River		

Village of Downers Grove

CONTROLS	
Erosion and Sediment Controls	
Stabilization Practices	
<p>Temporary Stabilization: Inlet filter baskets shall be installed under open lid drainage structures to prevent siltation from entering downstream receiving systems. Inlet filter baskets consist of a reinforced sediment bag with a frame that is inserted between the existing/proposed frame and grate.</p> <p>Permanent Stabilization: Disturbed portions of the site where construction has permanently ceased shall be stabilized with permanent sod. The permanent sodding shall conform to the standards set forth in the project specification book.</p>	
Structural Practices	
N/A	
Storm Water Management	
<p>Stormwater drainage will be provided by new storm sewer.</p> <p>Downers Grove is a full waiver community and no detention is required.</p>	
OTHER CONTROLS	
Waste Disposal:	No hazardous or any other kind of waste should be stored onsite. If any waste is found then it is the contractor's responsibility to remove it.
Offsite Vehicle Tracking:	This is an existing residential area. As such, construction vehicles will access the site along existing roads. Roads will be swept when needed.
TIMING OF CONTROL/MEASURES	
All sediment and erosion control measures shall be in place prior to earth disturbance. All other areas will be sodded.	

Village of Downers Grove

CERTIFICATION OF COMPLIANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS

The storm water pollution prevention plan reflects Downers Grove requirements for storm water management and erosion control requirements as established within the DuPage County Countywide Stormwater and Flood Plain Ordinance.

MAINTENANCE/INSPECTION PROCEDURES**Erosion and Sediment Control Inspection and Maintenance Practices**

These are the inspection and maintenance practices that will be used to maintain sediment and erosion controls:

- All control measures will be inspected at least once each week and following any storm event of 0.5 inches or greater.
- All measures will be maintained in good working order; if a repair is necessary, it will be initiated within 24 hours of report.
- Built up sediment will be removed from silt fence when it has reached one-third the height of the fence.
- Silt fence will be inspected for depth of sediment, tears and to see if the fabric is securely attached to the fence posts.
- Temporary and permanent sodding will be inspected for bare spots, washouts and healthy growth.
- A maintenance inspection report will be made after each inspection. A copy of the report form to be completed by the inspector is attached.

Non-Storm Water Discharges

It is expected that the following non-storm water discharge will occur from the site during construction periods:

- Water from water line flushing.
- Pavement wash water (where no spills or leaks of toxic materials will have occurred)
- Uncontaminated groundwater (from dewatering excavation)

Village of Downers Grove

Material:

The materials or substances listed below are expected to be present onsite during construction:

- Concrete
- Reinforced Concrete Pipe
- Tar
- Fertilizers
- Masonry Block
- Ductile Iron Pipe
- Petroleum Based Products

SPILL PREVENTION**Material Management Practices**

The following are the material management practices that will be used to reduce the risk of spills or other accidental exposure of materials and substances to storm water runoff.

Good Housekeeping:

The following good housekeeping practices will be followed onsite during the construction project:

- An effort will be made to store only enough product required to do the job
- All materials stored onsite will be stored in a neat, orderly manner in their appropriate containers and, if possible, under a roof or other enclosure
- Products will be kept in their original containers with the original manufacturer's label
- Substances will not be mixed with one another unless recommended by the manufacturer
- Whenever possible, all of a product will be used up before disposing of the container
- Manufacturers' recommendations for proper use and disposal will be followed
- The site superintendent will inspect daily to ensure proper use and disposal of materials onsite.

Village of Downers Grove

Hazardous Products:

These practices are used to reduce the risks associated with hazardous materials.

- Products will be kept in original containers unless they are not resealable
- Original labels and material safety data will be retained; they contain important product information
- If surplus product must be disposed of, manufacturers' or local and State recommended methods for proper disposal will be followed.

SPILL PREVENTION (Continued)**Product Specific Practices**

The following product specific practices will be followed onsite:

Petroleum Products:

All onsite vehicles will be monitored for leaks and receive regular preventive maintenance to reduce the chance of leakage. Petroleum products will be stored in tightly sealed containers, which are clearly labeled.

Fertilizers:

Fertilizers used will be applied only in the minimum amounts recommended by the manufacturer. Once applied, fertilizer will be worked into the soil to limit exposure to storm water. The contents of any partially used bags of fertilizer will be transferred to a sealable plastic bin to avoid spills.

Concrete Truck:

Concrete trucks will not be allowed to wash out or discharge surplus concrete or drum wash water on the site.

Village of Downers Grove

POLLUTION PREVENTION PLAN CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment for knowing violations.

Signed: _____

Date: _____

CONTRACTOR'S CERTIFICATION

I certify under penalty of law that I understand the terms and conditions of the general National Pollutant Discharge Elimination System (NPDES) permit that authorizes the storm water discharges associated with industrial activity from the construction site identified as part of this certification.

Signature	For	Responsible For
<p>_____</p> <p>_____</p>		
<p>Date: _____</p> <p>_____</p>		
<p>Date: _____</p> <p>_____</p>		
<p>Date: _____</p>		


Village of Downers Grove

V. BID and CONTRACT FORM (Village)


*****THIS BID WHEN ACCEPTED AND SIGNED BY AN AUTHORIZED SIGNATORY OF THE VILLAGE OF DOWNERS GROVE SHALL BECOME A CONTRACT BINDING UPON BOTH PARTIES.**

Entire Form Must Be Completed If a Submitted Bid Is To Be Considered For Award

BIDDER:

<u>A Lamp Concrete Contractors, Inc.</u>	<u>June 17, 2015</u>
Company Name	Date
<u>1900 Wright Blvd.</u>	<u>JMoyer@AlampConcrete.com</u>
Street Address of Company	E-mail Address
<u>Schaumburg, Illinois 60193</u>	<u>Jeff Moyer</u>
City, State, Zip	Contact Name (Print)
<u>847-891-6000</u>	<u>630-776-7536</u>
Business Phone	24-Hour Telephone
<u>847-891-6100</u>	
Business Fax	Signature of Officer, Partner or Sole Proprietor

ATTEST: if a Corporation


Signature of Corporation Secretary



Adele Lampignano, President
Print Name & Title

We hereby agree to furnish the Village of Downers Grove all necessary materials, equipment, labor, etc. to complete the project by October 30, 2015 in accordance with the provisions, instructions and specifications for the unit prices shown on the Schedule of Prices.

VILLAGE OF DOWNERS GROVE:

ATTEST:

Authorized Signature

Village Clerk

Title

Date

Date

In compliance with the specifications, the above-signed offers and agrees, if this Bid is accepted within 90 calendar days from the date of opening, to furnish any or all of the services upon which prices are quoted, at the price set opposite each item, delivered at the designated point within the time specified above.

Village of Downers Grove

V. BID and CONTRACT FORM (Contractor)

*****THIS BID WHEN ACCEPTED AND SIGNED BY AN AUTHORIZED SIGNATORY OF THE VILLAGE OF DOWNERS GROVE SHALL BECOME A CONTRACT BINDING UPON BOTH PARTIES.**

Entire Form Must Be Completed If a Submitted Bid Is To Be Considered For Award

BIDDER:

A Lamp Concrete Contractors, Inc.

June 17, 2015

Company Name

Date

1900 Wright Blvd.

JMoyer@AlampConcrete.com

Street Address of Company

E-mail Address

Schaumburg, Illinois 60193

Jeff Moyer

City, State, Zip

Contact Name (Print)

847-891-6000

630-776-7536

Business Phone

24-Hour Telephone

847-891-6100

Business Fax


Adele Lampignano
Signature of Officer, Partner or Sole Proprietor

ATTEST: if a Corporation

Adele Lampignano, President

Print Name & Title

Signature of Corporation Secretary



We hereby agree to furnish the Village of Downers Grove all necessary materials, equipment, labor, etc. to complete the project by October 30, 2015 in accordance with the provisions, instructions and specifications for the unit prices shown on the Schedule of Prices.

VILLAGE OF DOWNERS GROVE:

ATTEST:

Authorized Signature

Village Clerk

Title

Date

Date

In compliance with the specifications, the above-signed offers and agrees, if this Bid is accepted within 90 calendar days from the date of opening, to furnish any or all of the services upon which prices are quoted, at the price set opposite each item, delivered at the designated point within the time specified above.

Village of Downers Grove

SCHEDULE OF PRICES:**BASE BID**

ITEM NO.	PAY ITEM	MAPLE AVE	WILCOX AVE	FLORENCE AVE	BURLINGTON AVE	TOTAL QTY	UNIT	UNIT COST	TOTAL COST
20100110	Tree Removal (6 to 15 Units Diameter)	15.00	25.00	25.00	0.00	65	UNIT	23.50	1527.50
20100210	Tree Removal (over 15 Units Diameter)	0.00	25.00	25.00	0.00	50	UNIT	38.50	1925-
20101200	Tree Root Pruning	0.00	4.00	5.00	0.00	9	EACH	330-	2970-
SP-3	Preconstruction Videotaping	1.00	0.00	0.00	0.00	1	LSUM	6500-	6500-
67100100	Mobilization	0.60	0.18	0.18	0.03	1	LSUM	100000-	100000-
SP-4	Construction Staking and Record Drawings	1.00	0.00	0.00	0.00	1	LSUM	23500-	23500-
SP-5	Tree Protection	60.00	320.00	490.00	0.00	870	FOOT	3-	2610-
SP-7	Traffic Control, Maintenance of Traffic, Detours	0.67	0.17	0.17	0.00	1	LSUM	80000-	80000-
SP-8	Street Sweeping	30.00	30.00	30.00	10.00	100	HOUR	40-	4000-
SP-9	Inlet Filter Baskets	9.00	0.00	0.00	0.00	9	EACH	50-	450-
SP-9	Silt Dike	4.00	0.00	0.00	0.00	4	EACH	150-	600-
SP-9	Silt Dike Removal	4.00	0.00	0.00	0.00	4	EACH	25-	100-
SP-9	Silt Fence Installation	150.00	0.00	0.00	0.00	150	FOOT	3-	450-
SP-9	Silt Fence Removal	150.00	0.00	0.00	0.00	150	FOOT	1-	150-
SP-10	Temporary Bituminous Patch	100.00	75.00	75.00	0.00	250	TON	10-	2500-
SP-14	Trench Backfill	1511.00	510.00	659.00	0.00	2,680	CU YD	37-	99160-
SP-32	Temporary Surface Over Trench - Aggregate (CA-6), 6"	0.00	400.00	517.00	0.00	917	SQ YD	2-	1834-
SP-15	Exploratory Trench, Special	66.00	17.00	17.00	0.00	100	CU YD	10-	1000-
SP-16	Parkway Restoration, Special	2500.00	263.00	313.00	0.00	3,076	SQ YD	8-	24608-
25200200	Supplemental Watering	10.00	5.00	5.00	0.00	20	UNIT	1-	20-

Village of Downers Grove

SP-17	Aggregate for Temporary Access	159.00	0.00	0.00	0.00	159	TON	1-	159-
44000100	Pavement Removal	0.00	450.00	416.00	0.00	866	SQ YD	15-	12990-
44000157	Hot-Mix Asphalt Surface Removal, 2"	0.00	0.00	1417.00	3775.00	5,192	SQ YD	2.50	12980-
44000157	Hot-Mix Asphalt Surface Removal, Variable Depth, 2"-4"	0.00	1027.00	0.00	0.00	1,027	SQ YD	4-	4108-
SP-11	Excavation, Special	3311.00	0.00	0.00	0.00	3,311	CU YD	35-	115885-
SP-12	Removal and Disposal of Unsuitable Materials	250.00	0.00	0.00	0.00	250	CU YD	35-	8750-
SP-13	Porous Granular Embankment, Sub-Grade	250.00	0.00	0.00	0.00	250	CU YD	34-	8500-
SP-19	Aggregate Base Course, Type B, 6"	4630.00	0.00	0.00	0.00	4,630	SQ YD	7-	32410-
SP-49	Aggregate Shoulders, Type B, 4"	0.00	0.00	334.00	0.00	334	SQ YD	9-	3006-
SP-33	Class D Patches, 6", Special	0.00	0.00	0.00	375.00	375	SQ YD	55-	20625-
40600982	HMA Surface Removal - Butt Joint	28.00	0.00	0.00	0.00	28	SQ YD	10-	280-
35501300	Hot-Mix Asphalt Base Course, N50, 4"	0.00	104.00	96.00	0.00	200	TON	90-	18000-
35501324	Hot-Mix Asphalt Base Course, N50, 10"	2662.00	0.00	0.00	0.00	2,662	TON	80-	212960-
40600625	Level Binder (Machine Method), N50, 0.75"	0.00	0.00	61.00	163.00	224	TON	83-	18592-
40600625	Level Binder (Machine Method), N50, 1.75"	0.00	103.34	0.00	0.00	103	TON	83-	8549-
40603335	Hot-Mix Asphalt Surface Course, Mix "D", N50, 1.5"	0.00	39.00	158.00	326.00	523	TON	83-	43409-
40603335	Hot-Mix Asphalt Surface Course, Mix "D", N50, 2"	532.00	118.00	0.00	0.00	650	TON	83-	53950-
40600100	Bituminous Materials (Prime Coat)	463.00	148.00	184.00	378.00	1,173	GAL	.01	11.73
42000500	PCC Pavement, 10"	35.00	0.00	0.00	0.00	35	SQ YD	65-	2275-
SP-18	Driveway Pavement Removal	680.00	0.00	0.00	0.00	680	SQ YD	12-	8160-
SP-21	Hot-Mix Asphalt Driveway Pavement, Special	505.00	0.00	0.00	0.00	505	SQ YD	38-	19190-
SP-21	PCC Driveway Pavement, Special	175.00	0.00	0.00	0.00	175	SQ YD	55-	9625-

Village of Downers Grove

44000500	Combination Curb & Gutter Removal	20.00	30.00	20.00	300.00	370	FOOT	4-	1480-
SP-20	Combination Curb and Gutter, B6.12	2635.00	30.00	20.00	300.00	2,985	FOOT	20-	59700-
SP-18	PCC Sidewalk Removal	3010.00	450.00	450.00	500.00	4,410	SQ FT	1.50	6615-
SP-22	PCC Sidewalk Special, 5"	2950.00	450.00	450.00	500.00	4,350	SQ FT	5.40	23490-
SP-23	Detectable Warnings	130.00	20.00	20.00	20.00	190	SQ FT	25-	4750-
78000200	Thermoplastic Pavement Marking - Line 4"	2830.00	0.00	0.00	0.00	2,830	FOOT	1.50	4245-
78000400	Thermoplastic Pavement Marking - Line 6"	390.00	0.00	0.00	0.00	390	FOOT	1.50	585-
78001150	Thermoplastic Pavement Marking - Line 12"	490.00	0.00	0.00	0.00	490	FOOT	1.75	857.50
78001180	Thermoplastic Pavement Marking - Line 24"	30.00	0.00	0.00	0.00	30	FOOT	4.50	135-
78000100	Thermoplastic Pavement Marking - Letters & Symbols	73.00	0.00	0.00	0.00	73	SQ FT	4.50	328.50
88600100	Detector Loop, Type 1	150.00	0.00	0.00	0.00	150	FOOT	34.75	5212.50
SP-27	Sanitary Service Reconnection	4.00	4.00	6.00	0.00	14	EACH	100-	1400-
SP-24	Drainage Structure to Be Removed	10.00	0.00	0.00	0.00	10	EACH	400-	4000-
SP-25	Storm Sewer Removal, 12"	604.00	0.00	10.00	0.00	614	FOOT	10-	6140-
SP-26	Storm Sewer, RCP, Type 1, Class IV 12"	449.00	0.00	0.00	0.00	449	FOOT	55-	24695-
SP-26	Storm Sewer, RCP, Type 1, Class IV 15"	170.00	0.00	0.00	0.00	170	FOOT	60-	10200-
SP-26	Storm Sewer, CMP, 12"	0.00	0.00	10.00	0.00	10	FOOT	65-	650-
SP-29	Manhole, Type A, 4' Diameter, Type 1 Frame, Closed Lid	1.00	0.00	0.00	0.00	1	EACH	2400-	2400-
SP-29	Manhole, Type A, 4' Diameter, Type 1 Frame, Open Lid	2.00	0.00	0.00	0.00	2	EACH	2400-	4800-
SP-29	Manhole, Type A, 4' Diameter, EJ 7030 Set, Open Lid	1.00	0.00	0.00	0.00	1	EACH	2600-	2600-
SP-29	Catchbasin, Type A, 4' Diameter, Type 1 Frame, Closed Lid	2.00	0.00	0.00	0.00	2	EACH	2200-	4400-
SP-29	Catchbasin, Type A, 4' Diameter, Type 1 Frame, Open Lid	1.00	0.00	0.00	0.00	1	EACH	2200-	2200-

Village of Downers Grove

SP-29	Catchbasin, Type A, 4' Diameter, EJ 7045 Set, Open Lid	1.00	0.00	0.00	0.00	1	EACH	2400-	2400-
SP-29	Inlets, Type A, Type 1 Frame, Open Lid	1.00	0.00	0.00	0.00	1	EACH	1200-	1200-
SP-29	Inlets, Type A, EJ 7030 Set, Open Lid	1.00	0.00	0.00	0.00	1	EACH	1350-	1350-
SP-29	Inlets, Type A, EJ 7045 Set, Open Lid	4.00	0.00	0.00	0.00	4	EACH	1350-	5400-
SP-30	Drainage & Utility Structure to be Adjusted	3.00	1.00	1.00	3.00	8	EACH	400-	3200-
SP-34	Connect to Existing Storm Sewer to Proposed Drainage Structure, 12"	3.00	0.00	0.00	0.00	3	EACH	650-	1950-
SP-35	Ductile Iron Water Main Pipe (6")	15.00	0.00	0.00	0.00	15	FOOT	80-	1200-
SP-35	Ductile Iron Water Main Pipe (8")	1425.00	600.00	775.00	0.00	2,800	FOOT	88-	246400-
SP-35	Ductile Iron Water Main Pipe (12")	15.00	0.00	0.00	0.00	15	FOOT	200-	3000-
SP-38	Water Service, 1 1/2", Short Open Cut	9.00	3.00	5.00	0.00	17	EACH	2500-	42500-
SP-38	Water Service, 1 1/2", Long Pushed	0.00	8.00	8.00	0.00	16	EACH	3100-	49600-
SP-38	Water Service, 1 1/2", Long Open Cut	19.00	0.00	0.00	0.00	19	EACH	2900-	55100-
SP-38	Water Service, 2", Short Open Cut	2.00	0.00	0.00	0.00	2	EACH	2750-	5500-
SP-38	Water Service, 2", Long	0.00	1.00	2.00	0.00	3	EACH	3250-	9750-
SP-41	Resilient - Seated Gate Valve (8"), in 5' Vault	3.00	2.00	2.00	0.00	7	EACH	5000-	35000-
SP-42	Fire Hydrant with Auxiliary Valve	3.00	3.00	3.00	0.00	9	EACH	4750-	42750-
SP-43	Fire Hydrant Removal	3.00	1.00	2.00	0.00	6	EACH	600-	3600-
SP-28	Steel Casing Pipe, 16"	60.00	25.00	20.00	0.00	105	FOOT	145-	15225-
SP-44	Connection to Existing Water Main (Non Pressure 6")	2.00	0.00	1.00	0.00	3	EACH	2250-	6750-
SP-44	Connection to Existing Water Main (Non Pressure 8")	0.00	1.00	0.00	0.00	1	EACH	2750-	2750-
SP-44	Connection to Existing Water Main (Non Pressure 12")	2.00	0.00	0.00	0.00	2	EACH	3850-	7700-
SP-31	Line Stop Existing Main, 6"	0.34	0.33	0.33	0.00	1	EACH	1500-	1500-
SP-31	Line Stop Existing Main, 8"	0.34	0.33	0.33	0.00	1	EACH	2000-	2000-

Village of Downers Grove

SP-47	Abandonment of Existing Water Main	0.34	0.33	0.33	0.00	1	LSUM	17500	17500
SP-48	Leak Detection	0.34	0.33	0.33	0.00	1	LSUM	6500	6500
SP-50	Additional Hauling Surcharge, Non-Hazardous Special Waste	15.00	10.00	10.00	0.00	35	LOAD	10	350
SP-51	Conflict Manhole, Type A, 5'-Diameter, Type 1 F&G, CL	1.00	0.00	0.00	0.00	1	EACH	9250	9250
SP-52	Concrete Support for Utility Crossing	2.00	0.00	0.00	0.00	2	EACH	1500	3000
SP-53	Portland Cement Concrete Shoulder	0.00	0.00	100.00	0.00	100	FOOT	40	4000
60109510	Pipe Underdrains, Fabric Lined Trench, 4"	100.00	0.00	0.00	0.00	100	FOOT	35	3500

TOTAL BASE BID \$1,729,127.73



Local Agency Proposal Bid Bond

RETURN WITH BID

Route _____
County _____
Local Agency Village of Downers Grove
Section _____

PAPER BID BOND

WE A. Lamp Concrete Contractors, Inc. as PRINCIPAL,
and The Hanover Insurance Company as SURETY,

are held jointly, severally and firmly bound unto the above Local Agency (hereafter referred to as "LA") in the penal sum of 5% of the total bid price, or for the amount specified in the proposal documents in effect on the date of invitation for bids whichever is the lesser sum. We bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly pay to the LA this sum under the conditions of this instrument.

WHEREAS THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that, the said PRINCIPAL is submitting a written proposal to the LA acting through its awarding authority for the construction of the work designated as the above section.


THEREFORE if the proposal is accepted and a contract awarded to the PRINCIPAL by the LA for the above designated section and the PRINCIPAL shall within fifteen (15) days after award enter into a formal contract, furnish surety guaranteeing the faithful performance of the work, and furnish evidence of the required insurance coverage, all as provided in the "Standard Specifications for Road and Bridge Construction" and applicable Supplemental Specifications, then this obligation shall become void; otherwise it shall remain in full force and effect.

IN THE EVENT the LA determines the PRINCIPAL has failed to enter into a formal contract in compliance with any requirements set forth in the preceding paragraph, then the LA acting through its awarding authority shall immediately be entitled to recover the full penal sum set out above, together with all court costs, all attorney fees, and any other expense of recovery.

IN TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their respective officers this 17th day of June 2015

A. Lamp Concrete Contractors, Inc.
(Company Name)

By: [Signature]
Joseph Lampignano, Vice President
(Signature and Title)



(Company Name)

(Signature and Title)

(If PRINCIPAL is a joint venture of two or more contractors, the company names and authorized signatures of each contractor must be affixed.)

The Hanover Insurance Company
(Name of Surety)

Todd Schaap

(Signature of Attorney-in-Fact)

STATE OF WISCONSIN
COUNTY OF Racine


I, Jackie Reiter, a Notary Public in and for said county, do hereby certify that Joseph Lampignano and Todd Schaap

(Insert names of individuals signing on behalf of PRINCIPAL & SURETY)

who are each personally known to me to be the same persons whose names are subscribed to the foregoing instrument on behalf of PRINCIPAL and SURETY, appeared before me this day in person and acknowledged respectively, that they signed and delivered said instruments of their free and voluntary act for the uses and purposes therein set forth.

Given under my hand and notarial seal this 17th day of June 2015

My commission expires 4/13/2019



ELECTRONIC BID BOND

[] Electronic bid bond is allowed (box must be checked by LA if electronic bid bond is allowed)

The Principal may submit an electronic bid bond, in lieu of completing the above section of the Proposal Bid Bond form. By providing an electronic bid bond ID code and signing below, the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the LA under the conditions of the bid bond as shown above. (If PRINCIPAL is a joint venture of two or more contractors, an electronic bid bond ID code, company/Bidder name title and date must be affixed for each contractor in the venture.)

Electronic Bid Bond ID Code (grid)

Electronic Bid Bond ID Code

(Company/Bidder Name)

(Signature and Title)

Date

THE HANOVER INSURANCE COMPANY
MASSACHUSETTS BAY INSURANCE COMPANY
CITIZENS INSURANCE COMPANY OF AMERICA

POWERS OF ATTORNEY
CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That THE HANOVER INSURANCE COMPANY and MASSACHUSETTS BAY INSURANCE COMPANY, both being corporations organized and existing under the laws of the State of New Hampshire, and CITIZENS INSURANCE COMPANY OF AMERICA, a corporation organized and existing under the laws of the State of Michigan, do hereby constitute and appoint

Thomas O. Chambers, Kimberly S. Rasch and/or Todd Schaap

of Racine, WI and each is a true and lawful Attorney(s)-in-fact to sign, execute, seal, acknowledge and deliver for, and on its behalf, and as its act and deed any place within the United States, or, if the following line be filled in, only within the area therein designated any and all bonds, recognizances, undertakings, contracts of indemnity or other writings obligatory in the nature thereof, as follows:

Any such obligations in the United States, not to exceed Forty Million and No/100 (\$40,000,000) in any single instance

and said companies hereby ratify and confirm all and whatsoever said Attorney(s)-in-fact may lawfully do in the premises by virtue of these presents. These appointments are made under and by authority of the following Resolution passed by the Board of Directors of said Companies which resolutions are still in effect:

"RESOLVED, That the President or any Vice President, in conjunction with any Vice President, be and they are hereby authorized and empowered to appoint Attorneys-in-fact of the Company, in its name and as its acts, to execute and acknowledge for and on its behalf as Surety any and all bonds, recognizances, contracts of indemnity, waivers of citation and all other writings obligatory in the nature thereof, with power to attach thereto the seal of the Company. Any such writings so executed by such Attorneys-in-fact shall be as binding upon the Company as if they had been duly executed and acknowledged by the regularly elected officers of the Company in their own proper persons." (Adopted October 7, 1981 - The Hanover Insurance Company; Adopted April 14, 1982 - Massachusetts Bay Insurance Company; Adopted September 7, 2001 - Citizens Insurance Company of America)

IN WITNESS WHEREOF, THE HANOVER INSURANCE COMPANY, MASSACHUSETTS BAY INSURANCE COMPANY and CITIZENS INSURANCE COMPANY OF AMERICA have caused these presents to be sealed with their respective corporate seals, duly attested by two Vice Presidents, this 1st day of March 2012.



THE HANOVER INSURANCE COMPANY
MASSACHUSETTS BAY INSURANCE COMPANY
CITIZENS INSURANCE COMPANY OF AMERICA

Robert Thomas
Robert Thomas, Vice President

Joe Brenstrom
Joe Brenstrom, Vice President

THE COMMONWEALTH OF MASSACHUSETTS)
COUNTY OF WORCESTER) ss.

On this 1st day of March 2012 before me came the above named Vice Presidents of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America, to me personally known to be the individuals and officers described herein, and acknowledged that the seals affixed to the preceding instrument are the corporate seals of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America, respectively, and that the said corporate seals and their signatures as officers were duly affixed and subscribed to said instrument by the authority and direction of said Corporations.



Barbara A. Garlick
Barbara A. Garlick, Notary Public
My Commission Expires September 21, 2018

I, the undersigned Vice President of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America, hereby certify that the above and foregoing is a full, true and correct copy of the Original Power of Attorney issued by said Companies, and do hereby further certify that the said Powers of Attorney are still in force and effect.

This Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America.

"RESOLVED, That any and all Powers of Attorney and Certified Copies of such Powers of Attorney and certification in respect thereto, granted and executed by the President or any Vice President in conjunction with any Vice President of the Company, shall be binding on the Company to the same extent as if all signatures therein were manually affixed, even though one or more of any such signatures thereon may be facsimile." (Adopted October 7, 1981 - The Hanover Insurance Company; Adopted April 14, 1982 - Massachusetts Bay Insurance Company; Adopted September 7, 2001 - Citizens Insurance Company of America)

GIVEN under my hand and the seals of said Companies, at Worcester, Massachusetts, this 17th day of June 2015

THE HANOVER INSURANCE COMPANY
MASSACHUSETTS BAY INSURANCE COMPANY
CITIZENS INSURANCE COMPANY OF AMERICA

Glenn Margosian
Glenn Margosian, Vice President

Village of Downers Grove

BIDDER'S CERTIFICATION (page 1 of 3)With regard to Maple Avenue Roadway Reconstruction Project,bidder A Lamp Concrete Contractors, Inc.

(Name of Bidder)

hereby certifies the following:

1. Bidder is not barred from bidding this contract as a result of violations of Section 720 ILCS 5/33E-3 (Bid Rigging) or 720 ILCS 5/33E-4 (Bid-Rotating);
2. Bidder certifies that it has a written sexual harassment policy in place and full compliance with 775 ILCS §12-105(A)(4);
3. Bidder certifies that not less than the prevailing rate of wages as determined by the Village of Downers Grove, DuPage County or the Illinois Department of Labor shall be paid to all laborers, workers and mechanics performing work for the Village of Downers Grove. All bonds shall include a provision as will guarantee the faithful performance of such prevailing wage clause. Bidder agrees to comply with the Illinois Prevailing Wage Act, 820 ILCS 130/1 *et seq.*, for all work completed. Bidder agrees to pay the prevailing wage and require that all of its subcontractors pay prevailing wage to any laborers, workers or mechanics who perform work pursuant to this contract or related subcontract. Bidder and each subcontractor shall keep or cause to be kept an accurate record of names, occupations and actual wages paid to each laborer, workman and mechanic employed by the Bidder in connection with the contract. This record shall be sent to the Village on a monthly basis along with the invoice and shall be open to inspection at all reasonable hours by any representative of the Village or the Illinois Department of Labor and must be preserved for five (5) years following completion of the contract. Bidder certifies that bidder and any subcontractors working on the project are aware that filing false payroll records is a class B misdemeanor and that the monetary penalties for violations are to be paid pursuant to law by the bidder, contractor and subcontractor. The Village shall not be liable for any underpayments. If applicable: Since this is a contract for a fixed public works project, as defined in 820 ILCS 130/2, Contractor agrees to post at the job site in an easily accessible place, the prevailing wages for each craft or type of worker or mechanic needed to execute the contract or work to be performed;
4. Bidder certifies that it is in full compliance with the Federal Highway Administrative Rules on Controlled Substances and Alcohol Use and Testing, 49 C.F.R. Parts 40 and 382 and that all employee drivers are currently participating in a drug and alcohol testing program pursuant to the Rules;
5. Bidder further certifies that it is not delinquent in the payment of any tax administered by the Department of Revenue, or that Bidder is contesting its liability for the tax delinquency or the amount of a tax delinquency in accordance with the procedures established by the appropriate Revenue Act. Bidder further certifies that if it owes any tax payment(s) to the Department of Revenue, Bidder has entered into an agreement with the Department of Revenue for the payment of all such taxes that are due, and Bidder is in compliance with the agreement.

Village of Downers Grove

BIDDER'S CERTIFICATION (page 2 of 3)


BY: *Adele Lampignano*
Bidder's Authorized Agent

3 6 - 3 9 2 9 1 7 3

FEDERAL TAXPAYER IDENTIFICATION NUMBER

or _____
Social Security Number

Subscribed and sworn to before me
this 17 day of June, 2015

Nicole A. Engelking
Notary Public


(Fill Out Applicable Paragraph Below)

(a) Corporation

The Bidder is a corporation organized and existing under the laws of the State of Illinois, which operates under the Legal name of A Lamp Concrete Contractors, Inc., and the full names of its Officers are as follows:

President: Adele Lampignano

Secretary: Joseph Lampignano

Treasurer: Joseph Lampignano

and it does have a corporate seal. (In the event that this bid is executed by other than the President, attach hereto a certified copy of that section of Corporate By-Laws or other authorization by the Corporation which permits the person to execute the offer for the corporation.)

(b) Partnership N/A

Signatures and Addresses of All Members of Partnership:

Village of Downers Grove

BIDDER'S CERTIFICATION (page 3 of 3)

The partnership does business under the legal name of: _____
 which name is registered with the office of _____ in the state of _____.

(c) **Sole Proprietor** N/A

The Supplier is a Sole Proprietor whose full name is: _____
 and if operating under a trade name, said trade name is: _____
 which name is registered with the office of _____ in the state of _____.

6. Are you willing to comply with the Village's insurance requirements within 13 days of the award of the contract? Yes

INSURER'S NAME: Country Mutual Insurance

AGENT: Tim Ohm

Street Address: 245 South Gary Avenue

City, State, Zip Code: Carol Stream, Illinois 60188

Telephone Number: 630-668-4518


I/We hereby affirm that the above certifications are true and accurate and that I/we have read and understand them.

Print Name of Company: A Lamp Concrete Contractors, Inc.

Print Name and Title of Authorizing Signature: Adele Lampignano, President

Signature: *Adele Lampignano*

Date: 06/17/2015



SHOREWEST

Surety Services, Inc.

February 11, 2015

Bondability: *A. Lamp Concrete Contractors, Inc.*

To Whom It May Concern:

Please be advised that The Hanover Insurance Company of Worcester, MA has had the continuing privilege of providing bonding support to A. Lamp Concrete Contractors, Inc. of Schaumburg, IL. The Hanover Insurance Company has a Best Insurance Guide rating of A XIV and is licensed to do business in every state. We currently have a bonding line established with single limitations of \$20,000,000 and aggregate limitation of \$50,000,000. **By no means do these limits constitute maximums, as we will consider larger projects at the time a request is submitted to our company.**


Should A. Lamp Concrete Contractors, Inc. be low bidder on any project, The Hanover Insurance Company will provide the necessary performance and payment bonds upon favorable review of the contract documents and current underwriting documents.

We hold A. Lamp Concrete Contractors, Inc. in the highest regard and look forward to providing any further assistance that may be necessary. Please feel free to contact us with any questions or comments at (800) 264-1634.

Sincerely,



Thomas O. Chambers
Attorney-in-Fact
The Hanover Insurance Company



MEMBER

2626 49th Drive, Franksville, WI 53126
PHONE: 262.835.9576 or 800.264.1634
FAX: 262.835.9649
WEBSITE: www.shorewestsurety.com

**THE HANOVER INSURANCE COMPANY
 MASSACHUSETTS BAY INSURANCE COMPANY
 CITIZENS INSURANCE COMPANY OF AMERICA**

*POWERS OF ATTORNEY
 CERTIFIED COPY*

KNOW ALL MEN BY THESE PRESENTS: That THE HANOVER INSURANCE COMPANY and MASSACHUSETTS BAY INSURANCE COMPANY, both being corporations organized and existing under the laws of the State of New Hampshire, and CITIZENS INSURANCE COMPANY OF AMERICA, a corporation organized and existing under the laws of the State of Michigan, do hereby constitute and appoint

Thomas O. Chambers, Kimberly S. Rasch and/or Todd Schaap

of Racine, WI and each is a true and lawful Attorney(s)-in-fact to sign, execute, seal, acknowledge and deliver for, and on its behalf, and as its act and deed any place within the United States, or, if the following line be filled in, only within the area therein designated any and all bonds, recognizances, undertakings, contracts of indemnity or other writings obligatory in the nature thereof, as follows:

Any such obligations in the United States, not to exceed Forty Million and No/100 (\$40,000,000) in any single instance

and said companies hereby ratify and confirm all and whatsoever said Attorney(s)-in-fact may lawfully do in the premises by virtue of these presents. These appointments are made under and by authority of the following Resolution passed by the Board of Directors of said Companies which resolutions are still in effect:

"RESOLVED, That the President or any Vice President, in conjunction with any Vice President, be and they are hereby authorized and empowered to appoint Attorneys-in-fact of the Company, in its name and as its acts, to execute and acknowledge for and on its behalf as Surety any and all bonds, recognizances, contracts of indemnity, waivers of citation and all other writings obligatory in the nature thereof, with power to attach thereto the seal of the Company. Any such writings so executed by such Attorneys-in-fact shall be as binding upon the Company as if they had been duly executed and acknowledged by the regularly elected officers of the Company in their own proper persons." (Adopted October 7, 1981 - The Hanover Insurance Company; Adopted April 14, 1982 - Massachusetts Bay Insurance Company; Adopted September 7, 2001 - Citizens Insurance Company of America)

IN WITNESS WHEREOF, THE HANOVER INSURANCE COMPANY, MASSACHUSETTS BAY INSURANCE COMPANY and CITIZENS INSURANCE COMPANY OF AMERICA have caused these presents to be sealed with their respective corporate seals, duly attested by two Vice Presidents, this 1st day of March 2012.




**THE HANOVER INSURANCE COMPANY
 MASSACHUSETTS BAY INSURANCE COMPANY
 CITIZENS INSURANCE COMPANY OF AMERICA**

Robert Thomas
 Robert Thomas, Vice President

Joe Brenstrom
 Joe Brenstrom, Vice President

THE COMMONWEALTH OF MASSACHUSETTS)
 COUNTY OF WORCESTER) ss.

On this 1st day of March 2012 before me came the above named Vice Presidents of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America, to me personally known to be the individuals and officers described herein, and acknowledged that the seals affixed to the preceding instrument are the corporate seals of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America, respectively, and that the said corporate seals and their signatures as officers were duly affixed and subscribed to said instrument by the authority and direction of said Corporations.

 **BARBARA A. GARLICK**
 Notary Public
 Commonwealth of Massachusetts
 My Commission Expires Sept. 21, 2018

Barbara A. Garlick
 Barbara A. Garlick, Notary Public
 My Commission Expires September 21, 2018

I, the undersigned Vice President of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America, hereby certify that the above and foregoing is a full, true and correct copy of the Original Power of Attorney issued by said Companies; and do hereby further certify that the said Powers of Attorney are still in force and effect.

This Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of The Hanover Insurance Company, Massachusetts Bay Insurance Company and Citizens Insurance Company of America.

"RESOLVED, That any and all Powers of Attorney and Certified Copies of such Powers of Attorney and certification in respect thereto, granted and executed by the President or any Vice President in conjunction with any Vice President of the Company, shall be binding on the Company to the same extent as if all signatures therein were manually affixed, even though one or more of any such signatures thereon may be facsimile." (Adopted October 7, 1981 - The Hanover Insurance Company; Adopted April 14, 1982 - Massachusetts Bay Insurance Company; Adopted September 7, 2001 - Citizens Insurance Company of America)

GIVEN under my hand and the seals of said Companies, in the County of Worcester, Massachusetts, this 11th day of February, 2015.



**THE HANOVER INSURANCE COMPANY
 MASSACHUSETTS BAY INSURANCE COMPANY
 CITIZENS INSURANCE COMPANY OF AMERICA**

Glenn Margosian
 Glenn Margosian, Vice President



June 11, 2015

A Lamp Concrete Contractors, Inc.
1900 Wright Blvd.
Schaumburg, IL 60193

To Whom It May Concern:

We have reviewed the contract for the Village of Downers Grove
5101 Walnut Avenue, Downers Grove, Illinois 60515, for project Maple
Avenue Roadway Construction. We can issue a Certificate of Insurance with
the requirements requested.

Sincerely,

A handwritten signature in black ink, appearing to read "Tim Ohm", written over a white background.

Tim Ohm, Financial Representative
TO/pr
[www:countryfinancial.com/tim.ohm](http://www.countryfinancial.com/tim.ohm)

Village of Downers Grove

MUNICIPAL REFERENCE LIST

Municipality: _____ Please see attached. _____

Address: _____

Contact Name: _____ Phone #: _____

Name of Project: _____

Contract Value: _____ Date of Completion: _____

Municipality: _____

Address: _____

Contact Name: _____ Phone #: _____

Name of Project: _____

Contract Value: _____ Date of Completion: _____

Municipality: _____

Address: _____

Contact Name: _____ Phone #: _____

Name of Project: _____

Contract Value: _____ Date of Completion: _____

Municipality: _____

Address: _____

Contact Name: _____ Phone #: _____

Name of Project: _____

Contract Value: _____ Date of Completion: _____

Municipality: _____

Address: _____

Contact Name: _____ Phone #: _____

Name of Project: _____

Contract Value: _____ Date of Completion: _____

Project References

Village of Bartlett

Project: 2002, 2003, 2004, 2005, 2006, 2007 2008, 2009, 2012

Contact: Mike Kozar (630) 837-0811

Water Main, Sanitary & Storm Sewers, Excavation, Concrete, Asphalt & Landscaping

\$6,600,000.00 (combined)

Village of Libertyville

Project: 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2011, 2012

Contact: Fred Chung (847) 247-5435

Watermain, Storm Sewers and Road work

\$10,500,000.00 (combined)

Village of Lombard

Project: 2006, 2009, 2010

Contact: Ray Schwab (630)620-5740

Storm Sewer, Concrete, Paving, Patching, Landscaping

\$4,400,000.00 (combined)

Village of Skokie

Project: 2007, 2008, 2009, 2011, 2012

Contact: William Bablitz (847)933-8232

Demolition, Mill Grinding, Earthwork, Drainage, Concrete, Landscape

\$7,500,000.00 (combined)

Village of Deerfield

Project: 2003, 2004, 2005, 2006, 2007, 2009, 2011, 2012

Contact: Barb Little (847) 317-2490

Excavation, Storm Sewers, Sanitary Sewer, Water Main, Concrete and Asphalt Paving

\$10,730,000.00 (combined)

Village of Bloomingdale

Project: 2007, 2008, 2010, 2011, 2012

Contact: Brian Sisco (630) 671-5676

Excavation, Storm Sewers, Sanitary Sewer, Water Main, Concrete and Asphalt Paving

\$3,910,000.00 (combined)

Please visit our website ~ www.alampconcrete.com

Village of Downers Grove

SUBCONTRACTORS LIST

The Bidder hereby states the following items of work will not be performed by its organization. (List items to be subcontracted as well as the names, addresses and phone numbers of the subcontractors.)

1) Abbott Tree Care Type of Work Tree Removal
Addr: PO Box 249 City Wayne State IL Zip 60184

2) Home Towne Electric Type of Work Electric
Addr: 35220 N. Rt 83 City Lake Villa State IL Zip 60046

3) Superior Road Striping Type of Work Pavement Marking
Addr: 1980 Hawthorne City Melrose Park State IL Zip 60160

4) _____ Type of Work _____
Addr: _____ City _____ State _____ Zip _____

5) _____ Type of Work _____
Addr: _____ City _____ State _____ Zip _____

6) _____ Type of Work _____
Addr: _____ City _____ State _____ Zip _____

7) _____ Type of Work _____
Addr: _____ City _____ State _____ Zip _____

8) _____ Type of Work _____
Addr: _____ City _____ State _____ Zip _____

Village of Downers Grove



VENDOR W-9 REQUEST FORM

The law requires that we maintain accurate taxpayer identification numbers for all individuals and partnerships to whom we make payments, because we are required to report to the I.R.S all payments of \$600 or more annually. We also follow the I.R.S. recommendation that this information be maintained for all payees including corporations.

Please complete the following substitute W-9 letter to assist us in meeting our I.R.S. reporting requirements. The information below will be used to determine whether we are required to send you a Form 1099. Please respond as soon as possible, as failure to do so will delay our payments.

BUSINESS (PLEASE PRINT OR TYPE):

NAME: A Lamp Concrete Contractors, Inc.

ADDRESS: 1900 Wright Blvd.

CITY: Schaumburg

STATE: Illinois

ZIP: 60193

PHONE: 847-891-6000 FAX: 847-891-6100

TAX ID #(TIN): 36-3929173

(If you are supplying a social security number, please give your full name)

REMIT TO ADDRESS (IF DIFFERENT FROM ABOVE):

NAME: Same

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

TYPE OF ENTITY (CIRCLE ONE):

- Individual
- Sole Proprietor
- Partnership
- Medical
- Charitable/Nonprofit
- Limited Liability Company -Individual/Sole Proprietor
- Limited Liability Company-Partnership
- Limited Liability Company-Corporation
- Corporation
- Government Agency

SIGNATURE: *A. Lamp* 06/17/2015



Village of Downers Grove

Apprenticeship and Training Certification

(Does not apply to federal aid projects. Applicable only to maintenance and construction projects that use Motor Fuel Tax funds or state grant monies)

Name of Bidder: A Lamp Concrete Contractors, Inc.

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Illinois Department of Labor, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. Applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category that does not have an applicable apprenticeship or training program. **The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project is accounted for and listed. Return this with the bid.**

LABORERS - 2 - 76 - 96
 OPERATORS - 150
 CEMENT MASONS - 502 - 803 - 11
 TEAMSTERS - 731 - 786

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

Print Name and Title of Authorizing Signature: Adele Lampignano, President

Signature: *Adele Lampignano*

Date: 06/17/2015



Village of Downers Grove



BUY AMERICA CERTIFICATION

Certification requirement for procurement of steel, iron, or manufactured products when Federal funds (Grant Agreement or Cooperative Agreement) are used.

Instructions:

Bidder to complete the Buy America Certification listed below. Bidder shall certify EITHER COMPLIANCE OR NON-COMPLIANCE (not both). This Certification MUST BE submitted with the Bidder's bid response.

Special Note: Make sure you have signed only one of the above statements – either Compliance OR Non-Compliance (not both).

Certificate of Compliance	
The bidder or offeror hereby certifies that it will meet the requirements of 49 U.S.C. 5323(j)(1), as amended, and the applicable regulations in 49 CFR Part 661.	
Signature	 
Company Name	A Lamp Concrete Contractors, Inc.
Title	Adele Lampignano, President
Date	06/17/2015

Certificate of Non-Compliance	
The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. 5323(j)(1), as amended, and 49 C.F.R. 661, but it may qualify for an exception pursuant to 49 U.S.C. 5323(j)(2)(A), 5323(j)(2)(B), or 5323(j)(2)(D), and 49 C.F.R. 661.7.	
Signature	_____
Company Name	_____
Title	_____
Date	_____

AFTER THIS CERTIFICATE HAS BEEN EXECUTED, A BIDDER MAY NOT SEEK A WAIVER.

Note: The U.S/Canadian Free Trade Agreement does not supersede the Buy America requirement.

Village of Downers Grove

Suspension or Debarment Certificate

Non-Federal entities are prohibited from contracting with or making sub-awards under covered transactions to parties that are suspended or debarred or whose principals are suspended or debarred. Covered transactions include procurement for goods or services equal to or in excess of \$100,000.00 contractors receiving individual awards for \$100,000.00 or more and all sub-recipients must certify that the organization and its principals are not suspended or debarred.

By submitting this offer and signing this certificate, the bidder certifies to the best of its knowledge and belief, that the company and its principals:

1. Are not presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any federal, state or local governmental entity, department or agency.
2. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction, or convicted of or had a civil judgment against them for a violation of Federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (2) of this certification: and
4. Have not within a three-year period preceding this application/proposal/contract had one or more public transactions (Federal, State or local) terminated for cause or default.

If the bidder is unable to certify to any of the statements in this certification, bidder shall attach an explanation to this certification.

Company Name: A Lamp Concrete Contractors, Inc.

Address: 1900 Wright Blvd.

City: Schaumburg, Illinois Zip Code: 60193


Telephone: (847) 891-6000 Fax Number: (847) 891-6100

E-mail Address: JMoyer@AlampConcrete.com

Authorized Company Signature: *Adele Lampignano*

Print Signature Name: Adele Lampignano Title of Official: President

Date: 06/17/2015



Village of Downers Grove

CAMPAIGN DISCLOSURE CERTIFICATE

Any contractor, proposer, bidder or vendor who responds by submitting a bid or proposal to the Village of Downers Grove shall be required to submit with its bid submission, an executed Campaign Disclosure Certificate, attached hereto.

The Campaign Disclosure Certificate is required pursuant to the Village of Downers Grove Council Policy on Ethical Standards and is applicable to those campaign contributions made to any member of the Village Council.

Said Campaign Disclosure Certificate requires any individual or entity bidding to disclose campaign contributions, as defined in Section 9-1.4 of the Election Code (10 ILCS 5/9-1.4), made to current members of the Village Council within the five (5) year period preceding the date of the bid or proposal release.


By signing the bid documents, contractor/proposer/bidder/vendor agrees to refrain from making any campaign contributions as defined in Section 9-1.4 of the Election Code (10 ILCS 5/9-1.4) to any Village Council member and any challengers seeking to serve as a member of the Downers Grove Village Council.

Under penalty of perjury, I declare:

Bidder/vendor has not contributed to any elected Village position within the last five (5) years.



Adele Lampignano, President
Print Name



Bidder/vendor has contributed a campaign contribution to a current member of the Village Council within the last five (5) years.

Print the following information:

Name of Contributor: _____
(company or individual)

To whom contribution was made: _____

Year contribution made: _____ Amount: \$ _____

Signature

Print Name



Illinois Department of Transportation

Bureau of Construction
2300 South Dirksen Parkway/Room 322
Springfield, Illinois 62764

Affidavit of Availability
For the Letting of

06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	1	2	3	4	5	
Contract Number					02-00113-00-PV	
Contract With	Mt. Prospect	Hamilton Partners	Algonquin	West Chicago	MAYWOOD	
Estimated Completion Date	11/21/2015	6/1/2015	11/21/2014	6/27/2015	6/30/2010	
Total Contract Price	\$ 8,057,352.09	\$ 1,809,375.00	\$ 421,266.90	\$ 1,254,482.50	\$ 8,106,695.00	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 7,126,000.50	\$ 600,615.00	\$ 11,499.90	\$ 255,000.00	\$ -	\$ 7,993,115.40
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
Total Value of All Work						\$ 7,993,115.40

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ 342,077.50	\$ 30,000.00	\$ -	\$ -	\$ -	\$ 372,077.50
Portland Cement Concrete Paving		\$ -	\$ -		\$ -	\$ -
HMA Plant Mix					\$ -	\$ -
HMA Paving	\$ 11,820.00	\$ 450,000.00	\$ -	\$ 220,000.00	\$ -	\$ 681,820.00
Clean & Seal Cracks/ Joints					\$ -	\$ -
Aggregate Bases & Surfaces	\$ 4,059.00	\$ -	\$ -	\$ -	\$ -	\$ 4,059.00
Highway, R.R. & Water Structures					\$ -	\$ -
Drainage	\$ 4,250,000.00	\$ -	\$ -	\$ -	\$ -	\$ 4,250,000.00
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ 368,160.00	\$ -	\$ -	\$ -	\$ -	\$ 368,160.00
Landscaping	\$ 55,728.00	\$ -	\$ 2,500.00	\$ 15,000.00	\$ -	\$ 73,228.00
Fencing					\$ -	\$ -
Guardrail						\$ -
Painting					\$ -	\$ -
Signing	\$ -	\$ -	\$ 1,400.00		\$ -	\$ 1,400.00
Cold Milling, Planning & Rotomilling	\$ -	\$ 85,000.00		\$ -	\$ -	\$ 85,000.00
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)	\$ 1,700,000.00	\$ 20,000.00	\$ 2,500.00	\$ 20,000.00	\$ -	\$ 1,742,500.00
					\$ -	\$ -
Totals	\$ 6,731,844.50	\$ 585,000.00	\$ 6,400.00	\$ 255,000.00	\$ -	\$ 7,578,244.50

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	1	2	3	4	5
Subcontractor					S.C.A.T.
Type of Work	Impact Attenuator	Striping	Landscaping		TELEVISIONING
Subcontract Price	\$ 254,800.00	\$ 15,615.00	\$ 7,500.00	\$ -	\$ 18,200.00
Amount Uncompleted	\$ 254,800.00	\$ 15,615.00	\$ -	\$ -	\$ -
Subcontractor					DUNTEMAN
Type of Work	Electrical		Pulverizing		ASPHALT
Subcontract Price	\$ 10,000.00		\$ 45,124.00		\$ 630,510.00
Amount Uncompleted	\$ 10,000.00		\$ -	\$ -	\$ -
Subcontractor					
Type of Work	Structural Conc		Striping		BRICK WORK
Subcontract Price	\$ 100,000.00		\$ 5,099.90		\$ 235,600.00
Amount Uncompleted	\$ 100,000.00		\$ 5,099.90	\$ -	\$ -
Subcontractor					
Type of Work	Landscaping		Tree Care		ELECTRICAL
Subcontract Price	\$ 7,100.00		\$ 2,395.00		\$ 1,702,130.00
Amount Uncompleted	\$ 7,100.00		\$ -	\$ -	\$ 20,000.00
Subcontractor					
Type of Work	Striping				LANDSCAPE
Subcontract Price	\$ 20,256.00				\$ 160,800.00
Amount Uncompleted	\$ 20,256.00			\$ -	\$ -
Subcontractor					
Type of Work	Tree Care				STRIPING
Subcontract Price	\$ 2,000.00				\$ 25,895.00
Amount Uncompleted	\$ 2,000.00		\$ -	\$ -	\$ -
Subcontractor					
Type of Work					TRAFF CONTL
Subcontract Price					\$ 36,050.00
Amount Uncompleted			\$ -	\$ -	\$ -
Subcontractor					
Type of Work					TREE REMOVAL
Subcontract Price			\$ -	\$ -	\$ 4,950.00
Amount Uncompleted			\$ -	\$ -	\$ -
Total Uncompleted	\$ 394,156.00	\$ 15,615.00	\$ 5,099.90	\$ -	\$ 20,000.00
Totals	\$ 394,156.00	\$ 15,615.00	\$ 60,118.90	\$ -	\$ 2,814,135.00



Affidavit of Availability
For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	6	7	8	9	10	
Contract Number					61A68	
Contract With	Bartlett	Amerifreight	Evanston	Winnetka	IDOT	
Estimated Completion Date	11/31/14	6/1/2015	80 working days	10/1/2015	30 Wrk Days	
Total Contract Price	\$ 64,902.00	\$ 3,485,917.37	\$ 1,582,329.00	\$ 6,117,230.00	\$ 318,233.70	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 64,902.00	\$ 817,000.00	\$ 1,496,365.00	\$ 5,237,854.00	\$ 5,000.00	\$ 7,621,121.00
Uncompleted Dollar Value if Firm is the Subcontractor		\$ -				\$ -
Total Value of All Work						\$ 7,621,121.00

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ -	\$ 130,000.00	\$ 265,000.00	\$ 200,000.00	\$ -	\$ 595,000.00
Portland Cement Concrete Paving		\$ 565,000.00		\$ 476,150.00		\$ 1,041,150.00
HMA Plant Mix						\$ -
HMA Paving	\$ 64,902.00		\$ 274,020.00	\$ 670,000.00	\$ -	\$ 1,008,922.00
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ -	\$ 40,000.00	\$ 150,000.00	\$ 40,000.00	\$ -	\$ 230,000.00
Highway,R.R & Water Structures						\$ -
Drainage	\$ -	\$ -	\$ 4,450.00	\$ 2,650,000.00	\$ -	\$ 2,654,450.00
Electrical			\$ 6,000.00			\$ 6,000.00
Cover and Seal Coats				\$ -		\$ -
Concrete Construction	\$ -	\$ 45,000.00	\$ 160,000.00	\$ 280,000.00	\$ -	\$ 485,000.00
Landscaping	\$ -	\$ -	\$ 80,000.00	\$ 138,775.00	\$ -	\$ 218,775.00
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing			\$ 11,300.00	\$ -		\$ 11,300.00
Cold Milling, Planning & Rotomilling	\$ -		\$ 15,855.00	\$ 33,624.00	\$ -	\$ 49,479.00
Demolition						\$ -
Pavement Markings (Paint)				\$ -		\$ -
Other Construction (List)	\$ -	\$ 30,000.00	\$ 418,050.00	\$ 650,000.00	\$ 5,000.00	\$ 1,103,050.00
			\$ -			\$ -
Totals	\$ 64,902.00	\$ 810,000.00	\$ 1,384,675.00	\$ 5,138,549.00	\$ 5,000.00	\$ 7,403,126.00

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	6	7	8	9	10
Subcontractor					
Type of Work		Striping	Brick Paving	Directional Boring	Landscaping
Subcontract Price		\$ 7,000.00	\$ 68,400.00	\$ 47,355.00	\$ 11,630.00
Amount Uncompleted	\$ -	\$ 7,000.00	\$ 68,400.00	\$ 47,355.00	\$ -
Subcontractor					
Type of Work			Striping	Fencing	Signage
Subcontract Price			\$ 33,860.00	\$ 5,500.00	\$ 5,530.00
Amount Uncompleted	\$ -		\$ 33,860.00	\$ 5,500.00	\$ -
Subcontractor					
Type of Work			Tree Care	Striping	Striping
Subcontract Price			\$ 9,430.00	\$ 4,750.00	\$ 4,985.00
Amount Uncompleted			\$ 9,430.00	\$ 4,750.00	\$ -
Subcontractor					
Type of Work				Structural Conc	Tree Care
Subcontract Price				\$ 27,500.00	\$ 4,150.00
Amount Uncompleted				\$ 27,500.00	\$ -
Subcontractor					
Type of Work				Tree Care	
Subcontract Price				\$ 14,200.00	
Amount Uncompleted				\$ 14,200.00	\$ -
Subcontractor					
Type of Work					
Subcontract Price				\$ -	
Amount Uncompleted				\$ -	\$ -
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					\$ -
Subcontractor					
Type of Work					
Subcontract Price				\$ -	\$ -
Amount Uncompleted				\$ -	\$ -
Total Uncompleted	\$ -	\$ 7,000.00	\$ 111,690.00	\$ 99,305.00	\$ -
Totals	\$ -	\$ 7,000.00	\$ 111,690.00	\$ 99,305.00	\$ 26,295.00



Affidavit of Availability
 For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	11	12	13	14	15	
Contract Number		61A72				
Contract With	Elk Grove Village	IDOT	Deerfield	School Dist U-46	Downers Grove	
Estimated Completion Date	11/20/2015	8/7/2015	11/20/2015	8/16/2015	7/10/2015	
Total Contract Price	\$ 467,258.00	\$ 2,595,377.23	\$ 7,449,489.80	\$ 364,212.40	\$ 1,784,457.70	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 283,500.00	\$ 1,541,946.30	\$ 3,453,441.00	\$ 364,212.40	\$ 529,850.00	\$ 6,172,949.70
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
Total Value of All Work						\$ 6,172,949.70

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ 45,000.00	\$ 205,000.00	\$ 430,000.00	\$ 44,515.00	\$ 90,000.00	\$ 614,515.00
Portland Cement Concrete Paving		\$ -		\$ -		\$ -
HMA Plant Mix		\$ -				\$ -
HMA Paving	\$ -	\$ 61,390.00	\$ 276,327.50	\$ 101,544.00	\$ 42,926.00	\$ 482,187.50
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ 6,500.00	\$ 150,000.00	\$ 110,380.00	\$ 12,584.00	\$ 45,000.00	\$ 324,464.00
Highway, R.R. & Water Structures						\$ -
Drainage	\$ -	\$ 20,000.00	\$ 60,000.00	\$ 18,000.00	\$ 5,000.00	\$ 103,000.00
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ 220,000.00	\$ 160,000.00	\$ 180,000.00	\$ 114,595.00	\$ 5,000.00	\$ 679,595.00
Landscaping		\$ 2,860.50	\$ 210,450.00	\$ 6,144.00	\$ 36,259.00	\$ 257,713.50
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing		\$ -		\$ -		\$ -
Cold Milling, Planning & Rotomilling	\$ -	\$ 4,955.00	\$ 8,910.00	\$ -	\$ -	\$ 13,865.00
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)	\$ 12,000.00	\$ 110,000.00	\$ 300,000.00	\$ 22,000.00	\$ 45,000.00	\$ 489,000.00
						\$ -
Totals	\$ 283,500.00	\$ 714,205.50	\$ 1,576,067.50	\$ 321,382.00	\$ 269,185.00	\$ 3,164,340.00

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	11	12	13	14	15
Subcontractor					
Type of Work		Electrical	CIPP	Electrical	HMA Paving
Subcontract Price		\$ 128,655.00	\$ 613,905.00	\$ 39,000.00	\$ 508,238.00
Amount Uncompleted		\$ 110,000.00	\$ 613,905.00	\$ 39,000.00	\$ 260,000.00
Subcontractor					
Type of Work		Guardrail	Directional Drill	Striping	Tree Removal
Subcontract Price		\$ 18,195.00	\$ 10,000.00	\$ 2,630.40	\$ 665.00
Amount Uncompleted		\$ 18,195.00	\$ -	\$ 2,630.40	\$ 665.00
Subcontractor					
Type of Work		HMA Pmnt	Electrical	Tree Removal	
Subcontract Price		\$ 755,376.53	\$ 322,685.00	\$ 1,200.00	
Amount Uncompleted		\$ 500,000.00	\$ 322,685.00	\$ 1,200.00	
Subcontractor					
Type of Work		Landscaping	HMA Paving		
Subcontract Price		\$ 200,212.50	\$ 926,783.50		
Amount Uncompleted		\$ 140,000.00	\$ 926,783.50		
Subcontractor					
Type of Work		Signage	Signage		
Subcontract Price		\$ 18,930.00	\$ 14,000.00		
Amount Uncompleted		\$ 18,930.00	\$ 14,000.00		
Subcontractor					
Type of Work		Striping			
Subcontract Price		\$ 27,655.80			
Amount Uncompleted		\$ 27,655.80			
Subcontractor					
Type of Work		Tree Care			
Subcontract Price		\$ 12,960.00			
Amount Uncompleted		\$ 12,960.00			
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted			\$ -		
Total Uncompleted	\$ -	\$ 827,740.80	\$ 1,877,373.50	\$ 42,830.40	\$ 260,665.00
Totals	\$ -	\$ 1,161,984.83	\$ 1,887,373.50	\$ 42,830.40	\$ 508,903.00



Illinois Department of Transportation

Bureau of Construction
2300 South Dirksen Parkway/Room 322
Springfield, Illinois 62761

Affidavit of Availability
For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	16	17	18	19	20	
Contract Number			63878			
Contract With	Glen Ellyn	Deerfield	IDOT	Lake Forest	Hinsdale	
Estimated Completion Date	10/31/2015	5/1/2015	10/17/2014	30 Cal Days	10/1/2015	
Total Contract Price	\$ 2,437,686.00	\$ 118,200.00	\$ 3,223,206.75	\$ 311,250.00	\$ 2,819,353.50	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 2,027,476.00	\$ 99,450.00	\$ 115,000.00	\$ -	\$ 2,414,348.50	\$ 4,656,274.50
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
					Total Value of All Work	\$ 4,656,274.50

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ 191,275.00	\$ 15,000.00	\$ -	\$ -	\$ 422,704.00	\$ 628,979.00
Portland Cement Concrete Paving	\$ 22,100.00		\$ -			\$ 22,100.00
HMA Plant Mix						\$ -
HMA Paving	\$ 291,711.00	\$ 20,000.00	\$ 5,000.00	\$ -	\$ 317,829.50	\$ 634,540.50
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ 26,140.00	\$ 4,200.00	\$ -	\$ -	\$ 173,216.00	\$ 203,556.00
Highway, R.R. & Water Structures	\$ -					\$ -
Drainage	\$ 700,000.00	\$ -	\$ -	\$ -	\$ 575,000.00	\$ 1,275,000.00
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ 402,030.00	\$ 60,250.00	\$ -	\$ -	\$ 351,742.00	\$ 814,022.00
Landscaping	\$ 144,350.00	\$ -	\$ -		\$ 112,367.00	\$ 256,717.00
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing		\$ -	\$ 10,000.00		\$ 3,800.00	\$ 13,800.00
Cold Milling, Planning & Rotomilling	\$ 24,760.00	\$ -	\$ -	\$ -	\$ 12,010.00	\$ 36,770.00
Demolition		\$ -				\$ -
Pavement Markings (Paint)	\$ -					\$ -
Other Construction (List)	\$ 200,000.00	\$ -	\$ 10,000.00	\$ -	\$ 265,000.00	\$ 475,000.00
						\$ -
Totals	\$ 2,002,366.00	\$ 99,450.00	\$ 25,000.00	\$ -	\$ 2,233,668.50	\$ 4,360,484.50

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	16	17	18	19	20
Subcontractor					
Type of Work	Electrical		Electrical	Striping	ARCCT
Subcontract Price	\$ 11,300.00		\$ 253,865.40	\$ 2,580.00	\$ 11,860.00
Amount Uncompleted	\$ 11,300.00		\$ 60,000.00	\$ -	\$ 11,860.00
Subcontractor					
Type of Work	Striping		Environmental		CIPP
Subcontract Price	\$ 5,560.00		\$ 253,300.00		\$ 63,640.00
Amount Uncompleted	\$ 5,560.00		\$ -		\$ 63,640.00
Subcontractor					
Type of Work	Televisin		Fencing		Storm Cleaning
Subcontract Price	\$ 4,000.00		\$ 21,520.00		\$ 5,920.00
Amount Uncompleted	\$ 4,000.00		\$ -		\$ 5,920.00
Subcontractor					
Type of Work	Tree Removal		HMA Paving		Striping
Subcontract Price	\$ 4,250.00		\$ 622,102.00		\$ 5,760.00
Amount Uncompleted	\$ 4,250.00		\$ -		\$ 5,760.00
Subcontractor					
Type of Work			Landscaping		Insert Valve
Subcontract Price			\$ 163,414.05		\$ 93,500.00
Amount Uncompleted			\$ 30,000.00		\$ 93,500.00
Subcontractor					
Type of Work			Striping		
Subcontract Price			\$ 11,824.60		
Amount Uncompleted			\$ -		
Subcontractor					
Type of Work			Tree Care		
Subcontract Price			\$ 17,570.00		\$ -
Amount Uncompleted			\$ -		\$ -
Subcontractor					
Type of Work					
Subcontract Price					\$ -
Amount Uncompleted					\$ -
Total Uncompleted	\$ 25,110.00	\$ -	\$ 90,000.00	\$ -	\$ 180,680.00
Totals	\$ 25,110.00	\$ -	\$ 1,343,596.05	\$ 2,580.00	\$ 180,680.00



Affidavit of Availability
 For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	21	22	23	24	25	
Contract Number	CIP 1				60Y56	
Contract With	Evanston	Mt Prospect	Glenview	Elk Grove Park Dist	RW Dunteman	
Estimated Completion Date		12/15/2015	9/3/2015	7/15/2015		
Total Contract Price	\$ 3,478,157.52	\$ 61,200.00	\$ 1,321,762.00	\$ 56,358.00	\$ 587,534.98	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 2,933,650.52	\$ 40,000.00	\$ 1,321,762.00	\$ 40,000.00	\$ 335,000.00	\$ 4,670,412.52
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
Total Value of All Work						\$ 4,670,412.52

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ 54,086.00		\$ 60.00	\$ -	\$ -	\$ 54,146.00
Portland Cement Concrete Paving						\$ -
HMA Plant Mix						\$ -
HMA Paving	\$ 361,796.72		\$ 228,024.00	\$ -	\$ -	\$ 589,820.72
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ 8,995.00		\$ -	\$ -	\$ -	\$ 8,995.00
Highway, R.R. & Water Structures			\$ -			\$ -
Drainage	\$ 1,075,000.00		\$ 686,942.00	\$ -	\$ -	\$ 1,761,942.00
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ 395,655.00	\$ 40,000.00	\$ 124,129.00	\$ 40,000.00	\$ -	\$ 599,784.00
Landscaping	\$ 41,225.80	\$ -	\$ 16,252.00	\$ -	\$ -	\$ 57,477.80
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing		\$ -	\$ 750.00			\$ 750.00
Cold Milling, Planning & Rotomilling	\$ 84,928.00		\$ 20,460.00		\$ 335,000.00	\$ 440,388.00
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)	\$ 625,000.00	\$ -	\$ 135,000.00	\$ -	\$ -	\$ 760,000.00
						\$ -
Totals	\$ 2,646,686.52	\$ 40,000.00	\$ 1,211,617.00	\$ 40,000.00	\$ 335,000.00	\$ 4,273,303.52

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	21	22	23	24	25
Subcontractor					
Type of Work	ARCCT		Borning		
Subcontract Price	\$ 49,000.00		\$ 77,550.00		
Amount Uncompleted	\$ 49,000.00		\$ 77,550.00	\$ -	\$ -
Subcontractor					
Type of Work	Electrical		Electric		
Subcontract Price	\$ 12,800.00		\$ 2,000.00		
Amount Uncompleted	\$ 12,800.00		\$ 2,000.00	\$ -	\$ -
Subcontractor					
Type of Work	Layout		Line Stops		
Subcontract Price	\$ 200,000.00		\$ 13,000.00		
Amount Uncompleted	\$ 200,000.00		\$ 13,000.00		
Subcontractor					
Type of Work	Striping		Striping		
Subcontract Price	\$ 10,394.00		\$ 5,775.00		
Amount Uncompleted	\$ 10,394.00		\$ 5,775.00		
Subcontractor					
Type of Work	Tree Removal		Televising		
Subcontract Price	\$ 14,770.00		\$ 11,820.00		
Amount Uncompleted	\$ 14,770.00		\$ 11,820.00		
Subcontractor					
Type of Work					
Subcontract Price		\$ -			
Amount Uncompleted		\$ -			
Subcontractor					
Type of Work					
Subcontract Price		\$ -			
Amount Uncompleted		\$ -			
Subcontractor					
Type of Work					
Subcontract Price		\$ -			
Amount Uncompleted		\$ -			
Total Uncompleted	\$ 286,964.00	\$ -	\$ 110,145.00	\$ -	\$ -
Totals	\$ 286,964.00	\$ -	\$ 110,145.00	\$ -	\$ -



Affidavit of Availability
 For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	26	27	28	29	30	
Contract Number	60Y55					
Contract With	Arrow Road	Evanston	Wheeling	Glenview	Skokie	
Estimated Completion Date		35 Wrk Days	75 Wrk Days	11/14/2014	10/31/2014	
Total Contract Price	\$ 522,454.74	\$ 1,378,359.40	\$ 1,162,805.70	\$ 598,988.00	\$ 966,554.61	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 250,000.00	\$ 1,251,840.20	\$ 1,162,805.70	\$ 14,260.00	\$ 16,321.80	\$ 2,695,227.70
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
Total Value of All Work						\$ 2,695,227.70

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ -	\$ 65,000.00	\$ 156,741.70	\$ -	\$ -	\$ 221,741.70
Portland Cement Concrete Paving					\$ -	\$ -
HMA Plant Mix						\$ -
HMA Paving	\$ -	\$ 394,159.20	\$ 39,978.00	\$ -	\$ -	\$ 434,137.20
Clean & Seal Cracks/ Joints	\$ -				\$ -	\$ -
Aggregate Bases & Surfaces		\$ 3,847.00	\$ 56,720.00		\$ -	\$ 60,567.00
Highway, R.R. & Water Structures					\$ -	\$ -
Drainage	\$ -	\$ 62,195.00	\$ 66,900.00	\$ -	\$ -	\$ 129,095.00
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ -	\$ 280,000.00	\$ 167,453.70	\$ -	\$ -	\$ 447,453.70
Landscaping	\$ -	\$ 60,774.00	\$ 22,835.00	\$ 5,000.00	\$ -	\$ 88,609.00
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing				\$ 1,050.00	\$ -	\$ 1,050.00
Cold Milling, Planning & Rotomilling	\$ 250,000.00	\$ 81,840.00	\$ 99,739.80	\$ -	\$ -	\$ 431,579.80
Demolition						\$ -
Pavement Markings (Paint)					\$ -	\$ -
Other Construction (List)	\$ -	\$ 200,000.00	\$ 90,000.00	\$ 3,500.00	\$ -	\$ 293,500.00
	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Totals	\$ 250,000.00	\$ 1,147,815.20	\$ 700,368.20	\$ 9,550.00	\$ -	\$ 2,107,733.40

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	26	27	28	29	30
Subcontractor					
Type of Work		ARCCT	HMA Paving	Televising	Electrical
Subcontract Price		\$ 37,800.00	\$ 441,715.00	\$ 4,710.00	\$ 11,380.00
Amount Uncompleted		\$ 37,800.00	\$ 441,715.00	\$ 4,710.00	\$ -
Subcontractor					
Type of Work		Electric	Layout		HMA Paving
Subcontract Price		\$ 17,750.00	\$ 15,000.00		\$ 372,933.00
Amount Uncompleted		\$ 17,750.00	\$ 15,000.00		\$ -
Subcontractor					
Type of Work		Layout	Striping		Striping
Subcontract Price		\$ 15,000.00	\$ 5,722.50		\$ 16,321.80
Amount Uncompleted		\$ 15,000.00	\$ 5,722.50		\$ 16,321.80
Subcontractor					
Type of Work		Striping			Tree Care
Subcontract Price		\$ 26,265.00			\$ 1,100.00
Amount Uncompleted		\$ 26,265.00			\$ -
Subcontractor					
Type of Work		Tree Care			
Subcontract Price		\$ 7,210.00			\$ -
Amount Uncompleted		\$ 7,210.00			\$ -
Subcontractor					
Type of Work					
Subcontract Price					\$ -
Amount Uncompleted					\$ -
Subcontractor					
Type of Work					
Subcontract Price					\$ -
Amount Uncompleted					\$ -
Subcontractor					
Type of Work					
Subcontract Price					\$ -
Amount Uncompleted					\$ -
Total Uncompleted	\$ -	\$ 104,025.00	\$ 462,437.50	\$ 4,710.00	\$ 16,321.80
Totals	\$ -	\$ 104,025.00	\$ 462,437.50	\$ 4,710.00	\$ 401,734.80



Illinois Department of Transportation

Bureau of Construction
2300 South Dirksen Parkway/Room 322
Springfield, Illinois 62764

Affidavit of Availability
For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	31	32	33	34	35	
Contract Number						
Contract With	Lake County DOT	Hoffman Estates	IDOT			
Estimated Completion Date	8/15/2015	11/25/2015	11/20/2015			
Total Contract Price	\$ 104,628.65	\$ 5,505,834.27	\$ 5,638,000.00			Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 104,628.65	\$ 5,414,334.82	\$ 5,638,000.00	\$ -	\$ -	\$ 11,156,963.47
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
Total Value of All Work						\$ 11,156,963.47

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

					Accumulated Totals
Earthwork	\$ -	\$ 900,000.00	\$ 439,996.65	\$ -	\$ 1,339,996.65
Portland Cement Concrete Paving			\$ 146,016.00		\$ 146,016.00
HMA Plant Mix					\$ -
HMA Paving	\$ -	\$ 1,659,064.72	\$ 1,216,051.96	\$ -	\$ 2,875,116.68
Clean & Seal Cracks/ Joints					\$ -
Aggregate Bases & Surfaces	\$ -	\$ 461,250.60	\$ 272,995.00	\$ -	\$ 734,245.60
Highway, R.R. & Water Structures					\$ -
Drainage	\$ -	\$ 200,000.00	\$ 812,444.00	\$ -	\$ 1,012,444.00
Electrical					\$ -
Cover and Seal Coats					\$ -
Concrete Construction	\$ 74,628.65	\$ 1,552,458.75	\$ 434,698.50	\$ -	\$ 2,061,785.90
Landscaping	\$ -	\$ 245,947.00	\$ -	\$ -	\$ 245,947.00
Fencing					\$ -
Guardrail					\$ -
Painting					\$ -
Signing		\$ 2,150.40	\$ -		\$ 2,150.40
Cold Milling, Planning & Rotomilling	\$ -	\$ 112,234.00	\$ 96,936.30	\$ -	\$ 209,170.30
Demolition				\$ -	\$ -
Pavement Markings (Paint)					\$ -
Other Construction (List)	\$ 30,000.00	\$ 210,000.00	\$ 580,875.23	\$ -	\$ 820,875.23
	\$ -				\$ -
Totals	\$ 104,628.65	\$ 5,343,105.47	\$ 4,000,013.64	\$ -	\$ 9,447,747.76

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	31	32	33	34	35
Subcontractor					
Type of Work		Electrical	Electrical		
Subcontract Price	\$ -	\$ 10,985.00	\$ 1,195,631.91		
Amount Uncompleted	\$ -	\$ 10,985.00	\$ 1,195,631.91	\$ -	\$ -
Subcontractor					
Type of Work		Striping	Fencing		
Subcontract Price		\$ 39,193.85	\$ 2,100.00		
Amount Uncompleted		\$ 39,193.85	\$ 2,100.00		\$ -
Subcontractor					
Type of Work		Tree Care	Landscaping		
Subcontract Price	\$ -	\$ 21,050.50	\$ 158,319.90		
Amount Uncompleted	\$ -	\$ 21,050.50	\$ 158,319.90		
Subcontractor					
Type of Work			Layout		
Subcontract Price	\$ -		\$ 24,500.00		
Amount Uncompleted	\$ -	\$ -	\$ 24,500.00	\$ -	
Subcontractor					
Type of Work			Signage		
Subcontract Price	\$ -		\$ 23,724.00		
Amount Uncompleted	\$ -	\$ -	\$ 23,724.00		
Subcontractor					
Type of Work			Striping		
Subcontract Price			\$ 72,361.55		
Amount Uncompleted		\$ -	\$ 72,361.55		
Subcontractor					
Type of Work			Structural Conc		
Subcontract Price			\$ 147,660.00		
Amount Uncompleted			\$ 147,660.00		
Subcontractor					
Type of Work			Tree Care		
Subcontract Price			\$ 13,689.00		
Amount Uncompleted			\$ 13,689.00		
Total Uncompleted	\$ -	\$ 71,229.35	\$ 1,637,986.36	\$ -	\$ -
Totals	\$ -	\$ 71,229.35	\$ 1,637,986.36	\$ -	\$ -



Affidavit of Availability
 For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	36	37	38	39	40	
Contract Number			PW-RS-1403			
Contract With			Evanston			
Estimated Completion Date						
Total Contract Price			\$ 1,128,934.10			Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ -	\$ -	\$ 11,500.00	\$ -	\$ -	\$ 11,500.00
Uncompleted Dollar Value if Firm is the Subcontractor					\$ -	\$ -
Total Value of All Work						\$ 11,500.00

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Portland Cement Concrete Paving					\$ -	\$ -
HMA Plant Mix						\$ -
HMA Paving	\$ -		\$ -	\$ -	\$ -	\$ -
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ -		\$ -	\$ -	\$ -	\$ -
Highway,R.R. & Water Structures						\$ -
Drainage	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ -		\$ -	\$ -	\$ -	\$ -
Landscaping	\$ -		\$ 2,500.00	\$ -	\$ -	\$ 2,500.00
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing			\$ -	\$ -		\$ -
Cold Milling, Planning & Rotomilling			\$ -	\$ -	\$ -	\$ -
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)	\$ -	\$ -	\$ 2,500.00	\$ -	\$ -	\$ 2,500.00
						\$ -
Totals	\$ -	\$ -	\$ 5,000.00	\$ -	\$ -	\$ 5,000.00

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	36	37	38	39	40
Subcontractor					
Type of Work			ARCCT		
Subcontract Price			\$ 26,325.00		
Amount Uncompleted			\$ -		
Subcontractor					
Type of Work			Electrical		
Subcontract Price			\$ 14,720.00		
Amount Uncompleted			\$ -		
Subcontractor					
Type of Work			Sewer Video		
Subcontract Price			\$ 6,500.00		
Amount Uncompleted			\$ 6,500.00		
Subcontractor					
Type of Work			Striping		
Subcontract Price			\$ 45,014.00		
Amount Uncompleted		\$ -	\$ -		
Subcontractor					
Type of Work			Tree Care		
Subcontract Price			\$ 4,710.00		
Amount Uncompleted		\$ -	\$ -		
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Total Uncompleted	\$ -	\$ -	\$ 6,500.00	\$ -	\$ -
Totals	\$ -	\$ -	\$ 97,269.00	\$ -	\$ -



Affidavit of Availability
 For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	41	42	43	44	45	
Contract Number						
Contract With			Highland Park		Hinsdale	
Estimated Completion Date			10/17/2014		11/1/2014	
Total Contract Price			\$ 745,862.00		\$ 2,522,898.90	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ -	\$ -	\$ -	\$ -	\$ 10,000.00	\$ 10,000.00
Uncompleted Dollar Value if Firm is the Subcontractor						\$ -
Total Value of All Work						\$ 10,000.00

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ -		\$ -	\$ -	\$ -	\$ -
Portland Cement Concrete Paving						\$ -
HMA Plant Mix						\$ -
HMA Paving	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ -			\$ -	\$ -	\$ -
Highway, R.R. & Water Structures						\$ -
Drainage	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Landscaping	\$ -	\$ -	\$ -	\$ -	\$ 2,500.00	\$ 2,500.00
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing		\$ -				\$ -
Cold Milling, Planing & Rotomilling		\$ -		\$ -	\$ -	\$ -
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)	\$ -	\$ -	\$ -	\$ -	\$ 1,500.00	\$ 1,500.00
						\$ -
Totals	\$ -	\$ -	\$ -	\$ -	\$ 4,000.00	\$ 4,000.00

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	41	42	43	44	45
Subcontractor					
Type of Work			Tree Care		CIP
Subcontract Price			\$ 9,600.00		\$ 25,500.00
Amount Uncompleted		\$ -	\$ -		\$ -
Subcontractor					
Type of Work					Electric
Subcontract Price					\$ 12,475.00
Amount Uncompleted	\$ -				\$ -
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted	\$ -				
Subcontractor					
Type of Work					Striping
Subcontract Price					\$ 24,655.00
Amount Uncompleted	\$ -				\$ 6,000.00
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Total Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ 6,000.00
Totals	\$ -	\$ -	\$ 9,600.00	\$ -	\$ 62,630.00



Affidavit of Availability
For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	46	47	48	49	50	
Contract Number	61A61					
Contract With	IDOT			IDOT		
Estimated Completion Date	30 Working Days			40 Working Days		
Total Contract Price	\$ 764,838.17			\$ 1,065,709.58	\$ -	Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ 436,783.52		\$ -	\$ 497,986.78		\$ 934,770.30
Uncompleted Dollar Value if Firm is the Subcontractor			\$ -	\$ -	\$ -	\$ -
				Total Value of All Work		\$ 934,770.30

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ 20,000.00		\$ -	\$ 20,000.00	\$ -	\$ 40,000.00
Portland Cement Concrete Paving						\$ -
HMA Plant Mix					\$ -	\$ -
HMA Paving	\$ 58,094.55		\$ -	\$ 84,283.23	\$ -	\$ 142,377.78
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ 10,000.00		\$ -	\$ 17,500.00	\$ -	\$ 27,500.00
Highway, R.R. & Water Structures						\$ -
Drainage	\$ 2,500.00		\$ -	\$ 2,500.00	\$ -	\$ 5,000.00
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ 20,000.00		\$ -	\$ 10,000.00	\$ -	\$ 30,000.00
Landscaping	\$ 26,892.50		\$ -	\$ 7,465.00	\$ -	\$ 34,357.50
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing	\$ 4,035.00		\$ -	\$ -		\$ 4,035.00
Cold Milling, Planning & Rotomilling			\$ -	\$ 2,130.00	\$ -	\$ 2,130.00
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)	\$ 50,000.00		\$ -	\$ 70,000.00	\$ -	\$ 120,000.00
						\$ -
Totals	\$ 191,522.05	\$ -	\$ -	\$ 213,878.23	\$ -	\$ 405,400.28

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	46	47	48	49	50
Subcontractor					
Type of Work	Electric			Bridge Cleaning	
Subcontract Price	\$ 12,700.00			\$ 92,362.00	
Amount Uncompleted	\$ 12,700.00	\$ -		\$ -	
Subcontractor					
Type of Work	Fencing			Environmental	
Subcontract Price	\$ 3,884.02			\$ 5,750.00	
Amount Uncompleted	\$ 3,884.02	\$ -	\$ -	\$ 5,750.00	
Subcontractor					
Type of Work	Landscaping			Fencing	
Subcontract Price	\$ 221,337.20			\$ 40,054.00	
Amount Uncompleted	\$ 221,337.20	\$ -	\$ -	\$ 40,054.00	
Subcontractor					
Type of Work	Striping			Landscaping	
Subcontract Price	\$ 7,340.25			\$ 221,136.75	
Amount Uncompleted	\$ 7,340.25	\$ -	\$ -	\$ 221,136.75	
Subcontractor					
Type of Work	Tree Care			Signs	
Subcontract Price	\$ 23,201.00			\$ 9,797.00	
Amount Uncompleted	\$ -	\$ -		\$ 9,797.00	
Subcontractor					
Type of Work				Striping	
Subcontract Price	\$ -			\$ 7,370.80	
Amount Uncompleted	\$ -	\$ -		\$ 7,370.80	
Subcontractor					
Type of Work				Tree Care	
Subcontract Price	\$ -			\$ 7,880.00	
Amount Uncompleted	\$ -	\$ -	\$ -	\$ -	
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -	\$ -			
Total Uncompleted	\$ 245,261.47	\$ -	\$ -	\$ 284,108.55	\$ -
Totals	\$ 268,462.47	\$ -	\$ -	\$ 384,350.55	\$ -



Illinois Department of Transportation

Bureau of Construction
2300 South Dirksen Parkway/Room 322
Springfield, Illinois 62764

Affidavit of Availability
For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

	51	52	53	54	55	
Contract Number						
Contract With						
Estimated Completion Date						
Total Contract Price						Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Uncompleted Dollar Value if Firm is the Subcontractor		\$ -		\$ -	\$ -	\$ -
Total Value of All Work						\$ -

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Portland Cement Concrete Paving	\$ -	\$ -				\$ -
HMA Plant Mix						\$ -
HMA Paving	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Highway, R.R. & Water Structures						\$ -
Drainage	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Electrical						\$ -
Cover and Seal Coats						\$ -
Concrete Construction	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Landscaping	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing	\$ -		\$ -			\$ -
Cold Milling, Planning & Rotomilling	\$ -	\$ -			\$ -	\$ -
Demolition						\$ -
Pavement Markings (Paint)	\$ -					\$ -
Other Construction (List)	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
						\$ -
Totals	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.

	51	52	53	54	55
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -		\$ -		
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted	\$ -		\$ -		
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted	\$ -		\$ -		
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted	\$ -		\$ -		
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted	\$ -		\$ -		
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Subcontractor					
Type of Work					
Subcontract Price	\$ -				
Amount Uncompleted	\$ -				
Total Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
Totals	\$ -	\$ -	\$ -	\$ -	\$ -



Illinois Department of Transportation

Bureau of Construction
2300 South Dirksen Parkway/Room 322
Springfield, Illinois 62764

SUMMARY SHEETS

Affidavit of Availability
For the Letting of 06/12/15

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show **NONE**

Contract Number						
Contract With						
Estimated Completion Date						
Total Contract Price						SUMMARY
Uncompleted Dollar Value if Firm is the Prime Contractor						Accumulated Totals
Uncompleted Dollar Value if Firm is the Subcontractor						\$ 45,922,334.59
						\$ -
Total Value of All Work						\$ 45,922,334.59

Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show **NONE**

						Accumulated Totals
Earthwork						\$ 4,066,455.85
Portland Cement Concrete Paving						\$ 1,209,266.00
HMA Plant Mix						\$ -
HMA Paving						\$ 6,848,922.38
Clean & Seal Cracks/ Joints						\$ -
Aggregate Bases & Surfaces						\$ 1,593,386.60
Highway, R.R. & Water Structures						\$ -
Drainage						\$ 11,190,931.00
Electrical						\$ 6,000.00
Cover and Seal Coats						\$ -
Concrete Construction						\$ 5,485,800.60
Landscaping						\$ 1,237,824.80
Fencing						\$ -
Guardrail						\$ -
Painting						\$ -
Signing						\$ 34,485.40
Cold Milling, Planning & Rotomilling						\$ 1,268,382.10
Demolition						\$ -
Pavement Markings (Paint)						\$ -
Other Construction (List)						\$ 5,807,925.23
Totals	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 38,749,379.96

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization to Bid." This form has been approved by the State Forms Management Center.

Part III. Work Subcontracted to Others

For each contract described in Part I, list all the work you have subcontracted to others.


Subcontractor					
Type of Work					
Subcontract Price	\$ -	\$ -	\$ -	\$ -	\$ -
Amount Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
Subcontractor					
Type of Work					
Subcontract Price	\$ -	\$ -	\$ -	\$ -	\$ -
Amount Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
Subcontractor					
Type of Work					
Subcontract Price	\$ -	\$ -	\$ -	\$ -	\$ -
Amount Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
Subcontractor					
Type of Work					
Subcontract Price	\$ -	\$ -	\$ -	\$ -	\$ -
Amount Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
Subcontractor					
Type of Work					
Subcontract Price	\$ -	\$ -	\$ -	\$ -	\$ -
Amount Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
Total Uncompleted	\$ -	\$ -	\$ -	\$ -	\$ -
SUMMARY TOTALS	\$ -	\$ -	\$ -	\$ -	\$ 7,192,954.63

I, being duly sworn, do hereby declare that this affidavit is a true and correct statement relating to ALL uncompleted contracts of the undersigned for Federal, State, County, City and Private work, including ALL subcontract work, ALL pending low bids not yet awarded or rejected and ALL estimated completion dates.

Subscribed and sworn to before me

this 17 day of June, 2015


Notary Public

Type or Print Joseph Lampignano Secretary
Officer or Director Title
Signed 

My commission expires May 31, 2016

Company A Lamp Concrete Contractors, Inc.

Address 1900 Wright Blvd.
Schaumburg, Illinois 60193

(Notary Seal)



Printed on 05/26/2015

Page 24 of 24

BC 57 (Rev. 08/17/10)



Illinois Department of Transportation

Certificate of Eligibility

Contractor No 3315

A. Lamp Concrete Contractors, Inc.
1900 Wright Boulevard Schaumburg, IL 60193

WHO HAS FILED WITH THE DEPARTMENT AN APPLICATION FOR PREQUALIFICATION STATEMENT OF EXPERIENCE, EQUIPMENT AND FINANCIAL CONDITION IS HEREBY QUALIFIED TO BID AT ANY OF DEPARTMENT OF TRANSPORTATION LETTINGS IN THE CLASSES OF WORK AND WITHIN THE AMOUNT AND OTHER LIMITATIONS OF EACH CLASSIFICATION, AS LISTED BELOW, FOR SUCH PERIOD AS THE UNCOMPLETED WORK FROM ALL SOURCES DOES NOT EXCEED \$82,800,000.00

001	EARTHWORK	\$11,050,000
002	PCC PAVING	\$11,700,000
005	HMA PAVING	\$8,600,000 B
012	DRAINAGE	\$15,450,000
017	CONCRETE CONSTRUCTION	\$16,175,000
018	LANDSCAPING	\$2,950,000
032	COLD MILL,PLAN. & ROTOMILL	\$5,450,000
08A	AGGREGATE BASES & SURF. (A)	\$3,325,000

THIS CERTIFICATE OF ELIGIBILITY IS VALID FROM 5/11/2015 TO 4/30/2016 INCLUSIVE, AND SUPERSEDES ANY CERTIFICATE PREVIOUSLY ISSUED, BUT IS SUBJECT TO REVISION OR REVOCATION, IF AND WHEN CHANGES IN THE FINANCIAL CONDITION OF THE CONTRACTING FIRM OR OTHER FACTS JUSTIFY SUCH REVISIONS OR REVOCATION. ISSUED AT SPRINGFIELD, ILLINOIS ON 5/12/2015.

B Restricted to 1200 tons in any 1 contract (Class I and/or BAM) or as specified by local agency

Jim Bell

Interim Engineer of Construction

Village of Downers Grove

BID SUBMITTAL CHECKLIST

Each Bidder's Bid Package must be submitted with all requisite forms properly completed, and all documentation included. The following list is not all-inclusive, but is designed to facilitate a good, competitive bidding environment.

1. Instructions to Bidders read and understood. Any questions must be asked according to the instructions.
2. Cover sheet filled-in
3. Bid Form copies filled-in. All copies must have original signatures and seals on them.
4. Bid Bond or cashier's check enclosed with bid package.
5. Schedule of Prices completed. Check your math!
6. Bidder Certifications signed and sealed.
7. Letter from Surety ensuring issuance of Performance and Labor Bonds.
8. Letter from Insurance Agent or Carrier ensuring issuance of required job coverage.
9. Municipal Reference List completed.
10. Certification of Qualifications
11. Vendor request form W-9 completed.
12. Affidavit (IDOT Form BC-57, or similar).
13. Bid package properly sealed and labeled before delivery. If sending by mail or messenger, enclose in a second outer envelope or container. Project plan sheets do not have to be included with the bid package.

VILLAGE OF DOWNERS GROVE
DEPARTMENT OF PUBLIC WORKS

ADDENDUM NO. 1

FOR

Maple Avenue Roadway Reconstruction

BID #ST-044

June 15, 2015

ITEM AND DESCRIPTION:

1. **ADDITIONAL INFORMATION** for the cross section cut and fill areas is provided for bidder use with the attached "Cross Section Calculations for Excavation, Special".
2. **ADDITIONAL INFORMATION** for cores of the existing Maple Avenue pavement section for bidder use are attached.
3. **REPLACE** page 59 of bid document with attached page 59. Note: Area of disturbance and Tributary Area have been revised.

The Acknowledgement of Receipt of Addendum for this addendum **MUST** be included in the bid package. Bid packages not including signed Acknowledgement Sheets may be **REJECTED**.

End of Addendum No. 1
June 15, 2015

VILLAGE OF DOWNERS GROVE
DEPARTMENT OF PUBLIC WORKS

ACKNOWLEDGEMENT OF RECEIPT OF ADDENDUM

PROPOSAL/BID: Maple Avenue Roadway Reconstruction

PROPOSAL/BID NUMBER: BID #ST-044

PROPOSAL/BID OPENING: June 17, 2015

ADDENDUM NO.: 1

PROPOSER/BIDDER: A LAMP CONCRETE CONTRACTORS, INC.ADDRESS: 1900 WELMONT BLVD. SCHALMBURG IL 60193

RECEIVED BY:

Zae PESCIETTO

(NAME)

Zae

(SIGNATURE)

DATE:

06-15-15

CROSS-SECTION CALCULATIONS FOR EXCAVATION, SPECIAL
ST-044 MAPLE AVENUE ROADWAY RECONSTRUCTION

Station	Cut Area (Sq.ft.)	Fill Area (Sq.ft.)
0+00.000	0	0
0+50.000	2.41	0.99
1+00.000	70.14	1.05
1+50.000	67.15	0
1+66.956	65.21	0
2+00.000	68.8	0
2+10.625	69.95	0
2+50.000	70.24	0.01
3+00.000	72.17	2.23
3+35.932	77.13	0
3+50.000	75.62	0
3+85.212	75.59	0
4+00.000	75.16	0
4+50.000	72.44	0
4+73.678	69.52	0.72
5+00.000	71.32	1.24
5+20.498	73.93	2.51
5+50.000	70.86	1.9
5+83.014	71.34	0.38
6+00.000	68.39	0
6+37.562	69.28	0
6+50.000	67.88	0
7+00.000	62.15	0.14
7+50.000	63.71	0.98
8+00.000	66.03	3.38
8+29.402	68.3	0.02
8+50.000	64.97	2.36
8+83.933	67.63	1.65
9+00.000	64.08	2.01
9+27.219	61.83	1.53
9+50.000	61.81	0.4
9+63.033	64.31	0
10+00.000	60.88	0.52
10+22.135	61.02	1.24
10+50.000	62.31	0.5
10+58.852	61.77	0.59
11+00.000	58.43	1.79
11+17.052	59.09	2.14
11+28.231	59.62	0.6
11+50.000	59.57	0.69
11+73.212	58.07	0.78
12+00.000	57.02	3.1
12+50.000	59.72	1.78
12+65.217	56.89	0.36

Note: Above information does not include proposed roadway section excavation at intersections shown below.
 Maple Avenue (Sta. 0+20.10 to Sta. 0+70.30)
 Wilcox Avenue (Sta. 5+47.70 to Sta. 5+91.10)
 Florence Avenue - North (Sta. 0+33.75 to Sta. 0+58.60)
 Florence Avenue - South (Sta. 7+23.40 to Sta. 7+70.10)

PAVEMENT CORE REQUEST

Street: Maple Ave between Wilcox and Florence

Date Requested: 12-27-96 By: Scott Barr

Building Address: _____

or

Measurement from Hydrant: _____

CORE:	<u>E/P</u>	1/4 Cr.	<u>C/L</u>	1/4 Cr.	<u>E/P</u>
TRAVEL DIRECTION:	N__bound E__bound S__bound W <u>✓</u> bound	N__bound E__bound S__bound W__bound		N__bound E__bound S__bound W__bound	N__bound E <u>X</u> bound S__bound W__bound
BITUMINOUS CONCRETE:					
Surface:	<u>3</u> In.	____ In.	<u>1 1/2</u> In.	____ In.	<u>4</u> In.
Petromat:	<u>Y X N</u>	<u>Y N</u>	<u>Y X N</u>	<u>Y N</u>	<u>Y X N</u>
<u>Binder</u> Course:	<u>10</u> In.	____ In.	<u>10</u> In.	____ In.	<u>10</u> In.
____ Course:	____ In.	____ In.	____ In.	____ In.	____ In.
____ Course:	____ In.	____ In.	____ In.	____ In.	____ In.
OTHER PAVEMENT STRUCTURE:					
P.C.C.:	____ In.	____ In.	____ In.	____ In.	____ In.
Brick:	____ In.	____ In.	____ In.	____ In.	____ In.
Stone:	____ In.	____ In.	____ In.	____ In.	____ In.
Other: <u>Concrete</u>	____ In.	____ In.	<u>6 1/2</u> In.	____ In.	____ In.

COMMENTS: Bit is only 14" long, Binder AT LEAST 10" thick

DATE CORE COMPLETED: 12/31 BY: Tucker

PAVEMENT CORE REQUEST

Street: Maple Ave between Florence and Cumner

Date Requested: 12-27-96 By: Scott Barr

Building Address: _____

or

Measurement from Hydrant: _____

CORE:	<u>E/P</u>	1/4 Cr	<u>C/L</u>	1/4 Cr	<u>E/P</u>
TRAVEL DIRECTION:	N bound E bound S bound W bound	N bound E bound S bound W bound		N bound E bound S bound W bound	N bound EX bound S bound W bound
BITUMINOUS CONCRETE:					
Surface:	<u>1.5</u> In.	<u>1.75</u> In.	_____ In.	_____ In.	<u>2 1/2</u> In.
Petromat:	<u>Y</u> <u>N</u>	<u>Y</u> <u>N</u>	<u>Y</u> <u>N</u>	<u>Y</u> <u>N</u>	<u>Y</u> <u>N</u>
Course:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
<u>Binder</u> Course:	<u>11</u> In.	<u>4.25</u> In.	_____ In.	_____ In.	<u>8 1/2</u> In.
Course:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
OTHER PAVEMENT STRUCTURE:					
P.C.C.:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
Brick:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
Stone:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
Other: <u>CONCRETE</u>	_____ In.	<u>6.00</u> In.	_____ In.	_____ In.	_____ In.

COMMENTS: _____

DATE CORE COMPLETED: 12/31/96 BY: J. Tucker + Heinrich

PAVEMENT CORE REQUEST

Street: Maple Ave East of Fairview near Phillips CC
 between _____ and _____

Date Requested: 12-27-96 By: Scott Barr

Building Address: _____
 or

Measurement from Hydrant: _____

CORE:	<u>E/P</u>	1/4 Cr	<u>C/L</u>	1/4 Cr	<u>E/P</u>
TRAVEL DIRECTION:	N__ bound E__ bound S__ bound W <u>X</u> bound	N__ bound E__ bound S__ bound W__ bound		N__ bound E__ bound S__ bound W__ bound	N__ bound E <u>X</u> bound S__ bound W__ bound
BITUMINOUS CONCRETE:					
Surface:	<u>2 1/2</u> In.	_____ In.	<u>1 1/2</u> In.	_____ In.	<u>3</u> In.
Petromat:	<u>Y X N</u>	<u>Y N</u>	<u>Y X N</u>	<u>Y N</u>	<u>Y X N</u>
<u>Bridge</u> Course:	<u>9</u> In.	_____ In.	<u>3 1/2</u> In.	_____ In.	_____ In.
_____ Course:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
_____ Course:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
OTHER PAVEMENT STRUCTURE:					
P.C.C.:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
Brick:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
Stone:	_____ In.	_____ In.	_____ In.	_____ In.	_____ In.
Other: <u>Concrete</u>	_____ In.	_____ In.	<u>8</u> In.	_____ In.	<u>3 1/4</u> In.

COMMENTS: _____

DATE CORE COMPLETED: _____ BY: Tucker

Village of Downers Grove

SITE DESCRIPTION			
Project Name and Location: (Latitude, Longitude, or Address)	Maple Avenue Roadway Reconstruction 41° 46' 04"N, 87° 59' 33"W	Owner Name and Address:	Village of Downers Grove Public Works Department 5101 Walnut Ave. Downers Grove, IL 60515
Description: (Purpose and Types of Soil Disturbing Activities)	The proposed improvements are along the following streets: Maple Avenue, Wilcox Ave, Florence Ave, Burlington Ave. The project is located in the Village of Downers Grove, DuPage County, Illinois.		
<p>The following summarizes the improvements as part of the project:</p> <ul style="list-style-type: none"> • Removal of exiting storm pipes, structures, culverts, and other collateral items • Construction of storm sewer system including approximately 600 linear feet of 12" and 15" storm sewer and storm sewer structures (MHs and CBs) ranging in diameter from 2' to 5'. • Installation of approximately 2,800 linear feet 8" ductile iron water main. • Reconstruction of approximately 1,265 linear feet of HMA roadways in a residential subdivision. • Resurfacing of approximately 6,220 square yards of HMA roadways. • Installation of 55 residential water services and 2 commercial water services. • All other collateral work such as driveway replacements, aggregate shoulder replacement, sidewalk and sodding. 			
Runoff Coefficient:	0.60 – Residential/Commercial		
Site Area:	Area of disturbance = 1.70 acres Tributary area to project = 3.04 acres		
Sequence of Major Activities			
The order of activities will be as follows:			
<ol style="list-style-type: none"> 1. Video Tape Project Limits 2. Tree Fence and Traffic Control 3. Sediment & Erosion Control 4. Exploratory Trenches and utility adjustments 5. Demolition and installation of proposed storm sewer and water main 6. Roadway removal Maple Avenue 7. Construct new Maple Avenue Roadway 		<ol style="list-style-type: none"> 8. Install new sidewalk and replace disturbed sidewalk 9. Replace disturbed driveway aprons 10. Pavement patching up to surface course 11. Grading and parkway restoration 12. Install surface course 	
Name of Receiving Waters:	East Branch of the DuPage River		

VILLAGE OF DOWNERS GROVE
DEPARTMENT OF PUBLIC WORKS

ADDENDUM NO. 2

FOR

Maple Avenue Roadway Reconstruction

BID #ST-044

June 15, 2015

ITEM AND DESCRIPTION:

1. REVISION

The contract unit price for SP-15: EXPLORATORY TRENCH, SPECIAL on page 35 of the Call for Bid Documents shall be revised to be "CUBIC YARD" as indicated in the Schedule of Prices.

The Acknowledgement of Receipt of Addendum for this addendum MUST be included in the bid package. Bid packages not including signed Acknowledgement Sheets may be REJECTED.

End of Addendum No. 2

June 15, 2015

VILLAGE OF DOWNERS GROVE
DEPARTMENT OF PUBLIC WORKS

ACKNOWLEDGEMENT OF RECEIPT OF ADDENDUM

PROPOSAL/BID: Maple Avenue Roadway Reconstruction

PROPOSAL/BID NUMBER: BID #ST-044

PROPOSAL/BID OPENING: June 17, 2015

ADDENDUM NO.: 2

PROPOSER/BIDDER: A LAMP CONCRETE CONTRACTORS, INC.ADDRESS: 1900 WRIGHT BLVD, SCHAMBURG IL 60193RECEIVED BY: ZAC PESCETTO
(NAME)ZP
(SIGNATURE)DATE: 06-15-15



Village of Downers Grove

Contractor Evaluation

Contractor: A Lamp Concrete Contractors, Inc.

Project: Concord Square Unit 2

Primary Contact: Dino Marzulli Phone: 847-275-0170

Time Period: April 2013 to November 2013

On Schedule (allowing for uncontrollable circumstances) Yes No

Provide details if early or late completion:

Change Orders (attach information if needed): None

Difficulties / Positives: Contractor worked at a fast pace. Project was completed very quickly but restoration became an issue at the end of the project.

Interaction with public:

Excellent Good Average Poor


(Attach information on any complaints or compliments)

General Level of Satisfaction with work:

Well Satisfied Satisfied Not Satisfied

Reviewers: Scott Vasko

Date: 3/3/14



Village of Downers Grove

Contractor Evaluation

Contractor: A Lamp Concrete Contractors, Inc.

Project: Oak Grove Unit III Reconstruction

Primary Contact: Dino Marzulli Phone: 847-275-0170

Time Period: April 2013 to December 2013

On Schedule (allowing for uncontrollable circumstances) Yes No

Provide details if early or late completion: Contractor completed many items early but failed to continue working on controlling items.

Change Orders (attach information if needed): None

Difficulties / Positives: Contractor worked at a fast pace. Contractor had difficulty setting up construction phases and controlling traffic for said phases.

Interaction with public:

Excellent Good Average Poor

(Attach information on any complaints or compliments)

General Level of Satisfaction with work:

Well Satisfied Satisfied Not Satisfied

Reviewers: Jim Tock

Date: 3/5/14



Village of Downers Grove

Contractor Evaluation

Contractor: A Lamp Concrete Contractors, Inc.

Project: Valley View Estates Reconstruction

Primary Contact: John Traversa Phone: 847-354-3816

Time Period: April 2012 to November 2012

On Schedule (allowing for uncontrollable circumstances) Yes No

Provide details if early or late completion:

Change Orders (attach information if needed): None

Difficulties / Positives: None.

Interaction with public:

Excellent Good Average Poor

(Attach information on any complaints or compliments)

General Level of Satisfaction with work:

Well Satisfied Satisfied Not Satisfied

Reviewers: Scott Vasko

Date: 3/3/13