MOT 2025-10969 Page 1 of 86

# VILLAGE OF DOWNERS GROVE Report for the Village

SUBJECT:	11/4/2025	SUBMITTED BY:
FY26 Purchase of Replacement Vehicles		David Moody Director of Public Works

#### **SYNOPSIS**

A motion is requested to authorize the purchase of the following replacement vehicles and equipment:

- Two (2) Western Star 47X chassis with Koenig snow plow upfits from TransChicago Truck Group of Elmhurst, IL, in the amount of \$546,189.00.
- One (1) 2027 Freightliner 114SD Plus day-cab truck from TransChicago Truck Group of Elmhurst, IL, in the amount of \$160,231.00.
- One (1) Multihog CX75 vehicle with attachments, from Brown Equipment Company of Evansville, IN, in the amount of \$213,484.00.

#### STRATEGIC PLAN ALIGNMENT

The goals for 2023-2025 include Steward of Financial, Environmental and Neighborhood Sustainability and Exceptional Municipal Services.

#### **FISCAL IMPACT**

The proposed FY26 budget includes \$3,434,290.00 in the Equipment Replacement Fund for these vehicles. The total amount of these purchases is \$919,904.00. The vehicle orders will be placed in FY25, with vehicle delivery taking place in FY26.

#### RECOMMENDATION

Approval on the November 4, 2025 consent agenda.

#### **BACKGROUND**

The 2026 vehicle replacement schedule provides for the purchase/replacement of the following vehicles.

#### Vehicles to be purchased:

Quantity	Type of Vehicle	Make and Model	Dealer	Price each
2	5-ton Heavy-Duty	2026 Western Star	TransChicago Truck Group	\$276,569 &
	Truck	47X/ snow plow upfit	of Elmhurst, IL	\$269,620
1	Class 7/8 Heavy-	2027 Freightliner	TransChicago Truck Group	\$160,231
	Duty Truck	114SD Plus	of Elmhurst, IL	
1	Multipurpose	Multihog CX75	Brown Equipment Co. of	\$48,397.98
	Tractor		Evansville, IN	

MOT 2025-10969 Page 2 of 86

The Village's Fleet Team, consisting of representatives from the Village Manager's Office, Finance, Public Works, Police and Fire Departments evaluated the need to replace the following vehicles. All Village vehicles and equipment are targeted for replacement according to useful lifecycle replacement criteria. These criteria include age, usage, condition, repair costs, fuel efficiency and environmental impact. The Fleet Team reviewed the vehicles scheduled to be replaced and determined that the criteria for replacement were met. Staff is seeking approval to order these vehicles at this time to ensure delivery in FY26. The proposed FY26 budget includes the replacement of additional vehicles that are being further evaluated and they will be brought forth for consideration at a later date.

# Vehicles to be replaced:

Vehicle Unit #	Year	Make	Model
29	2008	Mad Vac	Compact Multipurpose Sweeper
239	2012	Freightliner	M2112V 5-Ton Heavy- Duty Truck (CNG)
241	2013	Freightliner	114SD 5-Ton Heavy-Duty Truck (CNG)
200	2006	Sterling	LT9500 Tractor Truck

Vehicle Unit #29 is a 2008 Compact multipurpose sweeper that is used to sweep the parking deck, and other areas in the downtown that are too small for the Village's sweeping contractor to sweep. The Mad Vac will be replaced with the Multihog CX75.

Vehicle Unit #239 is a 2012 Freightliner 5-ton snow plow that utilizes compressed natural gas (CNG) fuel. Vehicle Unit #241 is a 2013 2012 Freightliner 5-ton snow plow that utilizes compressed natural gas (CNG) fuel. Since the CNG station at Public Works is set for decommission in spring 2026, these vehicles need to be replaced. Both of these vehicles will be replaced with 2026 Western Star 47x snow plow trucks.

Vehicle Unit #200 is a 2006 Sterling Semi Tractor Truck that is used for hauling of snow from the downtown area in the winter, and used to haul excavation spoils and materials in the spring, summer, and fall.

These vehicle purchases are recommended to be made through the Sourcewell Cooperative Purchasing Program for governmental entities (formerly NJPA) in accordance with the provisions of the Village Purchasing Policy.

#### **ATTACHMENTS**

Vehicle Quotes

Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

A proposal for

DOWNERS GROVE VILLAGE OF

SOURCEWELL CONTRACT #032824-DAI


Prepared by

TRANSCHICAGO TRUCK GROUP

Steve Szymczak

Oct 14, 2025

## Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

# SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-29X	WST 47X/49X PRL-29X (EFF:MY26 ORDERS)			
Data Version				
DRL-009	SPECPRO21 DATA RELEASE VER 009			
Vehicle Configurat	ion			
001-470	WESTERN STAR 47X	9,050	6,525	
004-226	2026 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			
AA6-002	DOMICILED, USA 50 STATES (EPA CLEAN IDLE LABEL OR NO CLEAN IDLE REQUIRED)			
99D-031	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL SHIPPED LOOSE)			
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 23000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 43000.0 lbs			

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

Prepared by: Sleve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			
Truck S	Service				
	AA3-018	FRONT PLOW/END DUMP BODY			
	AF3-142	MONROE TRUCK EQUIPMENT			
Tractor	Service				
	AA2-005	FLATBED TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-3BT	CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-FT @ 1200 RPM	-850	-70	
Electro	nic Paramete	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-025	PTO MODE ENGINE RPM LIMIT - 1250 RPM			
	79M-002	PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED OR PARK BRAKE RELEASED (STATIONARY APPLICATIONS)			
	79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			
	79U-002	PTO GOVERNOR RAMP RATE - 50 RPM PER SECOND			
	79W-021	ONE CLUSTER MENU PTO SPEED AND ONE REMOTE PTO SPEED			
	79X-003	PTO SPEED 1 SETTING - 800 RPM			
	80G-015	PTO MINIMUM RPM - 800			
	80S-022	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE WHILE DRIVING INTERLOCKS			
Engine	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW

10/14/2025 10:47 AM

Data Code	Description	Weight Front	Weight Rear	
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES			
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-006	PLASTIC BATTERY BOX COVER			
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-1AR	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS	20		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
23U-027	8 GALLON DIESEL EXHAUST FLUID TANK			
23Z-006	POLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			
43X-014	RH DIESEL EXHAUST FLUID TANK LOCATED BACK OF CAB			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			

Data Code	Description	Weight Front	Weight Rear	
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
122-131	DAVCO 385 FUELWATER SEPARATOR WITH ESOC AND 12 VOLT AND 120 VOLT PREHEATER AND WATER IN FUEL SENSOR	10		
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
261-001	STANDARD CHARGE AIR COOLER PLUMBING			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
166-005	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-230	-130	
Transmission Equi	ipment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
32 <del>-</del>	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84N-011	NEUTRAL AT STOP ENABLED			
	353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
	34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			
	362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO			
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
	345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED			
	370-006	WATER TO OIL TRANSMISSION COOLER			
	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
	35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID			
Front	Axle and Equ	ipment			
	400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20		
	402-075	BENDIX ADB22X AIR DISC FRONT BRAKES	20		
	403-002	NON-ASBESTOS FRONT BRAKE LINING			
	419-004	FRONT DISC BRAKE ROTORS			
	427-001	FRONT BRAKE DUST SHIELDS	5		
	409-006	FRONT OIL SEALS			
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
	405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			
	536-104	DUAL POWER STEERING GEARS, BENDIX 16- 20K	80		

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW

10/14/2025 10:47 AM

Data Code	Description	Weight Front	Weight Rear	
534-003	4 QUART POWER STEERING RESERVOIR	5		
533-001	OIL/AIR POWER STEERING COOLER	5		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front Suspension				
620-025	20,000# TAPERLEAF FRONT SUSPENSION	145		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equi	ipment			
420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,260	
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		30	
421-563	5.63 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-074	MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-50	-50	
388-998	NO INTERAXLE (#3) DRIVELINE			
423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-30	
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-003	STANDARD BRAKE CHAMBER LOCATION			
451-005	REAR DISC BRAKE ROTORS			
425-002	REAR BRAKE DUST SHIELDS		5	
440-006	REAR OIL SEALS			
426-1AH	AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-216	AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE		100	
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			

Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

Data Code	Description	Weight Front	Weight Rear	
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT			
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			
623-002	TRANSVERSE CONTROL RODS			
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)			
Pusher / Tag Equipm	nent			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-007	ALUMINUM AIR BRAKE RESERVOIRS	-10	-15	
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			
<b>Trailer Connections</b>				
914-025	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS			
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
310-998	NO TRAILER ELECTRICAL CABLE	-10		
Wheelbase & Frame				
545-432	4325MM (170 INCH) WHEELBASE			
546-118	9.5MM X 89.0MM X 304.0MM STEEL FRAME (0.37X3.50X11.97 INCH) 120 KSI	-260	270	
552-063	2550MM (100 INCH) REAR FRAME OVERHANG			

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear	
55W-009	FRAME OVERHANG RANGE: 91 INCH TO 100 INCH	-50	170	
549-043	16 INCH INTEGRAL FRONT FRAME EXTENSION	55		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 105.12 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 331.61 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 44.78 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 40.73 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 42.68 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 41.21 in			
553-001	SQUARE END OF FRAME			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-015	STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION	-15		
562-063	STANDARD CAST ALUMINUM MIDSHIP			
572-078	HEAVY DUTY REAR C-CHANNEL CROSSMEMBER, NON-TOWING		70	
565-020	STANDARD CAST ALUMINUM FORWARD CROSSMEMBER			
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER			
Chassis Equipment				
025-002	POLISHED ALUMINUM WST EQUIPMENT COVERS			
556-142	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER	40		
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			
558-065	FRONT TOW HOOKS - FRONT FRAME EXTENSION MOUNTED			
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
551-034	CLASS 10.9 THREADED METRIC FASTENERS			
44Z-005	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE, SECONDARY COVERING, & CONNECTOR PROTECTION			
924-007	UPFIT ROUTING AND CLIPPING BRACKET, LH, BOC TO SUSPENSION, UPPER & LOWER SUPPORTS			
928-007	UPFIT ROUTING AND CLIPPING BRACKET, RH, BOC TO SUSPENSION, UPPER & LOWER			

# **Fuel Tanks**

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
-	204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH	-30	-10	
	218-006	25 INCH DIAMETER FUEL TANK(S)			
	215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-002	POLISHED STEP FINISH			
	205-002	CHROME FUEL TANK CAP(S)			
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-1XJ	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES	96		
	094-2JC	GOODYEAR G751 MSA 12R22.5 16 PLY RADIAL REAR TIRES		148	
Wheels	5				
	502-355	ACCURIDE 41012 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	-38		
	505-593	ACCURIDE 40008 22.5X8.25 10-HUB PILOT 10- HAND HD ALUMINUM DISC REAR WHEELS		-64	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ex	cterior				
	829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB			
	82A-028	STAINLESS STEEL CAB ACCENT MOLDING			
	667-001	FRONT FENDERS			
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
	678-051	SAFETY YELLOW INTERIOR GRAB HANDLES			
	65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			
	640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			
	644-048	X-SERIES VOCATIONAL HOOD			
	67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			
	652-016	WESTERN STAR NAMEPLATES			
	727-1AY	SINGLE AIR HORN UNDER LH DECK	-4		
	726-001	SINGLE ELECTRIC HORN			

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

Data Code	Description	Weight Front	Weight Rear
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM		
302-072	ROOF MOUNTED LED MARKER LIGHTS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
311-001	DAYTIME RUNNING LIGHTS		
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
300-043	LED SIDE TURN SIGNAL		
744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR		
796-001	102 INCH EQUIPMENT WIDTH		
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		
74A-001	RH DOWN VIEW MIRROR		
74B-113	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED SIDE VIEW MIRRORS WITH BLACK MOUNTING ARM	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
677-099	POLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
776-998	NO SLEEPER VENT	-10	
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH	-10	
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR	eronakus sukarus remarksiinin kun kun kun kun kun kun kun kun kun ku	
Cab Interior			
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR		
70K-016	CARBON WITH BASE BLACK ACCENT		
772-001	BLACK MATS		
785-032	(1) DASH MOUNTED POWER OUTLET AND (1) DUAL USB-C CHARGING OUTPUT		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		

Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

Data Code	Description	Weight Front	Weight Rear	
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			
745-998	NO UPPER BUNK	-50	-50	
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
720-035	2-1/2 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	5		
170-015	STANDARD HEATER PLUMBING			
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			
739-034	PREMIUM INSULATION			
324-1B3	STANDARD LED CAB LIGHTING			
787-998	NO SECURITY DEVICE			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-004	KEY QUANTITY OF 4			
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			
64C-002	BRIGHT DOOR HANDLES			
740-998	NO MATTRESS	-20	-15	
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		
756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	20		
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			
763-1AB	3 POINT HIGH VISIBILITY ORANGE ADJUSTABE D-RING RETRACTOR DRIVER AND FIXED D-RNG RETRACTOR PASSENGER SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

### **Instruments & Controls**

185-004 STANDARD FOOT PEDAL SYSTEM

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

	Data Code	Description	Welght Front	Weight Rear	
	106-002	ELECTRONIC ACCELERATOR CONTROL			
<b>\</b>	87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS			
;	870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			
•	734-018	STANDARD CENTER INSTRUMENT PANEL			
;	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
	198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2		
	721-001	97 DB BACKUP ALARM		3	
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
ŧ	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
1	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
•	160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			
8	844-001	2 INCH ELECTRIC FUEL GAUGE			
8	345-011	FUEL FILTER RESTRICTION INDICATOR			
•	148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
8	356-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
8	354-998	NO ENGINE OIL TEMPERATURE GAUGE			
8	352-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
8	364-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
8	367-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
8	330-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
3	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
7	736-998	NO OBSTACLE DETECTION SYSTEM			
7	73K-998	NO SIDE OBJECT DETECTION SYSTEM			
7	72J-998	NO DR ASSIST SYSTEM			
4	I9B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			

	Data Code	Description	Weight Front	Weight Rear
	4C4-017	HARDWIRE SWITCH #4,0N/OFF LATCHING, 10 AMPS BATTERY POWER		
	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
	883-002	REAR SPRING LOADED HAND CONTROL BRAKE VALVE	2	
	842-998	NO TURBO AIR PRESSURE GAUGE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	4E1-013	PROGRAMMABLE SWITCHES/INDICATORS LOCATED IN AUXILIARY PANEL		
	48H-002	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS		
	4CG-006	6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
		\$A1A0000ZZ,A1B0000ZZ,A1C0000ZZ,A1D0000ZZ,A1E0000Z	Z,A1F0000Z	<u>z</u>
	4CH-006	6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
		\$A1G0000ZZ,A1H0000ZZ,A1J0000ZZ,A1K0000ZZ,A1L0000Z	Z,A1M0000ZZ	7
	48C-002	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUTS		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	964-6G8	BUMPER PAINT: L5454EY MEDIUM BLACK PEARL ELITE EY		
Certific	ation / Con	npliance		
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

#### TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight <sup>+</sup>	8134 lbs	4617 lbs	12751 lbs
Total Weight <sup>+</sup>	8134 lbs	4617 lbs	12751 lbs

# **Extended Warranty**

WAI-47H CUM 2017 L9: HD1 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM

**EXTENDED WARRANTY. FEX APPLIES** 

WAX-101 CUM 2017 L9: AT3 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM

AFTERTREATMENT. FEX APPLIES

WAK-251 ALLISON 3000 RDS SERIES TRANSMISSION EXTEND WARRANTY, 5


YEARS/UNLIMITED MILES FEX

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

<sup>(+)</sup> Weights shown are estimates only.

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:



## **VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS**

Model	
Wheelbase (545)	4325MM (170 INCH) WHEELBASE
Rear Frame Overhang (552)	2550MM (100 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Ingrament (in)	0
Desired Slide Position (in)	
Cab Size (829)1	11.6 INCH BBC CONVENTIONAL ALUMINUM CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UNDER STEP MOUNTED HORIZ WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	ONTAL AFTERTREATMENT SYSTEM ASSEMBLY
Cab to Body Clearance (in)	3.0

### **TABLE SUMMARY - DIMENSIONS**


Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Dimensions	Inches
Bumper to Back of Cab (BBC)	127.6
Bumper to Centerline of Front Axle (BA)	62.5
Front Axle to Back of Cab (AC)	65.2
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	105.1
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	102.1
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	205.5
Cab Height (CH)	76.6
Wheelbase (WB)	170.3
Frame Overhang (OH)	100.4
Overall Frame Length	331.6
Overall Length (OAL)	333.1
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	42.7

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

# TRUCK WEIGHT



### **VEHICLE SPECIFICATIONS SUMMARY - TRUCK WEIGHT**

Model	
Cab Size (829)	
Expected Front Axle(s) Load (lbs)	20000.0
Expected Pusher Axle(s) Load (lbs)	
Expected Rear Axle(s) Load (lbs)	23000.0
Expected Tag Axle(s) Load (lbs)	
Expected GVW (lbs)	43000
Expected GCW (lbs)	80000.0
Wheelbase (545)	4325MM (170 INCH) WHEELBASE
Pusher / Tag Axle (443)	NO PUSHER OR TAG AXLE
Front Axle to Back of Cab (in)	65.157
Cab to Body Clearance (in)	3.0
Front Axle to Body (in)	
Truck Configuration (AA3)	FRONT PLOW/END DUMP BODY
Body Length (ft)	14.0
Body Width (in)	96.0
Body Weight (lbs)	4300.0
Body Horiz CG from Body Front (ft)	
Body Front to Rear Axle(s) CL (ft)	8.51
Driver Weight (lbs)	500.0
Driver Horizontal CG from Front Axle (in)	43.622
Left-Hand Primary Fuel/Hydraulic Tank (204)	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH
Left Fuel Tank Horizontal CG (in)	50.512

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Right-Hand Primary Fuel/Hydraulic Tank (206)	NO RH FUEL TANK
Right Fuel Tank Horizontal CG (in)	0

## **TABLE SUMMARY - TRUCK WEIGHT**

Item	Front(s)	Rear(s)	Total	
Chassis Tare	8134	4617	12751	
Fuel / Oil	394	183	577	
Driver	372	128	500	
Dealer Installed Options	0	0	0	
Accessories Total	0	0	0	
Body Tare	791	3509	4300	
Truck Tare Weight	9691	8437	18128	
Payload Total	0	0	0	
Calculated Axle Loads	9691	8437	18128	
Expected Axle Loads / GVW	20000	23000	80000	
GAWR/GVWR	20000	23000	43000	
Payload CG From Front of Body		7 feet		
Payload CG From Front Axle		12.7 feet		
Payload Distribution		Variable		
	veights displayed in pounds			


Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Item	Front(s)	Rear(s)	Total	
Chassis Tare	8134	4617	12751	
Fuel / Oil	394	183	577	
Driver	372	128	500	
Dealer Installed Options	0	0	0	
Accessories Total	0	0	0	
Body Tare	791	3509	4300	
Truck Tare Weight	9691	8437	18128	
Payload Total	0	0	0	
Calculated Axle Loads	9691	8437	18128	
Expected Axle Loads / GVW	20000	23000	80000	
GAWR / GVWR	20000	23000	43000	
Payload CG From Front of Body		7 feet		
Payload CG From Front Axle		12.7 feet		
Payload Distribution		Variable		
	All weights displayed in pounds			

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

## TURNING RADIUS



### **VEHICLE SPECIFICATIONS SUMMARY - TURNING RADIUS**

Model	47X
Cab Size (829)	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB
Wheelbase (545)	
Front Tires (093)	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES
Width (in)	12.6
Front Axle (400)	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
Kingpin Intersection (in)	71
Bumper (556)	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER
\Midth (in)	07.44
Bumper Miter to Front Axle (in)	78.469
Primary Steering Location (003)	LH PRIMARY STEERING LOCATION
Steering Gear (536)	DUAL POWER STEERING GEARS, BENDIX 16-20K
Dual Steering Gear	IPS90
Ram	NONE
Rear Axle (420)	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
Axle Spacing (624)	NO AXLE SPACING

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

## QUOTATION

#### **WESTERN STAR 47X**

SET BACK AXLE - TRUCK CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-FT @ 1200 RPM

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE

AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 20,000# TAPERLEAF FRONT SUSPENSION 111.6 INCH BBC CONVENTIONAL ALUMINUM CAB 4325MM (170 INCH) WHEELBASE 9.5MM X 89.0MM X 304.0MM STEEL FRAME (0.37X3.50X11.97 INCH) 120 KSI 2550MM (100 INCH) REAR FRAME OVERHANG

			PER UNIT	TOTAL
VEHICLE PRICE TO	TAL # OF UNITS (1)	\$	139,747	\$ 139,747
EXTENDED WARRANTY		\$		\$
KOENIG BODY & EQUIPMENT		\$	136,822	\$ 136,822
CUSTOMER PRICE BEFORE TAX		\$	276,569	\$ 279,569
TAXES AND FEES				
FEDERAL EXCISE TAX (FET)		\$	(270)	\$ (270)
TAXES AND FEES		\$	0	\$ 0
OTHER CHARGES		\$	323	\$ 323
TRADE-IN				
TRADE-IN ALLOWANCE		\$	(0)	\$ (0)
BALANCE DUE (LC	OCAL CURRENCY)	\$	276,569	\$ 276,569
COMMENTS:				
Projected delivery on/ provided the order i	is received before _	_//		
APPROVAL: Please indicate your acceptance of this quotation by sign	ing below:			
Customer: X	Date: /	_/		

# Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <a href="www.daimler-truckfinancial.com">www.daimler-truckfinancial.com</a>.

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

Page 23 of 24



MVP verified member ASE Certified Technicians

QUOTE [X] ESTIMATE [ ] ORDER [ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

**REF: MUNI BODY** 

<b>2 0 </b>	TO:	VILLAGI	E OF	<b>DOWNERS</b>	GROVE
-------------	-----	---------	------	----------------	-------

SALESMAN SIGNED:

ADDRESS:

CITY: DOWNERS GROVE, ILL

**DATE: 10/04/2025** PHONE: 452-8392

FAX:

CUSTOMER SIGNED:

ATTN: TIM VOS 102" CA 3000 ALLISON 33K SINGLE AXLE ??? CAB TO AXLE TRUCK WHEELBASE COLOR TRANSMISSION NET PRICE QUANTITY DESCRIPTION HENDERSON 12' MUNI DUMP BODY "201 STAINLESS STEEL": 1 - 22DEG. SLOPED ANGLED SIDES - CONTINUOUS WELDED SEAMS AND REINFORCEMENTS - 9 TO 12 CUBIC YARDS - 60" HEAD, 36" SIDES, 44" GATE - STRUCTURAL 7GA. STAINLESS LONG BEAMS X - 1/4" AR-400 CONVEYOR FLOOR X - 7 GA. 201S.S. STEEL TAILGATE AND 7 GA. 201 STAINLESS STEEL SIDES/HEAD/GATE - REAR DISCHARGE CONVEYOR SYSTEM X - 3/16" AR400 CONVEYOR COVER FOR OFF SEASON USE X - TUBULAR MOUNTED REAR SPINNER ASSY X - STD BULKHEAD AND REINFORCEMENT - STANDARD TOP GRATE SCREENS X - AIR TAILGATE LOCK/RELEASE - SIDEBOARD POCKETS - FRONT AND REAR - DLB. BAR UPGRADE ON CONVEYOR X - 12" DEEP DOGHOUSE, FRONT TO REAR - 10 GA. STAINLESS STEEL CABSHIELD AND 7 GA. SIDE GUSSETS WITH BOX TOP RAIL FOR SIX LIGHTS PAGE 1





ASE Certified Technicians

QUOTE [X] ESTIMATE [ ] ORDER [ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

**REF: MUNI BODY** 

Т	$\circ$	٠ ٦	711	TΔ	GF	OF	DO	WN	JERS	GRO	VF.
ı	v	. 1	11	$\Delta$	VJL.	$\mathcal{O}_{\mathbf{I}}$	$\nu \nu$	YY . '	1111	OILO	Y L.

ADDRESS:

CITY: DOWNERS GROVE, ILL

**DATE: 10/04/2025** PHONE: 452-8392

FAX:

ATTN: TIM VOS

102" CA 3000 ALLISON ??? 33K SINGLE AXLE TRANSMISSION CAB TO AXLE TRUCK WHEELBASE COLOR NET PRICE DESCRIPTION QUANTITY HENDERSON TRUNNION HOIST CS SERIES "DOUBLE-ACTING": 1 - LOW PROFILE CRADLE WITH BODY GUIDES - GREASABLE STEEL HINGE PINS, 2" DIAMETER C.R.R. - EXTRA HEAVY-DUTY HINGE ANGLE, 6" X 8" X 1/2", RAIL RECESSED AND APPROXIMATELY 9" O.H. - HOIST CYLINDER HAS NITRIDE STAGES AND BEARING PIVOTS - GREASELESS COMPOSITE CYLINDER BEARINGS - OSCILLATING TRUNNION COLLAR - LOW PROFILE BODY MOUNTING, 8" TOP OF CHASSIS TO BODY FLOOR - BODY PROPS, ONE EACH SIDE ON CRADLE - 18.6 TON CAPACITY HOIST BOTTOM OF BODY, HOIST, PLOW HITCH AND CHASSIS COMPONENTS 1 PAINTED BLACK AND BODY SHELL LEFT IN NATURAL FINISH SAFETY/ACCESSORIES EQUIPMENT: - 2" NON-SLIP RAIL EACH BODY SIDE - RED/SILVER REFLECTIVE TAPE ON BODY SIDES, TAILGATE AND SPREADER - F.M.V.S.S. 108 LIGHTS/REFLECTORS - ECCO BACK-UP ALARM, AND JUNCTION BOX IN VALVE LOCKER

PAGE 2

SALESMAN SIGNED:	CUSTON	MER SIGNED:
DI KLIDDINII II OLOT ILD.	000101	







**ASE** Certified **Technicians** 

**QUOTE** [X]**ESTIMATE ORDER** 

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

**REF: MUNI BODY** 

TO: VILLAGE OF DOWNERS GROVE

ADDRESS:

CITY: DOWNERS GROVE, ILL

DATE: 10/04/2025 PHONE: 452-8392

FAX:

ATTN: TIM VOS

CONTINUED:  - FRONT/AFT REAR MUD FLAPS (AFT FLAPS CHASSIS MOUNTED)  - CORNER POST L.E.D STOP-TAIL-TURN LAMPS AND CABSHIELD REARWARD	SON
CONTINUED:  - FRONT/AFT REAR MUD FLAPS (AFT FLAPS CHASSIS MOUNTED)  - CORNER POST L.E.D STOP-TAIL-TURN LAMPS AND CABSHIELD REARWARD	N PRICE
- CORNER POST L.E.D STOP-TAIL-TURN LAMPS AND CABSHIELD REARWARD	
CODMED DOCKLE D CEDODEC AND CAD CHIEF D DEADWARD	
- CORNER POST L.E.D STROBES AND CAB SHIELD REARWARD	
- CHASSIS I.D. (3-LIGHT) LIGHT BRACKET BELOW HINGE ANGLE	
- ALL BODY LIGHTS RUBBER GROMMET MOUNTS AND PLUG CONNECTED	
- ALL EXTERIOR CONNECTIONS SHRINK WRAPPED	
- LEFT HAND FRONT FOLD DOWN LADDER W/ INSIDE STEPS	
-#LED HI/LO PLOW LIGHTS ON ALUMINUM TILT HOOD BRACKETS	
- ALUMINUM AND STAINLESS STEEL CAB BAR MOUNTED TO CAB	
MOUNTING LIGHT BRACKETS	
- WIRING ROUTED THRU PROTECTIVE CONDUIT/RUBBER GROMMETS	
- PLUG CONNECTIONS WITH DIELECTRIC GREASE	
- O.E.M. DASH SWITCHES – UTILIZE FACTORY PLOW LIGHT SWITCH	
1) PTO	
2) PLOW LIGHTS ON/OFF (CHASSIS PLOW CANCELLATION SWITCH)	
3) LED BAR LIGHT	
4) SPREADER LIGHTS	
5) ALL STROBES	
6) OPEN	

PAGE 3

SALESMAN SIGNED:	CUSTOMER SIGNED:	
SAFESMAN SIGNED.	COSTOMER STOMED	





ASE Certified Technicians

QUOTE [X] ESTIMATE [ ] ORDER [ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

**REF: MUNI BODY** 

TO: VILLAGE OF DOWNERS GROVE

ADDRESS:

PAGE 4

CITY: DOWNERS GROVE, ILL

**DATE: 10/04/2025** PHONE: 452-8392

FAX:

CUSTOMER SIGNED:

ATTN: TIM VOS

SALESMAN SIGNED:

33K SI	NGLE AXLE	ATTN: TIM VOS ???	102" CA	3000 ALLISON
TRUCK QUANTITY	WHEELBA	SE COLOR DESCRIPTION	CAB TO AXLE	TRANSMISSION NET PRICE
	CONTINUED	DECENTION.		
- A	DJ, LED SPREADER	WORK LIGHTS EACH SIDE ///	??? MOUNTED	
- X	-WIDE LED FLOOD	LIGHT BAR BETWEEN STROB	ES	
- N	MOUNT OEM TAIL LI	GHTS ON SIDE OF TRUCK FRA	AME	
		<u>ON CAMERA SYSTEM / HIGH</u> N EACH END OF CAB BAR	I MOUNT CORNER FOST	
- S	HOVEL BRACKETS	DRIVERS SIDE		
- 4.	5DEG.STROBE LIGH	TS IN CABSHIELD		
1 KE	BE DESIGNED LOAI	SENSE:		
PT	O DRIVE CENTRAL	HYDRAULIC SYSTEM:		
- T	XV 92 - 5.6 LOAD SI	ENSE PUMP		
- R	VC REMOTE CONTR	OL SYTEM FOR BODY AND P	LOW	
- H	OT SHIFT PTO DIN S	HAFT		
- S'	TAINLESS STEEL H	YD. TANK / STAINLESS STEE	EL VALVE LOCKER	
- P	ROPORTIONAL VA	LVE SYSTEM		
- E	LECTRONIC SPREAI	DER VALVE / SEE BELOW		
- A	LL CONTROLS MOU	NTED IN CONSOLE		
- A	LL HOSES AND FITT	TINGS TO SPEC		
- C	CINCINNATI DESIGN	SPREADER HOSES W/ QC & I	OUST COVERS	
- T	OP TANK MOUNT O	IL FILTER WITH GAUGE, 10 M	ICRON ELEMENT	







ASE Certified **Technicians** 

QUOTE [X]ESTIMATE ORDER

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

**REF: MUNI BODY** 

TO: VILLAGE OF DOWNERS GROVE

ADDRESS:

CITY: DOWNERS GROVE, ILL

DATE: 10/04/2025 PHONE: 452-8392

FAX:

33K SINGLE AXLE

ATTN: TIM VOS

102" CA

3000 ALLISON

TRANSMISSION CAB TO AXLE TRUCK WHEELBASE COLOR DESCRIPTION NET PRICE QUANTITY 1 UNIT WILL BE PRESSURE AND FLOW TESTEAND ROAD TESTED HIGH PRESSURE FILTER SYSTEM 1 **REXROTH 630 CONTROL SYSTEM:** 1 - DIGITAL DISPLAY CAB CONSOLE FOR SPREADING AND LIQUID APPLICATION - ONE PIECE HARNESSES - GROUND SPEED - DUAL FLOW CONTROL, 12-V, O.S. CAB MOUNT VALVE SECTIONS - PRINTER PLUG-IN CAPABLE HENDERSON QUICK HITCH 1 - 4" X 2" X 10" SINGLE ACTING LIFT CYLINDER - 30.5" CENTERS ON PLOW HITCH - LOW PROFILE STYLE HITCH - REINFORCEMENTS TO CHASSIS FRAME - CUSHION VALVE W/ BRASS QUICK COUPLERS W/ DUST COVERS AND CAPS **COUGAR #DC3200 BODY VIBRATOR:** 1 - STRUCTURAL MOUNT BETWEEN LONG BEAMS - PUSH BUTTON CONTROL IN HOIST CONTROL - WIRING ROUTED IN PROTECTIVE CONDUIT

D	٨	C		5
-	$\vdash$	١ī	Г.	. 3

SALESMAN SIGNED: \_\_\_\_\_ CUSTOMER SIGNED: \_\_\_\_





ASE Certified Technicians

QUOTE [X] ESTIMATE [ ] ORDER [ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

**REF: MUNI BODY** 

TO: VILLAGE OF DOWNERS GROVE

ADDRESS:

CITY: DOWNERS GROVE, ILL

**DATE: 10/04/2025** PHONE: 452-8392

FAX:

ATTN: TIM VOS

33K SINGLE		???	102" CA	3000 ALLIS	ON
TRUCK QUANTITY	WHEELBASE	COLOR DESCRIPTION	CAB TO AXLE	TRANSMISSION NET F	RICE
1 NO SA	LT SPREADER REQUI	RED, BUILT INTO BODY			
-(2) 750	GAL PREWET TANKS B	UIULT IN SIDES OF BODY			
- 12V P	REWET PUMP SYSTEM	I CONTROLLLER IN CAB			
- PREW	ET PLUMBING TO REA	AR SPINNER			-
- PLAT	ORM TANK SUPPORT I	BRACKETS ABOVE TIRES			
1 HENDI	ERSON "J" DESIGNED	MOLDBOARD:			
- 42" X	11' MOLDBOARD OF "	ORANGE" 3/8" POLY J-DESI	GN		
- STD. (	CUTTING EDGE				
	OMER WILL BE SUPPL BLADES, ETC	YING AND INSTALLING TH	EIR SPECIAL		
- ¾" SQ	. TRIP SPRINGS, 3-PER	SECTION			
- 3" X 1	0" POWER-ANGLE CYL	LINDERS			
- CUSH	ION VALVE AND JUME	HOSES WITH BRASS QUIC	K COUPLERS		
- R.H. M	1AILBOX CUT OUT - 12	" POLY DEFLECTOR			
- 36" OF	RANGE BLADE GUIDES	S / PARKING STAND			
- MOLE	BOARD FRAME & DRI	VE FRAME PAINTED BLAC	K		
- NO PI	OW WHEELS OR SKI	DS			
"SEE N	OTES AND TERMS"		INSTALLED	\$136,822	00
WE WI	LL OFFER A 2 YEAR P	ARTS AND LABOR WARR	ENTY ON THIS BUILI	)	

PAGE 6

SALESMAN SIGNED:

CUSTOMER SIGNED:

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

A proposal for

DOWNERS GROVE VILLAGE OF

SOURCEWELL CONTRACT #032824-DAI


Prepared by

TRANSCHICAGO TRUCK GROUP

Steve Szymczak

Oct 14, 2025

# Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

## SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-29X	WST 47X/49X PRL-29X (EFF:MY26 ORDERS)			
Data Version				
DRL-009	SPECPRO21 DATA RELEASE VER 009			
Vehicle Configurat	ion			
001-470	WESTERN STAR 47X	9,050	6,525	
004-226	2026 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			
AA6-002	DOMICILED, USA 50 STATES (EPA CLEAN IDLE LABEL OR NO CLEAN IDLE REQUIRED)			
99D-031	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL SHIPPED LOOSE)			
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 23000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 43000.0 lbs			

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

	Data Code	Description	Weight Front	Weight Rear	
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			
Truck S	ervice				
	AA3-018	FRONT PLOW/END DUMP BODY			
	AF3-142	MONROE TRUCK EQUIPMENT			
Tractor	Service				
	AA2-005	FLATBED TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-3BT	CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-FT @ 1200 RPM	-850	-70	
Electron	ic Paramete	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-025	PTO MODE ENGINE RPM LIMIT - 1250 RPM			
	79M-002	PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED OR PARK BRAKE RELEASED (STATIONARY APPLICATIONS)			
	79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			
	79U-002	PTO GOVERNOR RAMP RATE - 50 RPM PER SECOND			
	79W-021	ONE CLUSTER MENU PTO SPEED AND ONE REMOTE PTO SPEED			
	79X-003	PTO SPEED 1 SETTING - 800 RPM			
	80G-015	PTO MINIMUM RPM - 800			
	80S-022	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE WHILE DRIVING INTERLOCKS			
Engine E	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		

Data Code	Description	Weight Front	Welght Rear
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES		
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-006	PLASTIC BATTERY BOX COVER		
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2	
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2	
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-1AR	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS	20	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-027	8 GALLON DIESEL EXHAUST FLUID TANK		
23Z-006	POLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER		
43X-014	RH DIESEL EXHAUST FLUID TANK LOCATED BACK OF CAB		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		

Data Code	Description	Weight Front	Weight Rear	
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
122-131	DAVCO 385 FUEL/WATER SEPARATOR WITH ESOC AND 12 VOLT AND 120 VOLT PREHEATER AND WATER IN FUEL SENSOR	10		
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
261-001	STANDARD CHARGE AIR COOLER PLUMBING			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
166-005	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-230	-130	
Transmission Equ	ipment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			

Prepared by: Sleve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear	
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84N-011	NEUTRAL AT STOP ENABLED			
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO			
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED			
370-006	WATER TO OIL TRANSMISSION COOLER			
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID			
Front Axle and Equ	uipment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20		
402-075	BENDIX ADB22X AIR DISC FRONT BRAKES	20		
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-004	FRONT DISC BRAKE ROTORS			
427-001	FRONT BRAKE DUST SHIELDS	5		
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			
536-104	DUAL POWER STEERING GEARS, BENDIX 16- 20K	80		

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW

Prepared by: Sleve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear	
534-003	4 QUART POWER STEERING RESERVOIR	5		
533-001	OIL/AIR POWER STEERING COOLER	5		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front Suspension				
620-025	20,000# TAPERLEAF FRONT SUSPENSION	145		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equi	ipment			
420-051	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,260	
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		30	
421-563	5.63 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-074	MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-50	-50	
388-998	NO INTERAXLE (#3) DRIVELINE			
423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-30	
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-003	STANDARD BRAKE CHAMBER LOCATION			
451-005	REAR DISC BRAKE ROTORS			
425-002	REAR BRAKE DUST SHIELDS		5	
440-006	REAR OIL SEALS			
426-1AH	AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-216	AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE		100	
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear	
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT			
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			
623-002	TRANSVERSE CONTROL RODS			
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)			
Pusher / Tag Equipn	nent			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-007	ALUMINUM AIR BRAKE RESERVOIRS	-10	-15	
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			
<b>Trailer Connections</b>				
914-025	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS			
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
310-998	NO TRAILER ELECTRICAL CABLE	-10		
Wheelbase & Frame				
545-432	4325MM (170 INCH) WHEELBASE			
546-118	9.5MM X 89.0MM X 304.0MM STEEL FRAME (0.37X3.50X11.97 INCH) 120 KSI	-260	270	
552-063	2550MM (100 INCH) REAR FRAME OVERHANG			

Prepared by: Sleve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear
55W-009	FRAME OVERHANG RANGE: 91 INCH TO 100 INCH	-50	170
549-043	16 INCH INTEGRAL FRONT FRAME EXTENSION	55	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 105,12 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 331.61 in		
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 44.78 in		
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 40.73 in		
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 42.68 in		
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 41.21 in		
553-001	SQUARE END OF FRAME		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
561-015	STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION	-15	
562-063	STANDARD CAST ALUMINUM MIDSHIP		
572-078	HEAVY DUTY REAR C-CHANNEL CROSSMEMBER, NON-TOWING		70
565-020	STANDARD CAST ALUMINUM FORWARD CROSSMEMBER		
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		
hassis Equipment			
025-002	POLISHED ALUMINUM WST EQUIPMENT COVERS		
556-142	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER	40	
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
558-065	FRONT TOW HOOKS - FRONT FRAME EXTENSION MOUNTED		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
551-034	CLASS 10.9 THREADED METRIC FASTENERS		
331-034			
44Z-005	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE, SECONDARY COVERING, & CONNECTOR PROTECTION		
	ABRASION TAPE, SECONDARY COVERING, &		

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
:	204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH	-30	-10	
	218-006	25 INCH DIAMETER FUEL TANK(S)			
:	215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS			
2	212-007	FUEL TANK(S) FORWARD			
(	664-002	POLISHED STEP FINISH			
2	205-002	CHROME FUEL TANK CAP(S)			
2	216-020	EQUIFLO INBOARD FUEL SYSTEM			
2	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
(	093-1XJ	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES	96		
(	094-2JC	GOODYEAR G751 MSA 12R22.5 16 PLY RADIAL REAR TIRES		148	
Wheels					
5	502-355	ACCURIDE 41012 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	-38		
5	505-593	ACCURIDE 40008 22.5X8.25 10-HUB PILOT 10- HAND HD ALUMINUM DISC REAR WHEELS		-64	
4	196-011	FRONT WHEEL MOUNTING NUTS			
4	197-011	REAR WHEEL MOUNTING NUTS			
Cab Exte	rior				
8	329-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB			
8	32A-028	STAINLESS STEEL CAB ACCENT MOLDING			
6	67-001	FRONT FENDERS			
7	54-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
6	78-051	SAFETY YELLOW INTERIOR GRAB HANDLES			
6	5X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			
6	40-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			
6	44-048	X-SERIES VOCATIONAL HOOD			
6	7U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			
6	52-016	WESTERN STAR NAMEPLATES			
7	27-1AY	SINGLE AIR HORN UNDER LH DECK	-4		
7	26-001	SINGLE ELECTRIC HORN			

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM		
302-072	ROOF MOUNTED LED MARKER LIGHTS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
311-001	DAYTIME RUNNING LIGHTS		
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
300-043	LED SIDE TURN SIGNAL		
744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR		
796-001	102 INCH EQUIPMENT WIDTH		
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		
74A-001	RH DOWN VIEW MIRROR		
74B-113	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED SIDE VIEW MIRRORS WITH BLACK MOUNTING ARM	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
677-099	POLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
776-998	NO SLEEPER VENT	-10	
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH	-10	
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
Cab Interior			
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR		
70K-016	CARBON WITH BASE BLACK ACCENT		
772-001	BLACK MATS		
785-032	(1) DASH MOUNTED POWER OUTLET AND (1) DUAL USB-C CHARGING OUTPUT		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW

Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

Data Code	Description	Weight Front	Weight Rear	
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			
745-998	NO UPPER BUNK	-50	-50	
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
720-035	2-1/2 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	5		
170-015	STANDARD HEATER PLUMBING			
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			
739-034	PREMIUM INSULATION			
324-1B3	STANDARD LED CAB LIGHTING			
787-998	NO SECURITY DEVICE			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-004	KEY QUANTITY OF 4			
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			
64C-002	BRIGHT DOOR HANDLES			
740-998	NO MATTRESS	-20	-15	
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		
756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	20		
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			
763-1AB	3 POINT HIGH VISIBILITY ORANGE ADJUSTABE D-RING RETRACTOR DRIVER AND FIXED D-RNG RETRACTOR PASSENGER SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

#### Instruments & Controls

185-004 STANDARD FOOT PEDAL SYSTEM

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Da	ta Code	Description	Weight Front	Weight Rear	
106	5-002	ELECTRONIC ACCELERATOR CONTROL			
871	-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS			
870	0-002	BRIGHT ARGENT FINISH GAUGE BEZELS			
734	1-018	STANDARD CENTER INSTRUMENT PANEL			
840	)-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198	3-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2		
721	I-001	97 DB BACKUP ALARM		3	
149	9-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
156	3-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811	1-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TET COLOR DISPLAY			
816	3-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
160	)-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			
844	I-001	2 INCH ELECTRIC FUEL GAUGE			
845	5-011	FUEL FILTER RESTRICTION INDICATOR			
148	3-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
856	5-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
854	I-998	NO ENGINE OIL TEMPERATURE GAUGE			
852	2-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
864	I-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
867	<b>'-004</b>	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830	)-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372	2-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
736	-998	NO OBSTACLE DETECTION SYSTEM			
73k	(-998	NO SIDE OBJECT DETECTION SYSTEM			
<b>72</b> J	-998	NO DR ASSIST SYSTEM			
49E	3-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			

Prepared by: Sleve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data	Code	Description	Welght Front	Weight Rear	
73B-9	998	NO LANE DEPARTURE WARNING SYSTEM			
73H-9	998	NO CAMERAVIDEO/IMAGING SYSTEM			
35M-0	010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		
6TS-C	005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
746-1	43	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			
747-0	01	DASH MOUNTED RADIO			
750-0	41	STANDARD SPEAKER SYSTEM			
753-9	98	NO AM/FM RADIO ANTENNA			
748-0	06	POWER AND GROUND WIRING PROVISION OVERHEAD			
749-0	01	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
751-0	01	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO			
752-0	04	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			
75W-(	001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			
78C-0	103	INTEROPERABLE SDAR ANTENNA			
810-0	27	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
812-0	32	ELECTRONIC 2500 RPM TACHOMETER			
813-10	C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-3	15	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			
162-0	02	IGNITION SWITCH CONTROLLED ENGINE STOP			
329-1	13	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, CAPPED			
4C1-0	26	HARDWIRE SWITCH #1, ON/OFF LATCHING, 10 AMPS BATTERY POWER			
4C2-0	26	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER			
4C3-0	17	HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS BATTERY POWER			

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear
-	4C4-017	HARDWIRE SWITCH #4,0N/OFF LATCHING, 10 AMPS BATTERY POWER		
	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
	883-002	REAR SPRING LOADED HAND CONTROL BRAKE VALVE	2	
	842-998	NO TURBO AIR PRESSURE GAUGE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	4E1-013	PROGRAMMABLE SWITCHES/INDICATORS LOCATED IN AUXILIARY PANEL		
	48H-002	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS		
	4CG-006	6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
		\$A1A0000ZZ,A1B0000ZZ,A1C0000ZZ,A1D0000ZZ,A1E0000Z	ZZ,A1F0000ZZ	
	4CH-006	6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
		\$A1G0000ZZ,A1H0000ZZ,A1J0000ZZ,A1K0000ZZ,A1L0000Z	Z,A1M0000ZZ	
	48C-002	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUTS		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	964-6G8	BUMPER PAINT: L5454EY MEDIUM BLACK PEARL ELITE EY		-
Certific	ation / Cor	mpliance		
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

## TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight <sup>+</sup>	8134 lbs	4617 lbs	12751 lbs
Total Weight <sup>+</sup>	8134 lbs	4617 lbs	12751 lbs

#### **Extended Warranty**

WAI-47H CUM 2017 L9: HD1 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM

EXTENDED WARRANTY. FEX APPLIES

WAX-101 CUM 2017 L9: AT3 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM

AFTERTREATMENT. FEX APPLIES

WAK-251 ALLISON 3000 RDS SERIES TRANSMISSION EXTEND WARRANTY, 5


YEARS/UNLIMITED MILES FEX

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

<sup>(+)</sup> Weights shown are estimates only.

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:



#### **VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS**

Model	47X
Wheelbase (545)	4325MM (170 INCH) WHEELBASE
Rear Frame Overhang (552)	
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Side Havelini	
Slide Increment (in)	0
Desired Slide Position (in)	
Cab Size (829)	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UNDER STEP MOUNTED FWITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	IORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY
Cab to Body Clearance (in)	3.0

## **TABLE SUMMARY - DIMENSIONS**


Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Dimensions	Inches
Bumper to Back of Cab (BBC)	127.6
Bumper to Centerline of Front Axle (BA)	62.5
Front Axle to Back of Cab (AC)	65.2
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	105.1
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	102.1
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	205.5
Cab Height (CH)	76.6
Wheelbase (WB)	170.3
Frame Overhang (OH)	100.4
Overall Frame Length	331.6
Overall Length (OAL)	333.1
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	42.7

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

## TRUCK WEIGHT



#### **VEHICLE SPECIFICATIONS SUMMARY - TRUCK WEIGHT**

Model	X
ab Size (829)111.6 INCH BBC CONVENTIONAL ALUMINUM CAR	3
expected Front Axle(s) Load (lbs)20000.	0
xpected Pusher Axle(s) Load (lbs)0.	0
expected Rear Axle(s) Load (lbs)	0
vpected Tag Axle(s) Load (lbs)	0
23000   123	0
xpected GCW (lbs)80000.	0
Vheelbase (545)4325MM (170 INCH) WHEELBASE	E
usher / Tag Axle (443)NO PUSHER OR TAG AXLE	Ξ
ront Axle to Back of Cab (in)	
ab to Body Clearance (in)	0
ront Axle to Body (in)	7
ruck Configuration (AA3)FRONT PLOW/END DUMP BODY	
Body Length (ft)14.0	0
ody Width (in)96.0	0
Body Weight (lbs)	0
Body Horiz CG from Body Front (ft)	9
Body Front to Rear Axle(s) CL (ft)	1
river Weight (lbs)	0
river Horizontal CG from Front Axle (in)43.622	
eft-Hand Primary Fuel/Hydraulic Tank (204)FUEL TANK - LF	1
Left Fuel Tank Horizontal CG (in)50.512	2

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Right-Hand Primary Fuel/Hydraulic Tank (	(206)NO RH FUEL	TANK
Right Fuel Tank Horizontal CG (in)		0

## **TABLE SUMMARY - TRUCK WEIGHT**

Item	Front(s)	Rear(s)	Total	
Chassis Tare	8134	4617	12751	
Fuel / Oil	394	183	577	
Driver	372	128	500	
Dealer Installed Options	0	0	0	
Accessories Total	0	0	0	
Body Tare	791	3509	4300	
Truck Tare Weight	9691	8437	18128	
Payload Total	0	0	C	
Calculated Axle Loads	9691	8437	18128	
Expected Axle Loads / GVW	20000	23000	80000	
GAWR / GVWR	20000	23000	43000	
Payload CG From Front of Body		7 feet		
Payload CG From Front Axle		12.7 feet		
Payload Distribution		Variable		
All v	veights displayed in pounds			


Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Item	Front(s)	Rear(s)	Total	
Chassis Tare	8134	4617	12751	
Fuel / Oil	394	183	577	
Driver	372	128	500	
Dealer Installed Options	0	0	0	
Accessories Total	0	0	0	
Body Tare	791	3509	4300	
Truck Tare Weight	9691	8437	18128	
Payload Total	0	0	0	
Calculated Axle Loads	9691	8437	18128	
Expected Axle Loads / GVW	20000	23000	80000	
GAWR / GVWR	20000	23000	43000	
Payload CG From Front of Body		7 feet		
Payload CG From Front Axle		12.7 feet		
Payload Distribution		Variable		
All v	eights displayed in pounds			

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

## TURNING RADIUS



#### **VEHICLE SPECIFICATIONS SUMMARY - TURNING RADIUS**

Model	47X
Cab Size (829)	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB
Wheelbase (545)	4325MM (170 INCH) WHEELBASE
Front Tires (093)	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES
Width (in)	12.6
	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
Kingpin Intersection (in)	71
Bumper (556)	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER
Width (in)	
Bumper Miter to Front Axle (in)	
Primary Steering Location (003)	LH PRIMARY STEERING LOCATION
Steering Gear (536)	DUAL POWER STEERING GEARS, BENDIX 16-20K
Dual Steering Gear	IPS90
Ram	NONE
Rear Axle (420)	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
Axle Spacing (624)	NO AXLE SPACING

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

#### QUOTATION

#### **WESTERN STAR 47X**

SET BACK AXLE - TRUCK CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-FT @ 1200 RPM

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR

AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 20,000# TAPERLEAF FRONT SUSPENSION 111.6 INCH BBC CONVENTIONAL ALUMINUM CAB 4325MM (170 INCH) WHEELBASE 9.5MM X 89.0MM X 304.0MM STEEL FRAME (0.37X3.50X11.97 INCH) 120 KSI 2550MM (100 INCH) REAR FRAME OVERHANG

			PER UNIT	TOTAL
VEHICLE PRICE T	OTAL # OF UNITS (1)	\$	139,747	\$ 139,747
EXTENDED WARRANTY		\$		\$
KOENIG BODY & EQUIPMENT		\$	129,873	\$ 129873
CUSTOMER PRICE BEFORE TAX		\$	269,567	\$ 269,567
TAXES AND FEES				
FEDERAL EXCISE TAX (FET)		\$	(270)	\$ (270)
TAXES AND FEES		\$	0	\$ 0
OTHER CHARGES		\$	323	\$ 323
TRADE-IN				
TRADE-IN ALLOWANCE		\$	(0)	\$ (0)
BALANCE DUE	(LOCAL CURRENCY)	\$	269,620	\$ 269,620
COMMENTS:				
Projected delivery on/ provided the order	er is received before _	//		
APPROVAL:				
Please indicate your acceptance of this quotation by significant	gning below:			
Customer: X	Date: /	_/		

## Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <a href="www.daimler-truckfinancial.com">www.daimler-truckfinancial.com</a>.

Application Version 12.0.501 Data Version PRL-29X.009 DOWNERS GROVE SA WST PLOW 10/14/2025 10:47 AM

Page 23 of 24







QUOTE [X] ESTIMATE [ ] ORDER [ ]

## www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it .... We can build it!

	VILLAGE OF DOWNERS GROV	VE	DATE: 10/0	
	DRESS:		PHONE: 452	2-8392
CIT	Y: DOWNERS GROVE, ILL		FAX:	
		ATTN: TIM VOS		4000 LY Y ICON
33K	SINGLE AXLE	???	102" CA	3000 ALLISON
TRUC QUAN		COLOR DESCRIPTION	CAB TO AXLE	TRANSMISSION NET PRICE
1	HENDERSON 12' MARK "E"		ESS STEEL":	
	- FLAT BOTTOM DESIGN			129,873,00
	- CONTINUOUS WELDED SEA	AMS AND REINFORCEMENT	S	
	- 9 TO 12 CUBIC YARDS			
	- 60" HEAD, 36" SIDES, 44" GA			
	- STRUCTURAL 8" I-BEAM LO	ONG BEAMS, CARBON STEE	L / WELDED 100%	
	<u>- 1/4"</u> AR-400 FLOOR WITH R			
	- 7 GA. 201S.S. STEEL TAILG	FATE AND 7 GA. 201 STAINL	ESS STEEL	
	SIDES/HEAD/GATE			
	- 6-PANEL GATE AND STAIN	LESS STEEL DOUBLE-ACTIN	IG GATE CHAINS	
	- 6" DEEP SIDE TOP RAIL, V-0	CRIMPED SIDES		
	- 12" REAR CORNER POST			
	- STD BULKHEAD AND REIN	FORCEMENT		
	- 8" STEEL REAR BODY APRO	ON		
	- AIR TAILGATE LOCK/RELE	ASE		
	- SIDEBOARD POCKETS – FR	ONT AND REAR		
	- BOXED LOWER SIDE RAILS			
	- 12" DEEP DOGHOUSE, FROM	NT TO REAR		
	- 10 GA. STAINLESS STEEL C	CABSHIELD AND 7 GA. SIDE	GUSSETS	
	WITH BOX TOP RAIL FOR	SIX LIGHTS		
PAG	E 1			
SAL	ESMAN SIGNED:	CUSTOMER	R SIGNED:	







QUOTE	[X]
<b>ESTIMATE</b>	
ORDER	ГТ

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it ... We can build it!

TO: VILLAGE OF DOWNERS GROVE	DATE: 10/07/2025
ADDRESS:	PHONE: 452-8392
CITY: DOWNERS GROVE, ILL	FAX:

ATTN: TIM VOS

33K SINGLE AXLE

???

TRUCK WHEELBASE COLOR CAB TO AXLE TRANSMISSION NET PRICE

1 HENDERSON TRUNNION HOIST CS SERIES "DOUBLE-ACTING":

- LOW PROFILE CRADLE WITH BODY GUIDES

1	HENDERSON TRUNNION HOIST CS SERIES "DOUBLE-ACTING":	
	- LOW PROFILE CRADLE WITH BODY GUIDES	
	- GREASABLE STEEL HINGE PINS, 2" DIAMETER C.R.R.	
	- EXTRA HEAVY-DUTY HINGE ANGLE, 6" X 8" X 1/2", RAIL RECESSED AND	
	APPROXIMATELY 9" O.H.	
	- HOIST CYLINDER HAS NITRIDE STAGES AND BEARING PIVOTS	
	- GREASELESS COMPOSITE CYLINDER BEARINGS	
	- OSCILLATING TRUNNION COLLAR	
	- LOW PROFILE BODY MOUNTING, 8" TOP OF CHASSIS TO BODY FLOOR	
	- BODY PROPS, ONE EACH SIDE ON CRADLE	
	- 18.6 TON CAPACITY HOIST	
1	BOTTOM OF BODY, HOIST, PLOW HITCH AND CHASSIS COMPONENTS	
	PAINTED BLACK AND BODY SHELL LEFT IN NATURAL FINISH	
1	SAFETY/ACCESSORIES EQUIPMENT:	
	- 2" NON-SLIP RAIL EACH BODY SIDE	
	- RED/SILVER REFLECTIVE TAPE ON BODY SIDES, TAILGATE AND SPREADER	
	- F.M.V.S.S. 108 LIGHTS/REFLECTORS	
	- ECCO BACK-UP ALARM, AND JUNCTION BOX IN VALVE LOCKER	

PAGE 2

SALESMAN SIGNED:	CUSTOMER SIGNED:	
DIMEDIAL DIGITIES.	CODI CHIBIC BIOT (ED)	







QUOTE [X] ESTIMATE [ ] ORDER [ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it .... We can build it!

TO: VILLAGE OF DOWNERS GROVE

ADDRESS:

CITY: DOWNERS GROVE, ILL

**DATE: 10/07/2025** PHONE: 452-8392

FAX:

ATTN: TIM VOS

33K	SINGLE AXLE	???	102" CA	3000 ALLISON
TRUCI		COLOR DESCRIPTION	CAB TO AXLE	TRANSMISSION NET PRICE
QUAN	CONTINUED:	DESCRIPTION		NETTRICE
	- FRONT/AFT REAR MUD FI	LAPS (AFT FLAPS CHASSIS	MOUNTED)	W##
	- CORNER POST L.E.D STOP	-TAIL-TURN LAMPS AND C	ABSHIELD REARWARI	D
	- CORNER POST L.E.D STRO	BES AND CAB SHIELD REA	ARWARD	
	- CHASSIS I.D. (3-LIGHT) LIC	GHT BRACKET BELOW HIN	GE ANGLE	
	- ALL BODY LIGHTS RUBBI	ER GROMMET MOUNTS AN	D PLUG CONNECTED	
	- ALL EXTERIOR CONNECT	IONS SHRINK WRAPPED		
	- LEFT HAND FRONT FOLD	DOWN LADDER <b>W/ INSIDE</b>	STEPS	
	-#LED HI/LO PLOW LIGHTS	ON ALUMINUM TILT HOO	D BRACKETS	
	- ALUMINUM AND STAINLE	ESS STEEL CAB BAR MOUN	TED TO CAB	
	MOUNTING LIGHT BRAC	CKETS		
	- WIRING ROUTED THRU PF	ROTECTIVE CONDUIT/RUBI	BER GROMMETS	
	- PLUG CONNECTIONS WITH	H DIELECTRIC GREASE		
	- O.E.M. DASH SWITCHES –	UTILIZE FACTORY PLOW I	JGHT SWITCH	
	1) PTO			
	2) PLOW LIGHTS ON/	OFF (CHASSIS PLOW CANC	ELLATION SWITCH)	
	3) LED BAR LIGHT			
	4) SPREADER LIGHTS			
	5) ALL STROBES			
	6) OPEN			
				1

PAGE 3

SALESMAN SIGNED:	CUSTOMER SIGNED:	





QUOTE	[X]
ESTIMATE	[]
ORDER	Γī

# www.koenigbody.com

2428 Farmington Road, Peoria, II 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it .... We can build it!

TO: VILLAGE OF DOWNERS GROVE	DATE: 10/07/2025
ADDRESS:	PHONE: 452-8392
CITY: DOWNERS GROVE, ILL	FAX:
ATTN: TIM VOS	

33K S	SINGLE AXLE	???	102" CA	3000 ALLISON
TRUCK QUANTI	WHEELBASE TY	COLOR DESCRIPTION	CAB TO AXLE	TRANSMISSION NET PRICE
	CONTINUED			
-	ADJ. LED SPREADER WO	ORK LIGHTS EACH SIDE /// ??? I	MOUNTED	
	X-WIDE LED FLOOD LIG	HT BAR BETWEEN STROBES		
-	MOUNT OEM TAIL LIGH	TS ON SIDE OF TRUCK FRAME		
=	INSTALL REAR VISION	CAMERA SYSTEM / HIGH MO	UNT CORNER POST	
-	LED STROBE BARS ON F	ACH END OF CAB BAR		
-	SHOVEL BRACKETS DR	VERS SIDE		
-	45DEG.STROBE LIGHTS	IN CABSHIELD		
1 K	BE DESIGNED LOAD SI	ENSE:		
P	TO DRIVE CENTRAL HY	DRAULIC SYSTEM:		
-	TXV 92 - 5.6 LOAD SENS	E PUMP		
	RVC REMOTE CONTROL	SYTEM FOR BODY AND PLOW	7	
-	HOT SHIFT PTO DIN SHA	FT		
-	STAINLESS STEEL HYD	. TANK / STAINLESS STEEL VA	ALVE LOCKER	
-	PROPORTIONAL VALV	E SYSTEM		
-	ELECTRONIC SPREADER	VALVE / SEE BELOW		
<b></b>	ALL CONTROLS MOUNT	ED IN CONSOLE		
-	ALL HOSES AND FITTING	GS TO SPEC		
	CINCINNATI DESIGN SP	READER HOSES W/ QC & DUST	COVERS	
-	TOP TANK MOUNT OIL F	ILTER WITH GAUGE, 10 MICRO	N ELEMENT	
PAGE	1			

PAGE 4		
SALESMAN SIGNED:	CUSTOMER SIGNED:	







QUOTE [X] ESTIMATE ORDER

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

**REF: DOWNERS GROVE / UPDATED** 

You name it .... We can build it!

ADDRESS:

CITY: DOWNERS GROVE, ILL

DATE: 10/07/2025 PHONE: 452-8392

FAX:

ATTN: TIM VOS

33K	SINGLE AXLE	???		3000 ALLISC	)N
TRUC		COLOR	CAB TO AXLE	TRANSMISSION NET P	DICE
QUAN 1	UNIT WILL BE PRESSURE ANI	DESCRIPTION  OFLOW TESTEAND ROA	AD TESTED	INE I I	T
1	HIGH PRESSURE FILTER SYS				1
					1
1	REXROTH 630 CONTROL SYS	TUM.			
1	REAROTH 030 CONTROL STS	I ENVI:			
	- DIGITAL DISPLAY CAB CONS	OLE FOR SPREADING A	AND LIQUID APPLICATIO	N	
	- ONE PIECE HARNESSES				
	- GROUND SPEED				
	- DUAL FLOW CONTROL, 12-V,	O.S. CAB MOUNT VALV	VE SECTIONS		
	- PRINTER PLUG-IN CAPABLE				
1	HENDERSON QUICK HITCH				
	- 4" X 2" X 10" SINGLE ACTING	LIFT CYLINDER			
	- 30.5" CENTERS ON PLOW HITC	СН			
	- LOW PROFILE STYLE HITCH				
	- REINFORCEMENTS TO CHASS	SIS FRAME			
	- CUSHION VALVE W/ BRASS (	QUICK COUPLERS W/ D	OUST COVERS AND CAPS		
1	COUGAR #DC3200 BODY VIBR	ATOR:			
	- STRUCTURAL MOUNT BETWI	EEN LONG BEAMS			
	- PUSH BUTTON CONTROL IN F	HOIST CONTROL			
	- WIRING ROUTED IN PROTECT	TIVE CONDUIT			

SALESMAN SIGNED: CUSTOMER SIGNED:







QUOTE [X]**ESTIMATE** ORDER

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it .... We can build it!

TO	VILI	LAGE	OF	DO	WNERS	<b>GROVE</b>
$\perp \vee_{\cdot}$	7 11/1	$-\iota\iota$	$\mathbf{v}_{1}$	$\nu \nu$	11111111	

ADDRESS:

CITY: DOWNERS GROVE, ILL

DATE: 10/07/2025 PHONE: 452-8392

FAX:


ATTN: TIM VOS

33K	SINGLE AXLE	???	102" CA	3000 ALLISON	
TRUC		COLOR DESCRIPTION	CAB TO AXLE	TRANSMISSION NET PRIC	E
1	HENDERSON 6" TGS 201 STAI	INLESS STEEL SALT SP	READER:		
	- 201 STAINLESS STEEL QUICK	MOUNT HARDWARE W	TITH VERTICAL LIFT		
	PINS EACH SIDE/TENSION S	TRAPS			
	- GATE CLOSURE PANELS, MI	NN. DOT DESIGN			
	- HOSES AND BRASS QUICK CO	OUPLERS			
	- S.S. TUBE MOUNTED IN TRO	OUGH FOR PREWET			
1	HENDERSON "J" DESIGNED I	MOLDBOARD:			
	- 42" X 11' MOLDBOARD OF "O	RANGE" 3/8" POLY J-DE	SIGN		
	- STD. CUTTING EDGE				
	- CUSTOMER WILL BE SUPPLY WEARBLADES, ETC	ING AND INSTALLING T	THEIR SPECIAL		
	- ¾" SQ. TRIP SPRINGS, 3-PER S	SECTION			
	- 3" X 10" POWER-ANGLE CYLI	NDERS			
	- CUSHION VALVE AND JUMP	HOSES WITH BRASS QU	ICK COUPLERS		
	- R.H. MAILBOX CUT OUT - 12"	POLY DEFLECTOR			
	- 36" ORANGE BLADE GUIDES	/ PARKING STAND			
	- MOLDBOARD FRAME & DRIV	E FRAME PAINTED BLA	CK		
	- NO PLOW WHEELS OR SKID	OS			

DΛ		-
$r_A$	UTF.	Ð

SALESMAN SIGNED: \_\_\_\_\_ CUSTOMER SIGNED: \_\_\_\_







QUOTE [X] ESTIMATE [ ] ORDER [ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, II 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it .... We can build it!

TO: VILLAGE OF DOWNERS GROVE	DATE: 10/07/2025
ADDRESS:	PHONE: 452-8392
CITY: DOWNERS GROVE, ILL	FAX:

ATTN: TIM VOS 102" CA ??? 3000 ALLISON 33K SINGLE AXLE TRANSMISSION COLOR CAB TO AXLE TRUCK WHEELBASE NET PRICE QUANTITY DESCRIPTION 150 GAL. TAILGATE MOUNTED SYSTEM W/ S.S. BRACKETS 1 - AFT CHECK VALVE, SUCTION FILTER, CAM LOCKS AND JUMP HOSES - QUICK FILL AND CLEAN OUT PLUMBING - NEMA PUMP ENCLOSURE - LOW FLUID LEVEL WARNING IN CONSOLE - AUGER SHAFT SENSOR W/ QUICK ATTACH CABLE INSTALL CUSTOMER'S CAMERA FOR SPINNER WITH EYE WASH - CONTROLS AND MONITOR IN CAB **INSTALLED** \$129,873 00 "SEE NOTES AND TERMS" WE WILL OFFER A 2 YEAR PARTS AND LABOR WARRENTY ON THIS BUILD

PAGE 7

SALESMAN SIGNED:	CUSTOMER SIGNED:





You name it .... We can build it!



ASE Certified Technicians

QUOTE	[X]
ESTIMATE	[]
ORDER	[ ]

# www.koenigbody.com

2428 Farmington Road, Peoria, Il 61604 Ph.: (309) 673-7435 or (800) 767-7406

Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

TO: VILLAGE OF DOWNERS GROVE	DATE: 10/07/2025
ADDRESS:	PHONE: 452-8392
CITY: DOWNERS GROVE, ILL	FAX:

ATTN: TIM VOS

102" CA 33K SINGLE AXLE ??? 3000 ALLISON TRANSMISSION CAB TO AXLE TRUCK WHEELBASE COLOR QUANTITY DESCRIPTION **NET PRICE** QUOTE IS BASED ON THE FOLLOWING TRUCK CRITERIA BEING SUPPLIED TO KOENIG BODY: - FULL WIDTH FRONT BUMPER - INTEGRAL FRONT FRAME EXTENSION, MINIMUM 18" LENGTH - DRIVER SEAT/SINGLE COMPANION SEAT CAB - STATIONARY GRILL - BODY BUILDERS WIRING HARNESS AT REAR OF CHASSIS - AUTO TRANS. WITH DRIVE GEAR FOR PTO & RIGHT HAND DIPSTICK - 6- BODY BUILDERS DASH SWITCHES WIRED HOT FROM FACTORY - DASH PLOW LIGHT SWITCH WITH HARNESS TO FRONT GRILL AND O.E.M. DIMMER SWITCH CONTROL USE - CLEAN OUTSIDE FRAME RAILS FROM BACK OF CAB TO FRONT SIDE REAR SPRING HANGERS DRIVERS SIDE - ALUMINUM ROOF MUST HAVE FACTORY INSTALLED LIGHT BAR BRKTS.

PAGE 8

SALESMAN SIGNED:	CUSTOMER SIGNED:



ATTN: TIM VOS



ASE Certified Technicians

QUOTE [X] ESTIMATE [ ] ORDER [ ]

3000 ALLISON

## www.koenigbody.com

2428 Farmington Road, Peoria, II 61604 Ph.: (309) 673-7435 or (800) 767-7406 Fax: (309) 673-6836

REF: DOWNERS GROVE / UPDATED

You name it .... We can build it!

TO: VILLAGE OF D	OWNERS GROVE
------------------	--------------

ADDRESS:

33K SINGLE AXLE

CITY: DOWNERS GROVE, ILL

**DATE: 10/07/2025** PHONE: 452-8392

FAX:

102" CA

TRUCK COLOR CAB TO AXLE TRANSMISSION WHEELBASE QUANTITY DESCRIPTION NET PRICE NOTES FOR CUSTOMER TO MAKE

PAGE 9

SALESMAN SIGNED: \_\_\_\_\_ CUSTOMER SIGNED: \_\_\_\_\_

MOT 2025-10969 Page 64 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

A proposal for

DOWNERS GROVE VILLAGE OF

SOURCEWELL CONTRACT #032824-DAI

Prepared by

TRANSCHICAGO TRUCK GROUP

Steve Szymczak

Oct 10, 2025

## Freightliner 114SD Plus



Components shown may not reflect all spec'd options and are not to scale



MOT 2025-10969 Page 65 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

## SPECIFICATION PROPOSAL

Data	Code	Description	Weight Front	Weight Rear	
Price Level					
PRL-	30D	SD PRL-30D (EFF:MY27 ORDERS)			
Data Version	า				
DRL-	800	SPECPRO21 DATA RELEASE VER 008			
Vehicle Con	figuratio	n			
001-1	177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476	
004-2	227	2027 MODEL YEAR SPECIFIED			
002-0	002	SET BACK AXLE - TRACTOR	500	-480	
019-0	007	TRAILER TOWING PROVISION FORWARD OF FIFTH WHEEL AND END OF FRAME WITH SAE J560	15	15	
003-0	001	LH PRIMARY STEERING LOCATION			
General Serv	vice				
AA1-	001	TRACTOR/TRAILER CONFIGURATION			
AA6-0	001	DOMICILED, USA 50 STATES (EPA AND CARB CLEAN IDLE LABELS)			
99D-(	019	CARB CLEAN IDLE LABELS NOT FOR INITIAL REGISTRATION IN STATES REQUIRING CARB EMISSIONS CERTIFICATION (INCLUDES 6X4 INCH LABELS ON LOWER FORWARD OF DRIVER DOOR)			
A85-0	011	CONSTRUCTION SERVICE			
A84-1	1CO	CONSTRUCTION BUSINESS SEGMENT			
AA4-	003	DRY BULK COMMODITY			
AA5-	006	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS			
AB1-	800	MAXIMUM 8% EXPECTED GRADE			
AB5-	003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1	IAE	FREIGHTLINER LEVEL II WARRANTY			
A66-9	99D	EXPECTED FRONT AXLE(S) LOAD: 18000.0 lbs			





MOT 2025-10969 Page 66 of 86

> Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126

	Data Code	Description	Weight Front	Weight Rear	
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 64000.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			
Truck S	Service				
	AF3-2CR	TRACTOR ONLY WITH NO BODY UPFIT			
Tractor	Service				
	AA2-015	FRAMELESS TYPE END DUMP TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-26F	CUM X12 430V HP @ 1900 RPM, 1650 LB-FT @ 1000 RPM, 2000 GOV RPM,VOC	-390	-45	
Electro	nic Paramete	rs			
	79A-069	69 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79P-013	PTO RPM WITH CRUISE SET SWITCH - 750 RPM			
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			
	80G-006	PTO MINIMUM RPM - 825			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
	80S-001	PTO 1, DASH SWITCH, STATIONARY OPERATION			
Engine	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			
	290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	15		
	281-001	STANDARD BATTERY JUMPERS			



MOT 2025-10969 Page 67 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Weight Weight **Data Code** Rear Description Front SINGLE BATTERY BOX FRAME MOUNTED LH 282-003 SIDE BACK OF CAB WIRE GROUND RETURN FOR BATTERY CABLES 291-017 WITH ADDITIONAL FRAME GROUND RETURN 289-001 NON-POLISHED BATTERY BOX COVER NON-ESSENTIAL POSITIVE LOAD DISCONNECT, 2 293-058 IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT 306-015 PROGRESSIVE LOW VOLTAGE DISCONNECT AT 2 12.3 VOLTS FOR DESIGNATED CIRCUITS 180-102 EATON ENDURANT HEAVY DUTY AUTOMATED MANUAL TRANSMISSION CLUTCH 107-048 **CUMMINS NATURALLY ASPIRATED 25.9 CFM** AIR COMPRESSOR WITH INTERNAL SAFETY **VALVE** ELECTRONIC ENGINE INTEGRAL SHUTDOWN 152-041 PROTECTION SYSTEM 128-004 CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE RH OUTBOARD UNDER STEP MOUNTED 30 25 016-1C2 HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE ENGINE AFTERTREATMENT DEVICE, 28F-014 AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER 11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) 239-038 **EXHAUST SYSTEM HEIGHT** STANDARD CURVE BRIGHT UPPER STACK(S) 233-017 237-1CR RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP 23U-002 13 GALLON DIESEL EXHAUST FLUID TANK 30N-003 100 PERCENT DIESEL EXHAUST FLUID FILL STANDARD DIESEL EXHAUST FLUID PUMP 23Y-001 MOUNTING 43X-002 LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

Application Version 12.0.501 Data Version PRL-30D.008 DOWNERS GROVE 114SD TRACTOR

43Y-001

242-011

273-058

276-001

110-003



STANDARD DIESEL EXHAUST FLUID TANK CAP

AUTOMATIC FAN CONTROL WITHOUT DASH

ALUMINUM AFTERTREATMENT

SWITCH, NON ENGINE MOUNTED

**CUMMINS SPIN ON FUEL FILTER** 

DEVICE/MUFFLER/TAILPIPE SHIELD(S)
AIR POWERED ON/OFF ENGINE FAN CLUTCH

MOT 2025-10969 Page 68 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Co	ode Description	Weight Front	Weight Rear	
118-008	COMBINATION FULL FLOW/BYPASS OIL F	ILTER		
120-998	NO COOLANT FILTER	-10		
266-057	1500 SQUARE INCH ALUMINUM RADIATO	R		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLA	NT		
171-007	GATES BLUE STRIPE COOLANT HOSES ( EQUIVALENT	)R		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	₹		
270-016	RADIATOR DRAIN VALVE			
155-055	DELCO 12V 39MT HD/OCP STARTER WIT THERMAL PROTECTION AND INTEGRATE MAGNETIC SWITCH			
Transmission				
342-621	EATON CUMMINS EEO-16F112C ENDURA AUTOMATED MANUAL TRANSMISSION	NT HD 66	17	
Transmission	Equipment			
84E-102	PERFORMANCE			
84F-102	PERFORMANCE			
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLIS GEN TRANSMISSIONS	ON 5TH		
85J-003	REVERSE GEAR RANGE LIMITED TO 1ST	GEAR		
85R-004	EATON AS MAXIMUM START GEAR - 4			
85U-005	AMT COAST DOWN GEAR - 5TH GEAR			
85T-000	AMT HOLD MODE - DISABLED			
85V-003	AMT LOW MODE - URGE TO MOVE AND O	REEP		
85W-003	AMT MANUAL MODE - URGE TO MOVE AI CREEP	ND		
85X-003	AMT DRIVE MODE - URGE TO MOVE AND CREEP			
85Y-003	AMT REVERSE MODE - URGE TO MOVE A CREEP	ND		
353-075	QUICKFIT BODY LIGHTING CONNECTOR END OF FRAME, WITH CAP	AT		
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR	)		
347-002	ALUMINUM CLUTCH HOUSING			
362-1Y1	CUSTOMER INSTALLED CHELSEA 880 SE PTO	RIES		



MOT 2025-10969 Page 69 of 86

> Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TRANSMISSION		
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN		
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
370-998	NO TRANSMISSION OIL COOLER	-30	
35T-003	SYNTHETIC TRANSMISSION LUBE		
Front Axle and Eq	uipment		
400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	210	
402-1B1	MERITOR EX-L AIR DISC FRONT BRAKES		
403-043	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING		
419-004	FRONT DISC BRAKE ROTORS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS		
406-001	STANDARD KING PIN BUSHINGS		
536-012	TRW TAS-85 POWER STEERING	40	
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE		
<b>Front Suspension</b>			
620-025	20,000# TAPERLEAF FRONT SUSPENSION	200	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equ	ipment		
420-103	MERITOR RT-46-160 46,000# R-SERIES TANDEM REAR AXLE		420
421-307	3.07 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-083	RPL35 MERITOR MAIN DRIVELINE	40	40
388-044	RPL25 MERITOR INTERAXLE DRIVELINE		20
Application Version 12			10/10/2025 8:32 AM
Data Version PRL-30D DOWNERS GROVE 1			Page 6 of 20

MOT 2025-10969 Page 70 of 86

> Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126

		Weight	Weight	
Data Code	Description	Front	Rear	
878-045	(1) INTERAXLE LOCK VALVE FOR TANDEM DRIVE AXLES			
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-043	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS			
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
440-006	REAR OIL SEALS			
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-199	AIRLINER 46,000# REAR SUSPENSION		420	
621-007	AIRLINER HIGH POSITION RIDE HEIGHT			
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP			
624-016	51 INCH AXLE SPACING			
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT			
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			
623-002	TRANSVERSE CONTROL RODS			
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)			
Pusher / Tag Equip	pment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-1AT	WABCO 4S/4M ABS WITH HILL START AID AND TRACTION CONTROL WITH ATC SHUT OFF SWITCH			

Application Version 12.0.501 Data Version PRL-30D.008 DOWNERS GROVE 114SD TRACTOR



MOT 2025-10969 Page 71 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear	
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
2TD-001	(1) 620 CUBIC INCH ALUMINUM TRANSMISSION AIR TANK, INLET CHECK VALVE	10	15	
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
<b>Trailer Connectio</b>	ns			
481-003	12 FOOT STRAIGHT TRAILER AIR HOSE	10		
476-001	18 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE TRAILER AIR HOSE HANGER	2		
914-002	TRAILER GLAD HANDS AT END OF FRAME IN ADDITION TO ANCHOR COUPLINGS AT BACK OF CAB FOR TRACTORS	5	5	
484-006	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER			
297-132	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED BACK OF CAB/BACK OF SLEEPER			
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
1AZ-007	INBOARD FLAG BRACKET LOCATED AT BACK OF CAB/BACK OF SLEEPER			
310-002	12 FOOT DETACHABLE STRAIGHT PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR	6		

Wheelbase & Frame

545-472 4725MM (186 INCH) WHEELBASE





MOT 2025-10969 Page 72 of 86

> Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126

	Data Code	Description	Weight Front	Weight Rear	
	546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	650	-100	
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 120.47 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 116.27 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 279.13 in			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 35.49 in			
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 30.63 in			
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 55.71 in			
	553-002	FLANGED TAPERED END OF FRAME			
	550-001	FRONT CLOSING CROSSMEMBER			
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
	572-020	INVERTED U TRACTOR CROSSMEMBER		10	
	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	
Chassis	s Equipment				
	674-001	LH BACK OF CAB ACCESS	5	5	
	592-053	14 INCH (350MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	5	5	
	556-075	16 INCH CHROMED STEEL BUMPER	38		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
	585-042	BETTS B-25 PAINTED MUDFLAP BRACKETS		15	
	590-001	BLACK MUDFLAPS		15	
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
Fifth W	heel				
	578-1GG	JOST JSK37 SERIES 36.0 INCH AIR SLIDE NO- TILT FIFTH WHEEL - 2 INCH SLIDE INCREMENTS	30	580	
	577-203	FIFTH WHEEL 203MM (08.0 INCHES) AHEAD OF SUSPENSION CENTERLINE			
	582-016	222MM (8.75 INCH) FIFTH WHEEL HEIGHT		5	
	570-001	STEEL OUTBOARD ANGLE - FIFTH WHEEL MOUNTING			

Application Version 12.0.501 Data Version PRL-30D.008 DOWNERS GROVE 114SD TRACTOR



10/10/2025 8:32 AM

MOT 2025-10969 Page 73 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
	890-001	DASH MOUNTED CONTROL AND PLUMBING FOR FIFTH WHEEL			
	579-005	LH FIFTH WHEEL RELEASE			
Fuel Tai	nks				
	204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH			
	203-006	60 GALLON ALUMINUM HYDRAULIC RESERVOIR, RH WITH 1-1/4 INCH NPT STANDPIPE FITTINGS	60	55	
	218-006	25 INCH DIAMETER FUEL TANK(S)			
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-001	PLAIN STEP FINISH			
	205-001	FUEL TANK CAP(S)			
	122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-1YU	CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		
	094-1RY	BRIDGESTONE M726ELA 295/75R22.5 14 PLY RADIAL REAR TIRES		96	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels					
	502-664	ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS	-44		
	505-356	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM REAR WHEELS		-112	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ext	erior				
	829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			

Application Version 12.0.501 Data Version PRL-30D.008 DOWNERS GROVE 114SD TRACTOR



10/10/2025 8:32 AM

MOT 2025-10969 Page 74 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Code	Description	Weight Front	Weight Rear	
650-008	AIR CAB MOUNTING			
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
667-004	FRONT FENDERS SET-BACK AXLE			
678-051	SAFETY YELLOW INTERIOR GRAB HANDLES			
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
644-004	FIBERGLASS HOOD			
652-001	FREIGHTLINER NAME PLATES			
690-002	TUNNEL/FIREWALL LINER			
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED			
726-001	SINGLE ELECTRIC HORN			
728-001	SINGLE HORN SHIELD			
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			
302-047	LED AERODYNAMIC MARKER LIGHTS			
311-001	DAYTIME RUNNING LIGHTS			
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
300-015	STANDARD FRONT TURN SIGNAL LAMPS			
744-103	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE			
797-001	DOOR MOUNTED MIRRORS			
796-001	102 INCH EQUIPMENT WIDTH			
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
729-001	STANDARD SIDE/REAR REFLECTORS			
73A-002	REAR REFLECTIVE DEVICE			
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING			
768-043	63X14 INCH TINTED REAR WINDOW			
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			
654-011	RH AND LH ELECTRIC POWERED WINDOWS			
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			



MOT 2025-10969 Page 75 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
	659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			
Cab Int	erior				
	055-019	RUGGED TRIM PACKAGE			
	707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			
	70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			
	706-013	MOLDED DOOR PANEL			
	708-013	MOLDED PLASTIC DOOR PANEL			
	772-006	BLACK MATS WITH SINGLE INSULATION			
	785-025	(1) 12V DASH MOUNTED POWER OUTLET			
	691-001	FORWARD ROOF MOUNTED CONSOLE			
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
	742-007	(2) CUP HOLDERS LH AND RH DASH			
	680-029	M2/SD DASH			
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
	701-001	STANDARD HVAC DUCTING			
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
	170-015	STANDARD HEATER PLUMBING			
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
	702-002	BINARY CONTROL, R-134A			
	739-033	STANDARD INSULATION			
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
	324-1B3	STANDARD LED CAB LIGHTING			
	787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS	2		
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	655-005	LH AND RH ELECTRIC DOOR LOCKS			
	740-998	NO MATTRESS	-20	-15	



MOT 2025-10969 Page 76 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Data Cod	e Description	Weight Front	Weight Rear	
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-143	RUGGED CLOTH BLACK WITH GRAY PASSENGER SEAT			
763-102	HIGH VISIBILITY ORANGE SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & C	Controls			
4CH-003	3 EXTRA PROGRAMMABLE SWITCHES/INDICATORS			
	\$C1A0000ZZ,C1B0000ZZ,C1C0000ZZ			
106-002	ELECTRONIC ACCELERATOR CONTROL			
732-998	NO INSTRUMENT PANEL-DRIVER			
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			

149-015

156-007

811-044



ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND

INTEGRAL START POSITION; 4 POSITION

PREMIUM INSTRUMENT CLUSTER WITH 5.0

OFF/RUN/START/ACCESSORY

INCH TFT COLOR DISPLAY

MOT 2025-10969 Page 77 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear	
-	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
	844-001	2 INCH ELECTRIC FUEL GAUGE			
	148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
	48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS			
	48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP			
	163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
	854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY			
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
	864-998	NO TRANSMISSION TEMPERATURE GAUGE			
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
	736-998	NO OBSTACLE DETECTION SYSTEM			
	72J-998	NO DR ASSIST SYSTEM			
	49B-004	ELECTRONIC STABILITY CONTROL			
	73B-998	NO LANE DEPARTURE WARNING SYSTEM			
	679-998	NO OVERHEAD INSTRUMENT PANEL			
	35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		
	1U1-002	TOP OF DASH RAM MOUNT WITHOUT POWER OR GROUND, FOR CUSTOMER FURNISHED DEVICE			
	746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			
	747-001	DASH MOUNTED RADIO			
	750-002	(2) RADIO SPEAKERS IN CAB			
	753-998	NO AM/FM RADIO ANTENNA			

Application Version 12.0.501 Data Version PRL-30D.008 DOWNERS GROVE 114SD TRACTOR



MOT 2025-10969 Page 78 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951

Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

	Data Code	Description	Weight Front	Weight Rear
	749-998	NO CB RADIO MOUNTING PROVISION		
	75W-002	SHARKFIN MULTI-BAND ANTENNA, RIGHT HAND BIAS ROOF MOUNTING LOCATION: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS		
	78C-003	INTEROPERABLE SDAR ANTENNA		
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	817-001	STANDARD VEHICLE SPEED SENSOR		
	812-001	ELECTRONIC 3000 RPM TACHOMETER		
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
	8D3-165	5 YEARS DETROIT CONNECT SAFETY PLUS FOR DETROIT ASSURANCE FOR GEN 4, PLUS SERIES AND X-SERIES BEGINNING IN MY2027		
	6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE		
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
	264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
	482-001	STANDARD TRACTOR PROTECTION VALVE		
	883-001	TRAILER HAND CONTROL BRAKE VALVE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		
	87T-998	NO WRG/SW-OPTL #2,CHAS,AIR		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				

Application Version 12.0.501 Data Version PRL-30D.008

Data Version PRL-30D.008

DOWNERS GROVE 114SD TRACTOR



10/10/2025 8:32 AM

MOT 2025-10969 Page 79 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone:

Weight Weight **Data Code** Description Front Rear 980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY BLACK, HIGH SOLIDS POLYURETHANE CHASSIS 986-020 **PAINT** 963-003 STANDARD E COAT/UNDERCOATING **Certification / Compliance** 996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS **Secondary Factory Options** DEALER ACCEPTS RESPONSIBILITY FOR IN-998-998 SERVICE PDI INSPECTION 999-077 DEALER/CUSTOMER ADVISED AND ACCEPTS POTENTIAL PHYSICAL INTERFERENCE BETWEEN FENDERS, 5TH WHEEL HANDLE AND/OR TRAILER

#### TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	9533 lbs	7517 lbs	17050 lbs
 Total Weight <sup>+</sup>	9533 lbs	7517 lbs	17050 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



MOT 2025-10969 Page 80 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

#### QUOTATION

#### 114SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRACTOR
CUM X12 430V HP @ 1900 RPM, 1650 LB-FT @ 1000
RPM, 2000 GOV RPM,VOC

EATON CUMMINS EEO-16F112C ENDURANT HD AUTOMATED MANUAL TRANSMISSION

MERITOR RT-46-160 46,000# R-SERIES TANDEM REAR AXLE

AIRLINER 46,000# REAR SUSPENSION

DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

PRECISION TRUCK QUOTE: 75176 INCLUDED

20,000# TAPERLEAF FRONT SUSPENSION 114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4725MM (186 INCH) WHEELBASE

JOST JSK37 SERIES 36.0 INCH AIR SLIDE NO-TILT FIFTH WHEEL - 2 INCH SLIDE INCREMENTS

11/32X3-1/2X10-3/16 INCH STEEL FRAME

(8.73MMX258.8MM/0.344X10.19 INCH) 120KSI

1600MM (63 INCH) REAR FRAME OVERHANG

TREGISION TROOK QUOTE. 73170 INGESEED			PER UNIT	TOTAL
VEHICLE PRICE T	OTAL # OF UNITS (1)	\$	160,233	\$ 160,233
EXTENDED WARRANTY		\$	0	\$ 0
DEALER INSTALLED OPTIONS		\$	0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$	160,233	\$ 160,233
TAXES AND FEES				
FEDERAL EXCISE TAX (FET)		\$	(325)	\$ (325)
TAXES AND FEES		\$	0	\$ 0
OTHER CHARGES		\$	323	\$ 323
TRADE-IN				
TRADE-IN ALLOWANCE		\$	(0)	\$ (0)
BALANCE DUE  COMMENTS:  Projected delivery on / / provided the order	(LOCAL CURRENCY) er is received before _		160,231 /	\$ 160,231
APPROVAL: Please indicate your acceptance of this quotation by si	gning below:			
Customer: X	Date:/ _	/		

# Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <a href="www.daimler-truckfinancial.com">www.daimler-truckfinancial.com</a>.

Application Version 12.0.501 Data Version PRL-30D.008 DOWNERS GROVE 114SD TRACTOR



10/10/2025 8:32 AM

MOT 2025-10969 Page 81 of 86

> Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515

Phone: 630-434-5951


Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126



MOT 2025-10969 Page 82 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by:
Steve Szymczak
TRANSCHICAGO TRUCK
GROUP
776 N. YORK STREET
ELMHURST, IL 60126

## DIMENSIONS



### **VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS**

Model	114SD
Wheelbase (545)	4725MM (186 INCH) WHEELBASE
Rear Frame Overhang (552)	1600MM (63 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)JOST JSK37 SERIES 36.0	INCH AIR SLIDE NO-TILT FIFTH WHEEL - 2 INCH SLIDE INCREMENTS
Mounting Location (577) FIFTH	WHEEL 203MM (08.0 INCHES) AHEAD OF SUSPENSION CENTERLINE
Maximum Forward Position (in)	8
Maximum Rearward Position (in)	28
Amount of Slide Travel (in)	36
Slide Increment (in)	2
Desired Slide Position (in)	0.0
Cab Size (829)	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UNDER STEWITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	EP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY
Cab to Body Clearance (in)	

#### **TABLE SUMMARY - DIMENSIONS**



MOT 2025-10969 Page 83 of 86

Prepared for: TIM VOS DOWNERS GROVE VILLAGE OF 700 CURTISS ST DOWNERS GROVE, IL 60515 Phone: 630-434-5951 Prepared by: Steve Szymczak TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone:

Dimensions	Inches
Bumper to Back of Cab (BBC)	112.2
Bumper to Centerline of Front Axle (BA)	46.7
Front Axle to Back of Cab (AC)	65.6
Back of Cab to Centerline of Rear Axle(s) (CA)	120.5
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	116.3
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	4.2
Back of Cab to End of Frame	183.5
Cab Height (CH)	72.2
Fifth Wheel to Centerline of Rear Axle(s) (FW)	0.0
Wheelbase (WB)	186.0
Frame Overhang (OH)	63.0
Overall Frame Length	279.1
Overall Length (OAL)	295.7
Rear Axle Spacing	51.0
Unladen Frame Height at Centerline of Rear Axle	40.6

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



MOT 2025-10969 Page 84 of 86



Brown Equipment Company 2501 S Kentucky Ave Evansville IN 47714 Ph:800-747-2312 www.brownequipment.net

Vehicle Quote

**Bill To** 

VILLAGE OF DOWNERS GROVE

850 Curtiss St Downers Grove IL 60515-4761 **United States** 

**Ship To** 

VILLAGE OF DOWNERS GROVE 850 Curtiss St Downers Grove IL 60515-4761 **United States** 

**TOTAL** 

\$213,484.00

Sales Rep: Kevin Louis

Expires	PO#	Quote Information		Shipping Meth	od
11/20/2025					
Item	Description		Qty	Price	Extended Price
MULTIHOG-CX75	LIGHTS PERMANENT 4 WHEEL DRIV CONTROL FRONT 3 POINT LINKAGE 2-AXIS JOYSTICK AND MINI 4 BANK HYDRAULIC VALVE CONTROL - FRONT 2 BANK HYDRAULIC VALVE 13 PIN SOCKET ON FRONT 3500 KG (7,716 LBS) GROSS MANUALLY ADJUSTABLE HI	ge 5 ENGINE EAT AND TOP-MOUNTED ROAD WE WITH LOCK & TRACTION  ATURE LEVERS WITH PROPORTIONAL  TO REAR S VEHICLE WEIGHT EATED MIRRORS AL LOAD SENSING PUMP TO G COOLING FAN & AIR CONDITIONING G WINDOWS T)  TS (SET OF 4) 5/16 TYRES WITH NARROW IDTH 1240 MM (49.8")	1	\$172,995.00	\$172,995.00
CX75-METEC 60" STRAIGHT	SNOW PLOW WITH HYDRA CUTTING EDGE, RUBBER D AT FULL ANGLE 52", TOTAL	EFLECTOR WOŔKING WIDTH	1	\$6,499.00	\$6,499.00
SNOWBLADE	**************************************	111522			

MOT 2025-10969 Page 85 of 86



Brown Equipment Company 2501 S Kentucky Ave Evansville IN 47714 Ph:800-747-2312 www.brownequipment.net

# Vehicle Quote

Payment Information	on		Subtotal Tax (0%)	\$213,484.00
BEC SALES ALLOWANCE - WINTER	IN STOCK CX75 PRE-TARRIFF DISCOUNT	1	(\$15,000.00)	(\$15,000.00)
CX75-KUGELMANN VACUUM SWEEPER	STREET SWEEPER WITH HIGH VOLUME DEBRIS BODY -HYDRAULIC HIGH TIP DUMP -2 GUTTER BROOMS -WATER TANK -CAPADABLE WITH A MOWER DECK  ***********************************	1	\$35,000.00	\$35,000.00
	**************************************			
CX75-METEC DROP SALTER	DS44-27 1/3 cu yd Drop Sander for Multihog CX75, powdercoated Yellow RAL 1023 Weight 360 lbs (163 kg) Capacity 55 IG (252 litres) Overall Width 44" (112 cm) Overall Height 36" (92 cm) Spreading Width 40" (102 cm) Power Requirements 40 HP (30 kW) Type Hydraulic Driven Standard Features Lights, Mount for storage legs Hitch Category Custom to Multihog	1	\$6,995.00	\$6,995.00
	**************************************			
CX75-METEC DUMP BODY	DB75-5 1/2 cu yd Dump Body for Multihog CX75 Yellow Ral 1023 Weight 250 lbs (113 kg) Capacity ~101 G (382 l) Overall Width 43" (109 cm) Overall Height 16" (40.6 cm) Tailgate None Steel Gauge 11 Gauge Standard Features High Quality Wear Resistant Steel	1	\$6,995.00	\$6,995.00
Item	Description	Qty	Price	Extended Price

A 3% fee will be applied to credit card transactions process through our system. Please note that this fee will only be applied to credit card transactions, and all other payment methods will remain without any additional fees, including the option to pay via ACH. For inquiries about this update or assistance with setting up ACH payments, please contact accounting@brownequipment not accounting@brownequipment.net.

Tax (0%) \$0.00

**Total** \$213,484.00

MOT 2025-10969 Page 86 of 86



Brown Equipment Company 2501 S Kentucky Ave Evansville IN 47714 Ph:800-747-2312 www.brownequipment.net

# Vehicle Quote

FINAL INVOICE AMOUNT MAY BE SUBJECT TO ADDITIONAL MATERIAL AND MANUFACTURING SURCHARGES INCLUDING ANY TARIFFS THAT MAY ARISE. THIS ESTIMATE DOES NOT INCLUDE APPLICABLE TAXES. CUSTOMER IS RESPONSIBLE FOR ALL APPLICABLE FEDERAL, STATE AND LOCAL TAXES. WE HEREBY ORDER THE DESCRIBED MATERIAL SUBJECT TO ALL TERMS AND CONDITIONS OF THIS ESTIMATE.

PLEASE NOTE THAT A RESTOCKING FEE AND SHIPPING COSTS MAY BE ADDED TO ELIGIBLE PART RETURNS.

Name(Printed)	Signature	
Title		

THANK YOU FOR CHOOSING BROWN EQUIPMENT COMPANY